


## Parts Manual

2S-2600HD & 2S2600HDF  
Heavy Duty 26' 2-Section Folding Drill



*Read the Operator's manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!*



17254

*Cover illustration may show optional equipment not supplied with standard unit.*



# Table of Contents

<b>Section 1: Introduction.....</b>	<b>6</b>
Using This Manual.....	6
Manual Replacement Information.....	6
Manual Revisions.....	6
Touch-up Paint.....	6
Hardware Legend.....	7
Replacement Hardware.....	7
Serial Numbers.....	7
Part Number Service Coding.....	7
<b>Mainframe.....</b>	<b>8</b>
Butler Jack Assembly (890-610C).....	8
Hitch To Mainframe.....	10
Mainframe (S/N DD 1079+).....	12
Rotating Square Hammerblow Jack (890-610C).....	14
Transport Latch.....	16
<b>Transport Axle.....</b>	<b>18</b>
Transport Axle To Mainframe.....	18
Transport Tires & Hub.....	20
<b>Toolbars.....</b>	<b>22</b>
Toolbar Pivot To Box Frames.....	22
Toolbar To Mainframe.....	24
<b>Box &amp; Box Frames.....</b>	<b>26</b>
Box Dividers Fertilizer.....	26
Box To Box Frame.....	28
Box To Box Frame Fertilizer.....	30
Fertilizer Tray.....	32
Fertilizer Tray To Box.....	34
Flex Limiter.....	36
Lid To Box.....	38
Lid To Box Fertilizer.....	40
Lights.....	42
Point Row Control Box With Cables.....	44
Seed Level Indicator.....	46
Seed/Fertilizer Flap (175-191S).....	48
Small Seeds Box Components.....	50
Small Seeds Box Mounting.....	52
Spill Flap Fertilizer (175-190S).....	54
Subframes To Wing Frames.....	56
Walkboard, Step & Parking Stand To Frame (S/N DD1363-).....	58
Walkboard, Step & Parking Stand To Frame (S/N DD1364+).....	60
Weight Bracket (S/N DD1283-).....	62
Weight Bracket (S/N DD1284+).....	64
<b>Metering System.....</b>	<b>66</b>
6" Feeder Cup Spacing LH.....	66
6" Feeder Cup Spacing RH.....	68
7.5" Feeder Cup Spacing LH.....	70
7.5" Feeder Cup Spacing RH.....	72
<b>10" Feeder Cup Spacing LH.....</b>	<b>74</b>
10" Feeder Cup Spacing RH.....	76
Adjustment Handle.....	78
Vansco Shaft Monitor (Option).....	80
Loop Shaft Monitor (2 Channel 116-282A) (3 Channel 116-283A).....	82
<b>Gauge Wheels.....</b>	<b>84</b>
Dual Gauge Wheel.....	84
Single Gauge Wheel.....	86
<b>Drives.....</b>	<b>88</b>
Clutch Linkage.....	88
Fertilizer Drive Subassembly.....	90
Jaw Clutch (176-042S).....	92
Left Hand Clutch Fertilizer (195-187K).....	94
Left Hand Drive (S/N DD 1151-).....	96
Left Hand Drive (S/N DD 1152+).....	98
Left Hand Drive Fertilizer (S/N DD 1151-).....	100
Left Hand Drive Fertilizer (S/N DD 1152+).....	102
Right Hand Clutch Fertilizer (195-186K).....	104
Right Hand Drive (S/N DD 1151-).....	106
Right Hand Drive (S/N DD 1152+).....	108
Right Hand Drive Fertilizer (S/N DD 1151-).....	110
Right Hand Drive Fertilizer (S/N DD 1152+).....	112
Small Seeds Drive.....	114
<b>Openers.....</b>	<b>116</b>
00 HD Knock Down Kit.....	116
00 HD Scraper.....	118
Fertilizer Hose.....	120
HD 00 6" Seed-Lok (Option) (122-009K).....	122
HD 00 Keeton Seed Firmer.....	124
HD 00 Series Long Arm Opener (S/N DD1456-).....	126
HD 00 Series Long Arm Opener (S/N DD1457 - DD1551).....	128
HD 00 Series Long Arm Opener (S/N DD1552+).....	130
HD 00 Series Short Arm Opener (S/N DD1456-).....	132
HD 00 Series Short Arm Opener (S/N DD1457 - DD1551).....	134
HD 00 Series Short Arm Opener (S/N DD1552+).....	136
<b>Press Wheels.....</b>	<b>138</b>
HD 1 1/4" X 13 1/4" Double Press Wheel.....	138
HD 1" x 12" Double "V" Press Wheel.....	140
HD 2" x 13" Single Press Wheel.....	142
HD 3" x 13" Single Press Wheel.....	144
HD 3" x 14" Peaked Single Press Wheel.....	146
HD 4" x 12" Double Ribbed Single Press Wheel.....	148
<b>Hydraulics.....</b>	<b>150</b>
Fold Hydraulics.....	150
Toolbar Fold Midway Hydraulic Cylinder 3.5 X 20 X 1.5 (810-298C).....	152

© Copyright 2013 All rights reserved Printed 04/09/13

Great Plains Manufacturing, Inc. provides this publication "as is" without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Great Plains Manufacturing, Inc. assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Great Plains Manufacturing, Inc. reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future.

Great Plains Manufacturing, Incorporated Trademarks

The following are trademarks of Great Plains Mfg., Inc.: Application Systems, Ausherman, Land Pride, Great Plains

All other brands and product names are trademarks or registered trademarks of their respective holders.

Printed in the United States of America.



# Table of Contents (continued)

---

Transport Axle.....	154
Transport Axle Midway Hydraulics Cylinder 3.5 X 12 X 1.25 (810-316C).....	156
Transport Axle Midway Hydraulics Cylinder 4.0 X 12 X 1.5 (810-687C).....	158
Opener Down Pressure Hydraulics (Closed Center) (S/N DD1215-).....	160
Opener Down Pressure Hydraulics (Closed Center) (S/N DD1216+).....	162
Opener Down Pressure Hydraulics (Open Center) (S/N DD1215-).....	164
Opener Down Pressure Hydraulics (Open Center) (S/N DD1216+).....	166
Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1215-).....	168
Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1216+).....	170
Opener Lift Midway Hydraulic Cylinder 2 X 8 X 1.12 (810-299C).....	172
Counterbalance Valve (810-523C).....	174
Manifold Block (810-371C).....	176
Pressure Reducing Valve (810-301C).....	178
<b>Decals.....</b>	<b>180</b>
Decal Placement.....	180
<b>Options.....</b>	<b>182</b>
Cross Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C).....	182
Double Selector Valve (810-274C).....	184
Dual Markers Hydraulics.....	186
Flat Fold Marker.....	188
Marker Disk And Hub.....	192
Midway Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C).....	194
Monarch Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C).....	196
Sequence Valve (810-197C).....	198
Single Marker Hydraulics.....	200
<b>Part Number Index.....</b>	<b>202</b>



# Alphabetized Table of Contents

## Selected Models

### 0

- 00 HD Knock Down Kit.....116  
00 HD Scraper.....118

### 1

- 10" Feeder Cup Spacing LH.....74  
10" Feeder Cup Spacing RH.....76

### 6

- 6" Feeder Cup Spacing LH.....66  
6" Feeder Cup Spacing RH.....68

### 7

- 7.5" Feeder Cup Spacing LH.....70  
7.5" Feeder Cup Spacing RH.....72

### A

- Adjustment Handle.....78

### B

- Box Dividers Fertilizer.....26  
Box To Box Frame.....28  
Box To Box Frame Fertilizer.....30  
Butler Jack Assembly (890-610C).....8

### C

- Clutch Linkage.....88  
Counterbalance Valve (810-523C).....174  
Cross Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)....182

### D

- Decal Placement.....180  
Double Selector Valve (810-274C).....184  
Dual Gauge Wheel.....84  
Dual Markers Hydraulics.....186

### F

- Fertilizer Drive Subassembly.....90  
Fertilizer Hose.....120  
Fertilizer Tray.....32  
Fertilizer Tray To Box.....34  
Flat Fold Marker.....188  
Flex Limiter.....36  
Fold Hydraulics.....150

### H

- HD 00 6" Seed-Lok (Option) (122-009K).....122  
HD 00 Keeton Seed Firmer.....124  
HD 00 Series Long Arm Opener (S/N DD1456-).....126  
HD 00 Series Long Arm Opener (S/N DD1457 - DD1551).....128  
HD 00 Series Long Arm Opener (S/N DD1552+).....130  
HD 00 Series Short Arm Opener (S/N DD1456-).....132

- HD 00 Series Short Arm Opener (S/N DD1457 - DD1551).....134  
HD 00 Series Short Arm Opener (S/N DD1552+).....136  
HD 1 1/4" X 13 1/4" Double Press Wheel.....138  
HD 1" x 12" Double "V" Press Wheel.....140  
HD 2" x 13" Single Press Wheel.....142  
HD 3" x 13" Single Press Wheel.....144  
HD 3" x 14" Peaked Single Press Wheel.....146  
HD 4" x 12" Double Ribbed Single Press Wheel.....148  
Hitch To Mainframe.....10

### J

- Jaw Clutch (176-042S).....92

### L

- Left Hand Clutch Fertilizer (195-187K).....94  
Left Hand Drive (S/N DD 1151-).....96  
Left Hand Drive (S/N DD 1152+).....98  
Left Hand Drive Fertilizer (S/N DD 1151-).....100  
Left Hand Drive Fertilizer (S/N DD 1152+).....102  
Lid To Box.....38  
Lid To Box Fertilizer.....40  
Lights.....42  
Loop Shaft Monitor (2 Channel 116-282A) (3 Channel 116-283A).....82

### M

- Mainframe (S/N DD 1079+).....12  
Manifold Block (810-371C).....176  
Marker Disk And Hub.....192  
Midway Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)....194  
Monarch Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)....196

### O

- Opener Down Pressure Hydraulics (Closed Center) (S/N DD1215-).....160  
Opener Down Pressure Hydraulics (Closed Center) (S/N DD1216+).....162  
Opener Down Pressure Hydraulics (Open Center) (S/N DD1215-).....164  
Opener Down Pressure Hydraulics (Open Center) (S/N DD1216+).....166  
Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1215-).....168  
Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1216+).....170  
Opener Lift Midway Hydraulic Cylinder 2 X 8 X 1.12 (810-299C).....172

### P

- Point Row Control Box With Cables.....44  
Pressure Reducing Valve (810-301C).....178

### R

- Right Hand Clutch Fertilizer (195-186K).....104  
Right Hand Drive (S/N DD 1151-).....106  
Right Hand Drive (S/N DD 1152+).....108



# Alphabetized Table of Contents (continued)

---

Right Hand Drive Fertilizer (S/N DD 1151-)	110
Right Hand Drive Fertilizer (S/N DD 1152+)	112
Rotating Square Hammerblow Jack (890-610C)	14

## S

Seed Level Indicator	46
Seed/Fertilizer Flap (175-191S)	48
Sequence Valve (810-197C)	198
Single Gauge Wheel	86
Single Marker Hydraulics	200
Small Seeds Box Components	50
Small Seeds Box Mounting	52
Small Seeds Drive	114
Spill Flap Fertilizer (175-190S)	54
Subframes To Wing Frames	56

## T

Toolbar Fold Midway Hydraulic Cylinder 3.5 X 20 X 1.5 (810-298C)	152
Toolbar Pivots To Box Frames	22
Toolbar To Mainframe	24
Transport Axle	154
Transport Axle Midway Hydraulics Cylinder 3.5 X 12 X 1.25 (810-316C)	156
Transport Axle Midway Hydraulics Cylinder 4.0 X 12 X 1.5 (810-687C)	158
Transport Axle To Mainframe	18
Transport Latch	16
Transport Tires & Hub	20

## V

Vansco Shaft Monitor (Option)	80
-------------------------------	----

## W

Walkboard, Step & Parking Stand To Frame (S/N DD1363-)	58
Walkboard, Step & Parking Stand To Frame (S/N DD1364+)	60
Weight Bracket (S/N DD1283-)	62
Weight Bracket (S/N DD1284+)	64



## General Information

### Using This Manual


This manual is divided into sections. The first section contains General Information, a Table of Contents, an Alphabetical Page Index, and a Part Number Index. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts.

The Great Plains parts in this manual are specially designed for this machine and should be replaced with Great Plains parts only.

The information in this manual is current at printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the contents of these pages.



### Manual Replacement Information

Replacement manuals are available. Refer to your dealer or the Great Plains Publications Catalog for additional information.

### Manual Revisions

When this manual is revised, the modification date is printed on the front cover and on the revised page(s).

### Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol touch-up paint is available. To order use Great Plains parts numbers below:

GP Green.....	821-001C
GP Black.....	821-002C
GP Beige.....	821-003C
GP Buckskin.....	821-004C

## [Table of Contents](#)

## [Part Number Index](#)

### Hardware Legend

<b>AR</b>	As Required
<b>BLADE</b>	Blade Bolt
<b>C</b>	Cap Screw
<b>CP</b>	Cotter Pin
<b>CPHSS</b>	Cup Point Hex Socket Set Screw
<b>CPSHSS</b>	Cup Point Square Head Set Screw
<b>CPSQHSS</b>	Cup Point Square Head Set Screw
<b>CRFCHMS</b>	Cross Recess Flat Countersunk Head Mach. Screw
<b>CRPHMS</b>	Cross Recess Pan Head Machine Screw
<b>CRPHTFS</b>	Cross Recess Pan Head Thread Forming
<b>CRRHMS</b>	Cross Recess Round Head Machine Screw
<b>CRTHMS</b>	Cross Recess Truss Head Machine Screw
<b>CSNB</b>	Countersunk Square Neck Bolt
<b>FHMS</b>	Flat Head Machine Screw
<b>FTC</b>	Full Thread Cap Screw
<b>H</b>	Hex Nut
<b>HCLN</b>	Hex Center Lock Nut
<b>HFLCS</b>	Hex Flange Lock Cap Screw
<b>HFS</b>	Hex Flange Screw
<b>HFSLN</b>	Hex Flange Serrated Lock Nut
<b>HFSS</b>	Hex Flange Serrated Screw
<b>HHCS</b>	Hex Head Cap Screw or Metric Bolt
<b>HSBHCS</b>	Hex Socket Button Head Cap Screw
<b>HSFCCHCS</b>	Hex Socket Flat Countersunk Head Cap Screw
<b>HSHCS</b>	Hex Socket Head Cap Screw
<b>HSSS</b>	Hex Socket Head Screw
<b>HTLN</b>	Hex Top Lock Nut
<b>HWHCS</b>	Hex Washer Head Cap Screw

<b>HWHMS</b>	Hex Washer Head Machine Screw
<b>HXBHCS</b>	Hex Socket Button Head Cap Screw
<b>J</b>	Hex Jam Nut
<b>JIC</b>	37 Degree Tapered Thread
<b>L</b>	Helical Spring Lock Washer
<b>LUG</b>	Lug Bolt
<b>NFC</b>	National Fine Cap Screw
<b>NPSM</b>	National Pipe Straight Mechanical
<b>NPTF</b>	National Pipe Taper Fuel
<b>P</b>	Wide Plain Washer
<b>PHMS</b>	Pan Head Machine Screw
<b>PLOW</b>	Plow Bolt
<b>RHMS</b>	Round Head Machine Screw
<b>RHSNB</b>	Round Head Square Neck Bolt
<b>SCREW LEVELING</b>	Leveling Screw
<b>SCREW THUMB</b>	Thumb Screw
<b>SCREW WELD</b>	Weld Screw
<b>SFCHMS</b>	Slotted Flat Countersunk Head Machine Screw
<b>SFHMS</b>	Slotted Fillister Head Machine Screw
<b>SP</b>	Special
<b>SP SCREW</b>	Special Screw
<b>SQHSS</b>	Square Head Set Screw
<b>SRHMS</b>	Slotted Round Head Machine Screw
<b>SSS</b>	Socket Set Screw
<b>STCS</b>	Self Tapping Cap Screw
<b>STHMS</b>	Slotted Truss Head Machine Screw
<b>WHEEL</b>	Wheel Studs and Hub Long Bolts
<b>WING</b>	Wing Bolt

### Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts lists. All bolts and nuts are grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

### Serial Numbers


Always use the serial and model number when ordering parts. Refer to the operator's manual for serial number plate location.

(S/N 20001+ or S/N 20001 and above)	Includes serial numbers 20001 and above (to the latest number)
(S/N 10001↔20000)	Includes serial numbers between 10000 and 20001
(S/N 10000- or S/N 10000 and below)	Includes serial numbers 10000 and below (to the earliest number)

[Table of Contents](#)   [Part Number Index](#)

**Butler Jack Assembly (890-610C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



13324


**Butler Jack Assembly (890-610C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg13324	Image No.		
1.	10-80054	BUTLER GRIP CLIP		
2.	2H-30081	BUTLER PVC GRIP		
3.	2H-30080	BUTLER CRANK ASSEMBLY		
4.	10-80147	BUTLER GROOVE PIN		
5.	2H-200GP	BUTLER GEAR BOX		
6.	10-70020	BUTLER BUSHING		
7.	10-50058	BUTLER PINION GEAR		
8.	10-80012	BUTLER THRUST BEARING		
9.	800-046C	WOODRUFF KEY #606		
10.	10-50057	BUTLER BEVEL GEAR		
11.	10-80028	7/8-14 LOCKNUT PLATED.		
12.	801-052C	SCR P.H. 8X3/8 TYPEB THD FORM		
13.	20-20028	RPBY 10-20501		
14.	2H-300GP	OBsolete BUTLER INNER LEG ASBY		

## Hitch To Mainframe

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17231

## Hitch To Mainframe


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17231	Image No.		
1.	194-171H	2S-2600 TONGUE MAINFRAME WELDM		
2.	890-610C	SQ TB JACK 10000 LB 10 STROKE	Refer to Rotating Square Hammerblow Jack (890-610C) for breakdown	
3.	194-070D	SAFETY CHAIN WASHER		
4.	802-543C	HHCS 1 1/4-7X10 GR5 SPTHD		
5.	802-544C	HHCS 1 1/4-7X9 GR5 SPTHD		
6.	890-183C	SAFETY CHAIN 20000 LB		
7.	170-033H	SINGLE HITCH STRAP-LARGE		
8.	803-020C	NUT HEX 1/2-13 PLT		
9.	804-015C	WASHER LOCK SPRING 1/2 PLT		
10.	804-017C	WASHER FLAT 1/2 USS PLT		
11.	196-136H	CLEVIS HITCH WELDMENT		
12.	807-073C	SPRING HOSE LOOP HEAVY		
13.	802-039C	HHCS 1/2-13X3 GR5		
14.	804-030C	WASHER LOCK 1 1/4 SPRING PLT		
15.	803-034C	NUT HEX 1 1/4-7 PLT		
16.	170-034H	SINGLE HITCH STRAP-SMALL		

**Mainframe (S/N DD 1079+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Mainframe (S/N DD 1079+)**

---


**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg17233	Image No.		
1.	113-370D	1/4 MARKER HYD HOSE GUARD		
2.	194-134H	VALVE MOUNT BRACKET		
3.	196-112D	RPBY 196-146D		
4.	802-079C	HHCS 3/8-16X1 1/4 GR5		
5.	802-138C	HHCS 5/16-18X2 1/4 GR5		
6.	803-014C	NUT HEX 3/8-16 PLT		
7.	804-009C	WASHER LOCK SPRING 5/16 PLT		
8.	804-011C	WASHER FLAT 3/8 USS PLT		
9.	804-013C	WASHER LOCK SPRING 3/8 PLT		

[Table of Contents](#)   [Part Number Index](#)

**Rotating Square Hammerblow Jack (890-610C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Rotating Square Hammerblow Jack (890-610C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg20213	Image No.		
1.	017802	HB VIKING COVER		
2.	017806	HB COVER SCREW		
3.	020023	HB BEVEL GEAR		
4.	009062	HB GROOVE PIN .25 X 1.5		
5.	016053	HB WEAR PLATE		
6.	001015	HB THRUST BEARING		
7.	016048	HB BEARING SEAT		
8.	712205	HB SCREW & NUT ASSY		
9.	802-114C	HHCS 3/8-16X2 1/2 GR5		
10.	825-002C	WASHER FLAT 3/8		
11.	803-013C	NUT LOCK 3/8-16 PLT		
12.	701140	HB CRANK, NARROW CLEVIS		
13.	640069X	REP BY 182531		
14.	006125	HB CROSS SHAFT		
15.	701029X	REP BY 701438		
16.	017012	HB BEARING SLEEVE		
17.	015796	HB BULLDOG 12000LB LABEL		
18.	020022	HB BEVEL GEAR PINION		
19.	009052	HB RETAINING PIN		

## Transport Latch

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17232

## **Transport Latch**


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17232	Image No.		
1.	804-011C	WASHER FLAT 3/8 USS PLT		
2.	194-381D	LATCH PAWL		
3.	803-013C	NUT LOCK 3/8-16 PLT		
4.	802-079C	HHCS 3/8-16X1 1/4 GR5		
5.	194-167H	2S-2600 LATCH		
6.	807-177C	SPRING EXT 1 OD X .110 X 8.5		
7.	802-058C	HHCS 5/8-11X2 1/2 GR5		
8.	804-019C	WASHER FLAT 5/8 USS PLT		
9.	804-022C	WASHER LOCK SPRING 5/8 PLT		
10.	803-021C	NUT HEX 5/8-11 PLT		

## Transport Axle To Mainframe

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17234


**Transport Axle To Mainframe**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17234	Image No.		
1.	148-402D	3-BOLT PIVOT BUSH 4 1/2 ID TB		
2.	194-113H	TRANSPORT AXLE CYL LOCK		
3.	194-172H	2S-2600 TRANSPORT AXLE WELDM		
4.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
5.	801-068C	FSHCS 1/4-20X1 PLT		
6.	802-212C	HHCS 3/4-10X2 1/2 GR5		
7.	803-006C	NUT-HEX 1/4-20 PLT		
8.	803-027C	NUT HEX 3/4-10 PLT		
9.	804-023C	WASHER LOCK SPRING 3/4 PLT		
10.	804-082C	WASHER MACH 1 3/4 X 1 X 18 GA		
11.	805-104C	PIN COTTER 3/16 X 1 1/2 PLT		
12.	805-124C	PIN CLEVIS 1 X 3 11/16 GR5 PLT		
13.	810-316C	CYL 3.5X12X1.25 ROD (TIE ROD)	(S/N DD1496-) Refer to Transport Axle Midway Hydraulics Cylinder 3.5x12x1.25 (810-316C) for breakdown	
13.	810-687C	CYL 4.0X12X1.50 ROD (TIE ROD)	(S/N DD1497+) Refer to Transport Axle Midway Hydraulics Cylinder 4.0x12x1.5 (810-687C) for breakdown	
14.	817-308C	RPBY 194-174A		
15.	194-402D	PLASTIC CYL LOCK BUMPER		
16.	194-401D	LOCK SPRING CLIP		
17.	802-283C	HHCS 1/4-20X1/2 GR2		

## Transport Tires & Hub

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Transport Tires & Hub**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17235	Image No.		
1.	802-104C	BOLT WHEEL 1/2-20X1 90-DEG		
2.	155-012K	TRANSPORT WHEEL & TIRE ASSY	Includes items 3 through 6	
3.	816-035C	VALVE STEM TR415X.625X1 1/4 LG		
4.	814-031C	TIRE 11L-15SL 12 PLY TUBELESS		
5.	814-023C	WHEEL 15 DIA X 10 WIDE X 6 BLT		
6.	818-752C	DECAL CAUTION TIRE 52 PSI		
7.	200-001D	HUB GREASE CAP		
8.	822-021C	BEARING CONE LM-67048		
9.	822-020C	BEARING CUP LM-67010		
10.	822-053C	BRG CUP 2.89ODX.58WD #LM501310		
11.	815-094C	HUB 6 BOLT 4570# W/CUPS PAINTD	Includes items 9 & 10	
12.	822-048C	BRG CONE 1.62IDX.78WD#LM501349		
13.	816-265C	SEAL 1.875 ID X 3.00 OD QDS		
14.	181-064D	7/8 SPINDLE WASHER, HARDENED		
15.	805-016C	PIN COTTER 3/16 X 1 1/4 PLT		
16.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
17.	815-089C	SPINDLE SGL 1.98X11.00		
18.	815-090C	HUB & SPINDLE 6 BOLT 4570 LB	Includes items 7 through 17	
19.	802-399C	HFS 1/2-20X1 1/2 GR5		
20.	152-215D	WHEEL REINFORCING RING		Only on outside dual gauge wheels
21.	802-153C	HHCS 5/8-11X3 3/4 GR5		
22.	803-024C	NUT LOCK 5/8-11 PLT		

## Toolbar Pivots To Box Frames

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Toolbar Pivots To Box Frames**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17237	Image No.		
1.	805-085C	PIN COTTER 5/16 X 2 1/2		
2.	803-079C	NUT HEX SLOTTED 1 1/4 - 7		
3.	804-035C	WASHER FLAT 1 1/4 USS PLT		
4.	197-001D	BOX HINGE PIVOT WASHER		
5.	194-269D	TOOLBAR HORIZONTAL PIVOT PIN		
6.	194-270D	TOOLBAR SPACER WASHER		
7.	194-161H	2S-2600 RH WING FRAME	Shown	
7.	194-160H	2S-2600 LH WING FRAME		

**Toolbar To Mainframe**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Toolbar To Mainframe**


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg17236	Image No.		
1.	810-298C	CYL 3.5X20X1.5 ROD (TIE ROD)	Refer to Midway Hydraulic Cylinder 3.5x20x1.5 (810-298C0 for breakdown)	
2.	890-193C	STEEL BUSHING 3 1/4X3IDX3LONG		
3.	194-270D	TOOLBAR SPACER WASHER		
4.	800-436C	ADAPT 90 SWIVEL 1/4-28M X 1/4		
5.	194-163H	2S-2600 TOOLBAR LH		
6.	805-085C	PIN COTTER 5/16 X 2 1/2		
7.	803-079C	NUT HEX SLOTTED 1 1/4 - 7		
8.	804-035C	WASHER FLAT 1 1/4 USS PLT		
9.	197-001D	BOX HINGE PIVOT WASHER		
10.	802-178C	HHCS 7/8-9X5 1/2 GR5		
11.	803-028C	NUT NY-LOK 7/8-9 PLT		
12.	194-268D	TOOLBAR VERTICAL PIVOT PIN		
13.	194-164H	2S-2600 TOOLBAR RH		
14.	802-273C	HHCS 1 1/4-7X4 1/2 GR5		
15.	803-032C	NUT HEX JAM 1 1/4-7 PLT		
16.	804-030C	WASHER LOCK 1 1/4 SPRING PLT		
17.	800-130C	GREASE ZERK STRAIGHT 1/8-27NPT		
18.	194-577D	5 OUTLET GREASE BANK		
19.	802-705C	HHCS 5/16-18X5/8		
20.	804-009C	WASHER LOCK SPRING 5/16 PLT		
21.	804-036C	WASHER FLAT 5/16 SAE PLT		
22.	800-449C	AD PUSH 1/4 TUBE 1/8 FNPT		
23.	800-064C	HOSE CLIP 13/16 ID		
24.	990-109R	TUBE NYLON 1/4OD X 062WL		
25.	803-295C	NUT HEX COUPLER 5/16-18 1/2 LG		

## Box Dividers Fertilizer

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Box Dividers Fertilizer**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19314	Image No.		
1.	802-017C	HHCS 3/8-16X1 GR5		
2.	817-322C	DIVIDER INSERT 33 X 4.5 OFFSET		
3.	817-324C	KNOB 1/4-20 FEMALE THD		
4.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
5.	802-005C	HHCS 1/4-20X1 GR5		
6.	803-007C	NUT-LOCK 1/4-20 PLT		
7.	195-208D	RETAINER CLIP		
8.	195-182H	DIVIDER BOTTOM BRACKET LH		
9.	195-181H	DIVIDER BOTTOM BRACKET CTR		
10.	195-183H	DIVIDER BOTTOM BRACKET RH		
11.	803-199C	NUT HEX FLANGE 5/16-18 PLT		
12.	195-194D	DIVIDER CLIP, END MOUNTED		
13.	802-387C	HFS 5/16-18X3/4 GR5		
14.	817-321C	DIVIDER INSERT 33 X NO OFFSET		
15.	175-190S	1300 SPILL FLAP SUB ASSEMBLY		
16.	802-375C	HFSS 1/4-20X1 GR5		
17.	803-088C	NUT HEX LOCK 1/4-20 FLG		
18.	175-289D	13' EW FERTILIZER CAP PLATE		
19.	802-196C	HFSS 1/4-20X5/8 GR5		
20.	803-088C	NUT HEX LOCK 1/4-20 FLG		

## Box To Box Frame

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Box To Box Frame**


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg17238	Image No.		
1.	803-020C	NUT HEX 1/2-13 PLT		
2.	804-015C	WASHER LOCK SPRING 1/2 PLT		
3.	113-370D	1/4 MARKER HYD HOSE GUARD		
4.	196-112D	RPBY 196-146D		
5.	804-009C	WASHER LOCK SPRING 5/16 PLT		
6.	802-138C	HHCS 5/16-18X2 1/4 GR5		
7.	802-034C	HHCS 1/2-13X1 1/4 GR5		
8.	195-101D	INTERIOR ENDPANEL COVER LH		
9.	194-160H	2S-2600 LH WING FRAME		
9.	194-161H	2S-2600 RH WING FRAME	Shown	
10.	803-199C	NUT HEX FLANGE 5/16-18 PLT		
11.	195-100D	3S BOX PARTITION		
12.	802-387C	HFS 5/16-18X3/4 GR5		
13.	802-079C	HHCS 3/8-16X1 1/4 GR5		
14.	804-011C	WASHER FLAT 3/8 USS PLT		
15.	195-102D	INTERIOR ENDPANEL COVER RH		
16.	802-203C	HFSS 1/2-13X1 1/2 GR5		
17.	119-190D	HANDLE		
18.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
19.	175-145H	RPBY 174-219H		
20.	804-013C	WASHER LOCK SPRING 3/8 PLT		
21.	803-014C	NUT HEX 3/8-16 PLT		
22.	148-613D	BOX SUPPORT ANGLE		

## Box To Box Frame Fertilizer

(Applies to 2S-2600 HD, 2S-2600 HDF only)



19311

**Box To Box Frame Fertilizer**


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg19311	Image No.		
1.	803-020C	NUT HEX 1/2-13 PLT		
2.	804-015C	WASHER LOCK SPRING 1/2 PLT		
3.	113-370D	1/4 MARKER HYD HOSE GUARD		
4.	196-112D	RPBY 196-146D		
5.	804-009C	WASHER LOCK SPRING 5/16 PLT		
6.	802-138C	HHCS 5/16-18X2 1/4 GR5		
7.	802-034C	HHCS 1/2-13X1 1/4 GR5		
8.	195-101D	INTERIOR ENDPANEL COVER LH		
9.	194-160H	2S-2600 LH WING FRAME	Shown.	
9.	194-161H	2S-2600 RH WING FRAME		
10.	803-199C	NUT HEX FLANGE 5/16-18 PLT		
11.	195-100D	3S BOX PARTITION		
12.	802-387C	HFS 5/16-18X3/4 GR5		
13.	802-079C	HHCS 3/8-16X1 1/4 GR5		
14.	804-011C	WASHER FLAT 3/8 USS PLT		
15.	195-102D	INTERIOR ENDPANEL COVER RH		
16.	802-203C	HFSS 1/2-13X1 1/2 GR5		
17.	119-190D	HANDLE		
18.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
19.	175-219H	2600 SEED BOX		
20.	804-013C	WASHER LOCK SPRING 3/8 PLT		
21.	803-014C	NUT HEX 3/8-16 PLT		
22.	803-177C	803-184 FLG TP LK 5/16-18ZNYCR		
23.	195-207D	DIVIDER CLIP OUTER		
24.	195-206D	DIVIDER CLIP INNER		
25.	802-442C	HFSS 5/16-18X1 1/4		
26.	195-205D	DIVIDER ANGLE BRACKET		

## Fertilizer Tray

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Fertilizer Tray


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19317	Image No.		
1.	141-084D	TRAY BEARING SPACER		
2.	175-102H	13' EW FERT BEARING RETAINER		
3.	191-001D	MF FERT.75 HEX BORE BUSHING		
4.	191-002D	MF FERT HEX BORE PLASTIC BUSH		
5.	191-018D	MF FERT STAR RETAINER SIDE PLT		
6.	175-183H	1300 FERT TRAY WELDMENT 6		
6.	175-182H	1300 FERT TRAY WELDMENT 7 1/2		
6.	175-184H	1300 FERT TRAY WELDMENT 10		
7.	175-338D	1300 FERT TRAY ADAPTER PANEL		
8.	175-341D	1300 AGITATOR SHAFT		
9.	800-032C	LATCH STRIKE		
10.	800-012C	RIVET SS 1/8 DIA		
11.	801-009C	SCREW SET 1/4-28 SH X 1/2 LG		
12.	802-079C	HHCS 3/8-16X1 1/4 GR5		
13.	802-092C	RHSNB 5/16-18X3/4 GR5		
14.	802-148C	HFSS 1/4-20X1/2 GR5		
15.	802-252C	RHSNB 3/8-16X1 3/4 GR5		
16.	802-633C	RHSNB 1/4-20X5/8 PLT		
17.	803-006C	NUT-HEX 1/4-20 PLT		
18.	803-008C	NUT HEX 5/16-18 PLT		
19.	803-014C	NUT HEX 3/8-16 PLT		
20.	803-088C	NUT HEX LOCK 1/4-20 FLG		
21.	804-006C	WASHER LOCK SPRING 1/4 PLT		
22.	804-009C	WASHER LOCK SPRING 5/16 PLT		
23.	804-013C	WASHER LOCK SPRING 3/8 PLT		
24.	808-086C	SPKT 40B30 X 3/4 HEXBORE W/ SS		
25.	816-292C	VINYL FERT DEW SHIELD 13 EW		
26.	817-053C	6 POINT FERT METERING WHEEL		
27.	817-323C	NYLON RATCHET (TREE RIVET)		
28.	822-083C	BRG FLG 1.25ID 3BOLT		
29.	890-026C	FELT SEAL		
30.	804-048C	WASHER MACH 2 1/2X1 3/4X.075		

## Fertilizer Tray To Box

(Applies to 2S-2600 HD, 2S-2600 HDF only)



19316

## Fertilizer Tray To Box


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19316	Image No.		
1.	175-187K	1300 FERT TRAY ASSEMBLY 6	Shown.	
1.	175-188K	1300 FERT TRAY ASSEMBLY 7 1/2		
1.	175-189K	1300 FERT TRAY ASSEMBLY 10		
1.	195-223K	2600 RH FERT TRAY ASSY 6		
1.	195-224K	2600 RH FERT TRAY ASSY 7 1/2		
1.	195-225K	2600 RH FERT TRAY ASSY 10		
2.	802-196C	HFSS 1/4-20X5/8 GR5		
3.	803-088C	NUT HEX LOCK 1/4-20 FLG		
4.	802-375C	HFSS 1/4-20X1 GR5		

## Flex Limiter

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17239

## **Flex Limiter**


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17329	Image No.		
1.	803-034C	NUT HEX 1 1/4-7 PLT		
2.	804-030C	WASHER LOCK 1 1/4 SPRING PLT		
3.	800-073C	GREASE ZERK 1/4-28 X 90-DEG		
4.	802-544C	HHCS 1 1/4-7X9 GR5 SPTHD		
5.	805-004C	PIN CLEVIS 1 X 2 3/4 USABLE LG		
6.	194-152H	ADJUSTMENT LINK TUBE		
7.	194-158H	FLEX CONTROL UPPER PIVOT LUG		
8.	194-157H	CLEVIS, 1 PIN DIA X 1-8 RH THD		
9.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
10.	194-162H	WING FLEX LIMIT LUG RH	Shown	
10.	194-154H	WING FLEX LIMIT LUG LH		
11.	401-154D	PIN 1 1/4 TOP CYLINDER WING		
12.	802-114C	HHCS 3/8-16X2 1/2 GR5		
13.	803-013C	NUT LOCK 3/8-16 PLT		

**Lid To Box**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Lid To Box**


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg17255	Image No.		
1.	175-180S	13' EW LID HINGE ASSEMBLY		
2.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
3.	313-186D	LID HINGE PIVOT		
4.	313-176D	LID HINGE BASE PLATE		
5.	802-411C	RHSNB 3/8-16X2 GR5		
6.	802-015C	RHSNB 3/8-16X1 GR5		
7.	838-482C	DECAL GP PLANTING COMPONENTS		
8.	803-011C	NUT LOCK 5/16-18 PLT		
9.	800-121C	BALL STUD 10MM X 5/16-18 X 1/2		
10.	890-221C	12-20 X 90 LB GAS SPRING		
11.	119-153D	LATCH CASTING MACHINED		
12.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
13.	119-154D	LID HANDLE		
14.	804-036C	WASHER FLAT 5/16 SAE PLT		
15.	802-425C	HHCS 5/16-18X1 1/4 NYL		
16.	175-146H	13' EW SEED BOX LID		
17.	802-004C	HHCS 1/4-20X3/4 GR5		
18.	817-042C	MINI END WHEEL PRESS WHEEL		
19.	803-293C	NUT HEX FLNG T-LOCK 1/4-20 YLW		
20.	817-516C	MANUAL PAK 1" W/ GASKET		
21.	802-203C	HFSS 1/2-13X1 1/2 GR5		
22.	248-251D	MANUAL PAK MOUNTING PLATE		

**Lid To Box Fertilizer**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



19312

**Lid To Box Fertilizer**


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg19312	Image No.		
1.	175-180S	13' EW LID HINGE ASSEMBLY		
2.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
3.	313-186D	LID HINGE PIVOT		
4.	313-176D	LID HINGE BASE PLATE		
5.	802-411C	RHSNB 3/8-16X2 GR5		
6.	802-015C	RHSNB 3/8-16X1 GR5		
7.	195-198D	HINGE CLAMP STRIP ENDS		
7.	195-197D	HINGE CLAMP STRIP CTR		
8.	803-011C	NUT LOCK 5/16-18 PLT		
9.	800-121C	BALL STUD 10MM X 5/16-18 X 1/2		
10.	890-308C	9 1/4-15 X 70LB GAS SPRING		
11.	119-153D	LATCH CASTING MACHINED		
12.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
13.	119-154D	LID HANDLE		
14.	804-036C	WASHER FLAT 5/16 SAE PLT		
15.	802-425C	HHCS 5/16-18X1 1/4 NYL		
16.	175-146H	13' EW SEED BOX LID		
17.	803-088C	NUT HEX LOCK 1/4-20 FLG		
18.	195-177S	SEED/FERT FLAP SUBASSY		
19.	802-375C	HFSS 1/4-20X1 GR5		

## Lights

(Applies to 2S-2600 HD, 2S-2600 HDF only)



15449

## ***Lights***


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15449	Image No.		
1.	890-312C	DUAL AG LIGHTS RH		
1.	890-311C	DUAL AG LIGHTS LH	Shown	
2.	801-151C	SCR HEX SELF TAP 1/4-20X1TYPEF		
3.	802-203C	HFSS 1/2-13X1 1/2 GR5		
4.	890-430C	LIGHT HARNESS, 20' WISHBONE		
5.	800-149C	RPBY 800-112C		
6.	800-064C	HOSE CLIP 13/16 ID		
7.	890-313C	AG LIGHT WIRING HARNESS-28'		
8.	195-112D	PLATE, AG LIGHT RH	Shown	
8.	195-165D	PLATE, AG LIGHT LH		
9.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
10.	804-013C	WASHER LOCK SPRING 3/8 PLT		
11.	803-014C	NUT HEX 3/8-16 PLT		
12.	800-148C	CABLE TIE MOUNT		

## Point Row Control Box With Cables

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Point Row Control Box With Cables**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg22972	Image No.		
1.	823-185C	POINT ROW CONTROL BOX		
2.	823-190C	POINT ROW CABLE W/ POWER LEAD		
3.	823-175C	3 SECT POINT ROW WIRE HARNESS		
4.	810-408C	BYPASS CARTRIDGE AND SOLENOID		
5.	810-432C	HYDRAULIC BYPASS VALVE		

## Seed Level Indicator

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17311

**Seed Level Indicator**


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg17311	Image No.		
1.	197-091D	SEED LEVEL CHAIN BRACKET		
2.	800-101C	RIVET POP 1/8X.265LG FLG		
3.	805-067C	PIN COTTER 1/8 X 3/4		
4.	890-305C	CABLE 3/64 X 11 5/8 W/ EYELETS		
5.	195-124H	3S SEED LEVEL ROD		
6.	817-202C	SEED LEVEL ARM MOUNT		
7.	804-004C	WASHER INTERNAL STAR #10 PLT		
8.	803-001C	NUT HEX 10-24 PLT		
9.	817-086C	SEED LEVEL BUSHING		
10.	801-154C	SCR HEX HD SHT MET #8 X 1/2		
11.	817-350C	SEED LEVEL INDICATOR		
12.	804-075C	WASHER FLAT 1/4 USS PLT		
13.	838-237C	DECAL SEED LEVEL LH		2nd rev.
13.	818-392C	DECAL SEED LEVEL, NOTCHED		1st rev.
14.	803-003C	.00 HEX SS 1/4-20 NYLOCK		
15.	801-096C	HFS 10-24 X 1 1/8 PLTD		
16.	197-089D	FOAM FLOAT		
17.	197-096D	FOAM FLOAT WASHER		

## Seed/Fertilizer Flap (175-191S)

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Seed/Fertilizer Flap (175-191S)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16578	Image No.		
1.	175-332D	1300 SEED/FERT SELECT FLAP		
2.	195-197D	HINGE CLAMP STRIP CTR		
3.	175-327D	1300 HINGE CLAMP STRIP END		
4.	803-007C	NUT-LOCK 1/4-20 PLT		
5.	802-078C	HHCS 1/4-20X5/8 GR5		
6.	816-291C	RUBBER BELTING HINGE 13 EW		

## Small Seeds Box Components

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## Small Seeds Box Components

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16593	Image No.		
1.	123-050H	ADJUSTMENT HANDLE PIVOT		
2.	123-113D	LOCK TAB		
3.	123-116D	SEED ADJUSTMENT SPOOL		
4.	123-118D	SEED ADJUSTMENT SUPPORT		
5.	123-356D	10' EWNT SGS LID LATCH		
6.	123-409D	RMVBL SMALL SEED BOX PARTITION		
7.	123-410D	GAUGE MOUNTING BRACKET		
8.	890-349C	3/8 SHAFT LOCKING COLLAR		
9.	123-476H	REAR SEED RATE ADJ HANDLE WLD		
10.	123-575D	1300 SML SDS CUP SHAFT 6 IN		
10.	123-576D	1300 SML SDS CUP SHAFT 7.5 IN		
10.	123-577D	1300 SML SDS CUP SHAFT 10 IN		
11.	133-061H	1300 SML SDS BOX 6 IN		
11.	133-062H	1300 SML SDS BOX 7.5 IN		
11.	133-063H	1300 SML SDS BOX 10 IN		
12.	133-064H	1300 SML SDS LID		
13.	123-834H	SML SDS DRIVE SPKT HUB 277		
14.	800-028C	SNAP RING .875		
15.	800-101C	RIVET POP 1/8X.265LG FLG		
16.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
17.	801-003C	SCREW RD HD SLT 10-24X1/2 PLT		
18.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
19.	802-004C	HHCS 1/4-20X3/4 GR5		
20.	802-078C	HHCS 1/4-20X5/8 GR5		
21.	802-092C	RHSNB 5/16-18X3/4 GR5		
22.	802-148C	HFSS 1/4-20X1/2 GR5		
23.	803-001C	NUT HEX 10-24 PLT		
24.	803-006C	NUT-HEX 1/4-20 PLT		
25.	803-007C	NUT-LOCK 1/4-20 PLT		
26.	803-035C	NUT HEX 8-32 BRASS		
27.	803-058C	NUT WING 5/16-18		
28.	804-002C	WASHER INTERNAL STAR #8 BRASS		
29.	804-003C	WASHER FLAT #8 BRASS		
30.	804-004C	WASHER INTERNAL STAR #10 PLT		
31.	804-006C	WASHER LOCK SPRING 1/4 PLT		
32.	804-012C	WASHER FLAT 3/8 SAE PLT		
33.	804-042C	WASHER GRASS SEEDER CUP SHAFT		
34.	804-044C	WASHER FLAT 1 3/8X.876X.048 TH		
35.	804-046C	WASHER FLAT #10 SAE PLT		
36.	805-019C	PIN COTTER 5/32 X 1 PLT		
37.	805-067C	PIN COTTER 1/8 X 3/4		
38.	816-112C	RUBBER LATCH 37-11-065-10		
39.	816-113C	LATCH KEEPER 37-15-061-17		
40.	817-504C	SML SEED FEEDER CUP ASSY	(S/N DD1123+)	2nd rev.
40.	817-008C	RPBY 817-504C	(S/N DD1122-)	1st rev.
41.	817-009C	GRASS SEEDER SLEEVE		
42.	817-010C	GRASS SEEDER SPROCKET		
43.	817-026C	HANGER DRIVE SHAFT		
44.	819-041C	SEED ADJUSTMENT GUIDE		
45.	838-467C	DECAL SMALL SEEDS DANGER		
46.	817-806C	SMALL SEEDS CUP WIND SHIELD		

## **Small Seeds Box Mounting**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## **Small Seeds Box Mounting**

---


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19320	Image No.		
1.	119-190D	HANDLE		
2.	133-161H	SML SDS RH MOUNT WLDM W/ DRIVE		
2.	133-159H	SML SDS LH MOUNT WLDM W/ DRIVE	Shown.	
3.	802-034C	HHCS 1/2-13X1 1/4 GR5		
4.	123-491D	HANDLE MOUNT LH CHAIN GAURD		
5.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
6.	802-388C	HFS 3/8-16X1 GR5		
7.	133-152K	2600 SML SDS LH BOX ASY 6 IN	Shown.	
7.	133-153K	2600 SML SDS RH BOX ASY 6 IN		
7.	133-154K	2600 SML SDS LH BOX ASY 7.5 IN		
7.	133-155K	2600 SML SDS RH BOX ASY 7.5 IN		
7.	133-156K	2600 SML SDS LH BOX ASY 10 IN		
7.	133-157K	2600 SML SDS RH BOX ASY 10 IN		
8.	133-160H	SML SDS RH MOUNT WLDM	Shown.	
8.	133-158H	SML SDS LH MOUNT WLDM		
9.	123-492D	HANDLE MOUNT RH CHAIN GUARD		
10.	803-014C	NUT HEX 3/8-16 PLT		
11.	804-013C	WASHER LOCK SPRING 3/8 PLT		
12.	802-203C	HFSS 1/2-13X1 1/2 GR5		

[Table of Contents](#)   [Part Number Index](#)

**Spill Flap Fertilizer (175-190S)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



16579

## **Spill Flap Fertilizer (175-190S)**


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16579	Image No.		
1.	175-331D	1300 SPILL FLAP		
2.	195-197D	HINGE CLAMP STRIP CTR		
3.	175-327D	1300 HINGE CLAMP STRIP END		
4.	802-078C	HHCS 1/4-20X5/8 GR5		
5.	803-088C	NUT HEX LOCK 1/4-20 FLG		
6.	816-291C	RUBBER BELTING HINGE 13 EW		
7.	816-278C	RUBBER BELTING SEAL STRIP		
8.	802-375C	HFSS 1/4-20X1 GR5		
9.	800-012C	RIVET SS 1/8 DIA		
10.	175-325D	1300 DIVIDER CLAMP ANGLE SHORT		
11.	175-326D	1300 DIVIDER CLAMP ANGLE LONG		
12.	195-192D	TOP BAR PARTITION BRACE		
13.	804-007C	WASHER FLAT 1/4 SAE PLT		

## Subframes To Wing Frames

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Subframes To Wing Frames


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17241	Image No.		
1.	803-031C	NUT HEX 1-8 PLT		
2.	804-027C	WASHER LOCK SPRING 1 PLT		
3.	194-129H	6 1/8 EYE BOLT		
4.	194-165H	2S-2600 OPENER SUBFRAME LH	Shown	
4.	194-166H	2S-2600 OPENER SUBFRAME RH		
5.	802-139C	HHCS 7/8-9X7 GR5		
6.	803-028C	NUT NY-LOK 7/8-9 PLT		
7.	194-155H	SUBFRAME FLEX ARM, OUTER		
8.	805-104C	PIN COTTER 3/16 X 1 1/2 PLT		
9.	194-123K	3S BEARING ASSEMBLY		
10.	805-236C	PIN CLEVIS 1 X 3 7/8 USBLE PLT		
11.	802-204C	HHCS 3/4-10X3 3/4 GR5		
12.	810-299C	CYL 2X8X1.12 ROD (TIE ROD)	Refer to Opener Lift Midway Hydraulic Cylinder 2 x 8 x 1.12 (810-299C) for breakdown	
13.	804-025C	WASHER FLAT 3/4 SAE PLT		
14.	804-023C	WASHER LOCK SPRING 3/4 PLT		
15.	803-027C	NUT HEX 3/4-10 PLT		
16.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
17.	194-156H	SUBFRAME FLEX ARM, INNER		
18.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
19.	195-188H	SUBFRAME ARM RETAINER		
20.	803-026C	NUT LOCK 3/4-10 PLT		
21.	804-015C	WASHER LOCK SPRING 1/2 PLT		
22.	803-020C	NUT HEX 1/2-13 PLT		
23.	120-247D	3 BOLT PIVOT CAST W/ BOLT HOLE		
24.	802-082C	HHCS 1/2-13X1 3/4 GR5		
25.	802-095C	HHCS 3/4-10X7 GR5		
26.	194-516D	SUBFRAME FLEX ARM SPACER,SHORT		

[Table of Contents](#)   [Part Number Index](#)

**Walkboard, Step & Parking Stand To Frame (S/N DD1363-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17240

**Walkboard, Step & Parking Stand To Frame (S/N DD1363-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17240	Image No.		
1.	195-193H	2S-2600 WALKBOARD		
2.	803-020C	NUT HEX 1/2-13 PLT		
3.	804-015C	WASHER LOCK SPRING 1/2 PLT		
4.	195-121D	STEP LH	Shown	
4.	195-122D	STEP RH		
5.	802-082C	HHCS 1/2-13X1 3/4 GR5		
6.	194-135H	PARKING STAND LEG		
7.	805-032C	PIN HAIR COTTER .148 WIRE		
8.	805-197C	PIN BENT SHANK LOCK 5/8 OD		
9.	802-034C	HHCS 1/2-13X1 1/4 GR5		

[Table of Contents](#) [Part Number Index](#)

**Walkboard, Step & Parking Stand To Frame (S/N DD1364+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Walkboard, Step & Parking Stand To Frame (S/N DD1364+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg31231	Image No.		
1.	194-135H	PARKING STAND LEG		
2.	195-062H	LADDER WELDMENT 3-STEP NARROW		
3.	195-193H	2S-2600 WALKBOARD		
4.	802-034C	HHCS 1/2-13X1 1/4 GR5		
5.	802-030C	RHSNB 7/16-14X1 3/4 GR5		
6.	803-020C	NUT HEX 1/2-13 PLT		
7.	804-015C	WASHER LOCK SPRING 1/2 PLT		
8.	805-032C	PIN HAIR COTTER .148 WIRE		
9.	805-197C	PIN BENT SHANK LOCK 5/8 OD		
10.	802-079C	HHCS 3/8-16X1 1/4 GR5		
11.	804-016C	WASHER FLAT 1/2 SAE PLT		
12.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
13.	195-064H	LADDER MOUNT TOP WELDMENT RH	Shown	
13.	195-063H	LADDER MOUNT TOP WELDMENT LH		
14.	802-017C	HHCS 3/8-16X1 GR5		
15.	195-340D	LADDER MOUNT BOTTOM PLATE		
16.	804-013C	WASHER LOCK SPRING 3/8 PLT		
17.	803-068C	NUT HEX FLANGE 3/8-16 PLT		
18.	803-015C	NUT HEX 7/16-14 PLT		
19.	804-014C	WASHER LOCK 7/16 PLT		
20.	195-310H	WALKBOARD EXTENSION LH	LH Used with Small Seeds Only	
21.	195-311H	WALKBOARD EXTENSION RH	RH Used with Small Seeds Only	

## Weight Bracket (S/N DD1283-)

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24414


**Weight Bracket (S/N DD1283-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24414	Image No.		
1.	802-055C	HHCS 5/8-11X2 GR5		
2.	171-101H	WEIGHT BRACKET WELDMENT-LH		
2.	171-102H	WEIGHT BRACKET WELDMENT-RH		
3.	171-043D	WEIGHT BRACKET ADJ LEG		
4.	804-019C	WASHER FLAT 5/8 USS PLT		
5.	804-022C	WASHER LOCK SPRING 5/8 PLT		
6.	803-021C	NUT HEX 5/8-11 PLT		
7.	803-027C	NUT HEX 3/4-10 PLT		
8.	804-023C	WASHER LOCK SPRING 3/4 PLT		
9.	806-093C	U-BOLT 3/4-10 6 1/32 X 7 3/4		

## Weight Bracket (S/N DD1284+)

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Weight Bracket (S/N DD1284+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg25317	Image No.		
1.	802-022C	HHCS 3/8-16X1 1/2 GR5		
2.	194-058D	END CAP - TUBE		
3.	194-059D	WEIGHT BAR 1/2 X 5 X 154		
4.	804-013C	WASHER LOCK SPRING 3/8 PLT		
5.	803-014C	NUT HEX 3/8-16 PLT		

## 6" Feeder Cup Spacing LH

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## 6" Feeder Cup Spacing LH

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17242	Image No.		
1.	118-431D	3 BOX DIVIDER FOR 4 7/8 ROW		
2.	118-433D	BOX DVDR 4.00 X 60DEG		
3.	118-432D	6 5/8 BOX DVDER FOR 8 1/2 ROW		
4.	802-004C	HHCS 1/4-20X3/4 GR5		
5.	118-341D	2SNT SEED BOX DIVIDER CLIP		
6.	195-244D	2600-6 26RW FEEDER CUP TRAY LH		
7.	804-012C	WASHER FLAT 3/8 SAE PLT		
8.	804-031C	WASHER RETAINING		
9.	118-434D	SPACER TUBE X 1.454		
10.	152-044D	2.454 FEEDER CUP SPACER		
11.	890-350C	5/8 SHAFT LOCKING COLLAR		
12.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
13.	118-226S	FEEDER CUP BEARING ASSEMBLY		
14.	118-508D	BEARING HUB 40A15		
15.	118-336D	FEEDER CUP BEARING HOUSING		
16.	822-103C	BRG 30IDX55OD MM		
17.	800-004C	SNAP RING EXT BASIC 1 3/16		
18.	800-107C	SNAP RING INTERNAL 2.165		
19.	109-091D	MACHINED ADJUSTMENT SPOOL		
20.	175-233D	13' EW FD CUP SQ DRIVE BAR		
21.	890-190C	PM SEED CUP SPROCKET		
22.	817-074C	SEED CUP SLEEVE		
23.	817-071C	SEED CUP ADJUSTMENT HANDLE		
24.	817-069C	SEED CUP RIGHT HALF		
25.	817-070C	SEED CUP DOOR		
26.	817-068C	SEED CUP LEFT HALF		
27.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
28.	817-004C	NYLON WASHER-SPLIT		
29.	817-073C	SEED CUP WASHER RETAINER		
30.	817-075C	SEED CUP ASSEMBLY		
31.	802-014C	HHCS 3/8-16X3/4 GR5		
32.	804-013C	WASHER LOCK SPRING 3/8 PLT		
33.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
34.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
35.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
36.	816239C	SEED HOSE 56 RIBS X 11 LONG		

## 6" Feeder Cup Spacing RH

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## 6" Feeder Cup Spacing RH

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17243	Image No.		
1.	118-433D	BOX DVDR 4.00 X 60DEG		
2.	118-431D	3 BOX DIVIDER FOR 4 7/8 ROW		
3.	118-437D	BOX DVDR 5.13 X 60DEG		
4.	118-432D	6 5/8 BOX DVDER FOR 8 1/2 ROW		
5.	802-004C	HHCS 1/4-20X3/4 GR5		
6.	118-341D	2SNT SEED BOX DIVIDER CLIP		
7.	195-236D	2600-6 26RW FEEDER CUP TRAY RH		
8.	804-012C	WASHER FLAT 3/8 SAE PLT		
9.	804-031C	WASHER RETAINING		
10.	118-434D	SPACER TUBE X 1.454		
11.	152-044D	2.454 FEEDER CUP SPACER		
12.	890-350C	5/8 SHAFT LOCKING COLLAR		
13.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
14.	118-226S	FEEDER CUP BEARING ASSEMBLY		
15.	118-508D	BEARING HUB 40A15		
16.	118-336D	FEEDER CUP BEARING HOUSING		
17.	822-103C	BRG 30IDX55OD MM		
18.	800-004C	SNAP RING EXT BASIC 1 3/16		
19.	800-107C	SNAP RING INTERNAL 2.165		
20.	109-091D	MACHINED ADJUSTMENT SPOOL		
21.	175-233D	13' EW FD CUP SQ DRIVE BAR		
22.	890-190C	PM SEED CUP SPROCKET		
23.	817-074C	SEED CUP SLEEVE		
24.	817-071C	SEED CUP ADJUSTMENT HANDLE		
25.	817-069C	SEED CUP RIGHT HALF		
26.	817-070C	SEED CUP DOOR		
27.	817-068C	SEED CUP LEFT HALF		
28.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
29.	817-004C	NYLON WASHER-SPLIT		
30.	817-073C	SEED CUP WASHER RETAINER		
31.	817-075C	SEED CUP ASSEMBLY		
32.	802-014C	HHCS 3/8-16X3/4 GR5		
33.	804-013C	WASHER LOCK SPRING 3/8 PLT		
34.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
35.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
36.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
37.	816-239C	SEED HOSE 56 RIBS X 11 LONG		

## 7.5" Feeder Cup Spacing LH

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## 7.5" Feeder Cup Spacing LH


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17244	Image No.		
1.	118-437D	BOX DVDR 5.13 X 60DEG		
2.	118-467D	7 1/16 BOX DIVIDER - 7 1/2		
3.	802-004C	HHCS 1/4-20X3/4 GR5		
4.	118-341D	2SNT SEED BOX DIVIDER CLIP		
5.	195-245D	2600-7.5 26RW FEEDER CUP TRAY LH		
6.	804-012C	WASHER FLAT 3/8 SAE PLT		
7.	804-031C	WASHER RETAINING		
8.	118-438D	SPACER TUBE X 3.579		
9.	890-350C	5/8 SHAFT LOCKING COLLAR		
10.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
11.	118-226S	FEEDER CUP BEARING ASSEMBLY		
12.	118-508D	BEARING HUB 40A15		
13.	118-336D	FEEDER CUP BEARING HOUSING		
14.	822-103C	BRG 301DX55OD MM		
15.	800-004C	SNAP RING EXT BASIC 1 3/16		
16.	800-107C	SNAP RING INTERNAL 2.165		
17.	109-091D	MACHINED ADJUSTMENT SPOOL		
18.	175-233D	13' EW FD CUP SQ DRIVE BAR		
19.	890-190C	PM SEED CUP SPROCKET		
20.	817-074C	SEED CUP SLEEVE		
21.	817-071C	SEED CUP ADJUSTMENT HANDLE		
22.	817-069C	SEED CUP RIGHT HALF		
23.	817-070C	SEED CUP DOOR		
24.	817-068C	SEED CUP LEFT HALF		
25.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
26.	817-004C	NYLON WASHER-SPLIT		
27.	817-073C	SEED CUP WASHER RETAINER		
28.	817-075C	SEED CUP ASSEMBLY		
29.	802-014C	HHCS 3/8-16X3/4 GR5		
30.	804-013C	WASHER LOCK SPRING 3/8 PLT		
31.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
32.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
33.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
34.	816-239C	SEED HOSE 56 RIBS X 11 LONG		

## 7.5" Feeder Cup Spacing RH

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## 7.5" Feeder Cup Spacing RH

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17245	Image No.		
1.	118-466D	4 1/2 BOX DIVIDER - 7 1/2		
2.	118-432D	6 5/8 BOX DVDER FOR 8 1/2 ROW		
3.	118-437D	BOX DVDR 5.13 X 60DEG		
4.	118-338D	7 1/4 BOX DVDR FOR 7 1/2 ROW		
5.	802-004C	HHCS 1/4-20X3/4 GR5		
6.	118-341D	2SNT SEED BOX DIVIDER CLIP		
7.	195-237D	2600-7.5 21RW FEEDERCUP TRAYRH		
8.	804-012C	WASHER FLAT 3/8 SAE PLT		
9.	804-031C	WASHER RETAINING		
10.	118-468D	SPACER TUBE X 2.954		
11.	118-438D	SPACER TUBE X 3.579		
12.	118-440D	SPACER TUBE X 5.079		
13.	890-350C	5/8 SHAFT LOCKING COLLAR		
14.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
15.	118-226S	FEEDER CUP BEARING ASSEMBLY		
16.	118-508D	BEARING HUB 40A15		
17.	118-336D	FEEDER CUP BEARING HOUSING		
18.	822-103C	BRG 30IDX55OD MM		
19.	800-004C	SNAP RING EXT BASIC 1 3/16		
20.	800-107C	SNAP RING INTERNAL 2.165		
21.	109-091D	MACHINED ADJUSTMENT SPOOL		
22.	175-233D	13' EW FD CUP SQ DRIVE BAR		
23.	890-190C	PM SEED CUP SPROCKET		
24.	817-074C	SEED CUP SLEEVE		
25.	817-071C	SEED CUP ADJUSTMENT HANDLE		
26.	817-069C	SEED CUP RIGHT HALF		
27.	817-070C	SEED CUP DOOR		
28.	817-068C	SEED CUP LEFT HALF		
29.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
30.	817-004C	NYLON WASHER-SPLIT		
31.	817-073C	SEED CUP WASHER RETAINER		
32.	817-075C	SEED CUP ASSEMBLY		
33.	802-014C	HHCS 3/8-16X3/4 GR5		
34.	804-013C	WASHER LOCK SPRING 3/8 PLT		
35.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
36.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
37.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
38.	816-239C	SEED HOSE 56 RIBS X 11 LONG		

## 10" Feeder Cup Spacing LH

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17246


## 10" Feeder Cup Spacing LH

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17246	Image No.		
1.	118-338D	7 1/4 BOX DVDR FOR 7 1/2 ROW		
2.	802-004C	HHCS 1/4-20X3/4 GR5		
3.	118-341D	2SNT SEED BOX DIVIDER CLIP		
4.	195-246D	2600-10 16RW FEEDER CUP TRAYLH		
5.	804-012C	WASHER FLAT 3/8 SAE PLT		
6.	804-031C	WASHER RETAINING		
7.	175-280D	13' EW SPACER TUBE X 5.704		
8.	890-350C	5/8 SHAFT LOCKING COLLAR		
9.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
10.	118-226S	FEEDER CUP BEARING ASSEMBLY		
11.	118-508D	BEARING HUB 40A15		
12.	118-336D	FEEDER CUP BEARING HOUSING		
13.	822-103C	BRG 30IDX55OD MM		
14.	800-004C	SNAP RING EXT BASIC 1 3/16		
15.	800-107C	SNAP RING INTERNAL 2.165		
16.	109-091D	MACHINED ADJUSTMENT SPOOL		
17.	175-233D	13' EW FD CUP SQ DRIVE BAR		
18.	890-190C	PM SEED CUP SPROCKET		
19.	817-074C	SEED CUP SLEEVE		
20.	817-071C	SEED CUP ADJUSTMENT HANDLE		
21.	817-069C	SEED CUP RIGHT HALF		
22.	817-070C	SEED CUP DOOR		
23.	817-068C	SEED CUP LEFT HALF		
24.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
25.	817-004C	NYLON WASHER-SPLIT		
26.	817-073C	SEED CUP WASHER RETAINER		
27.	817-075C	SEED CUP ASSEMBLY		
28.	802-014C	HHCS 3/8-16X3/4 GR5		
29.	804-013C	WASHER LOCK SPRING 3/8 PLT		
30.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
31.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
32.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
33.	816-239C	SEED HOSE 56 RIBS X 11 LONG		

## 10" Feeder Cup Spacing RH

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## 10" Feeder Cup Spacing RH

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17247	Image No.		
1.	118-338D	7 1/4 BOX DVDR FOR 7 1/2 ROW		
2.	802-004C	HHCS 1/4-20X3/4 GR5		
3.	118-341D	2SNT SEED BOX DIVIDER CLIP		
4.	195-238D	2600-10 16RW FEEDER CUP TRAYRH		
5.	804-012C	WASHER FLAT 3/8 SAE PLT		
6.	804-031C	WASHER RETAINING		
7.	175-280D	13' EW SPACER TUBE X 5.704		
8.	890-350C	5/8 SHAFT LOCKING COLLAR		
9.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
10.	118-226S	FEEDER CUP BEARING ASSEMBLY		
11.	118-508D	BEARING HUB 40A15		
12.	118-336D	FEEDER CUP BEARING HOUSING		
13.	822-103C	BRG 30IDX55OD MM		
14.	800-004C	SNAP RING EXT BASIC 1 3/16		
15.	800-107C	SNAP RING INTERNAL 2.165		
16.	109-091D	MACHINED ADJUSTMENT SPOOL		
17.	175-233D	13' EW FD CUP SQ DRIVE BAR		
18.	890-190C	PM SEED CUP SPROCKET		
19.	817-074C	SEED CUP SLEEVE		
20.	817-071C	SEED CUP ADJUSTMENT HANDLE		
21.	817-069C	SEED CUP RIGHT HALF		
22.	817-070C	SEED CUP DOOR		
23.	817-068C	SEED CUP LEFT HALF		
24.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
25.	817-004C	NYLON WASHER-SPLIT		
26.	817-073C	SEED CUP WASHER RETAINER		
27.	817-075C	SEED CUP ASSEMBLY		
28.	802-014C	HHCS 3/8-16X3/4 GR5		
29.	804-013C	WASHER LOCK SPRING 3/8 PLT		
30.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
31.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
32.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
33.	816-239C	SEED HOSE 56 RIBS X 11 LONG		

## Adjustment Handle

(Applies to 2S-2600 HD, 2S-2600 HDF only)



16676

## Adjustment Handle


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16676	Image No.		
1.	803-008C	NUT HEX 5/16-18 PLT		
2.	804-009C	WASHER LOCK SPRING 5/16 PLT		
3.	804-036C	WASHER FLAT 5/16 SAE PLT		
4.	802-014C	HHCS 3/8-16X3/4 GR5		
5.	804-013C	WASHER LOCK SPRING 3/8 PLT		
6.	804-012C	WASHER FLAT 3/8 SAE PLT		
7.	802-007C	HHCS 5/16-18X3/4 GR5		
8.	800-003C	SNAP RING EXT 17 MM		
9.	822-008C	BRG BALL 17IDX40OD 6203		
10.	804-001C	WASHER ADJ HANDLE BRG		
11.	175-243H	8FT EW SEED RATE ADJ HANDLE		
12.	804-021C	WASHER FLAT 5/8 SAE PLT		
13.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
14.	109-069D	ADJUSTMENT HANDLE PIVOT		
15.	805-016C	PIN COTTER 3/16 X 1 1/4 PLT		
16.	803-016C	NUT WING 1/2-13 PLT		
17.	109-025H	ADJ LOCK PLATE ASS'Y - 1 1/2 W		
18.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
19.	804-003C	WASHER FLAT #8 BRASS		
20.	819-109C	REAR SEED ADJ GUIDE 6 3/4 LONG		
20.	819-001C	NAME PLATE ADJ. GUIDE LONG		
21.	195-253H	REAR SEED RATE ADJ MOUNT WLDMT		
22.	804-002C	WASHER INTERNAL STAR #8 BRASS		
23.	803-035C	NUT HEX 8-32 BRASS		
24.	803-088C	NUT HEX LOCK 1/4-20 FLG		
25.	802-196C	HFSS 1/4-20X5/8 GR5		
26.	817-087C	1 3/4 WIDE FEEDER CUP PLUG		

## Vansco Shaft Monitor (Option)

(Applies to 2S-2600 HD, 2S-2600 HDF only)



27009

**Vansco Shaft Monitor (Option)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg27009	Image No.		
1.	823-059C	VANSO 2 CHANNEL SHAFT MONITOR		
1.	823-060C	VANSO 3 CHANNEL SHAFT MONITOR		
1.	823-076C	VANSO 2 CHNL SHAFT MNTR-2SNT		
2.	253001	VANSO CONTROL BOX ASSY 2 CH		
2.	253000	VANSO CONTROL BOX ASSY 3 CH		
3.	253701	VANSO HARNESS 2 CH 40FT		
3.	253700	VANSO HARNESS 3 CH 60FT		
4.	VA-080002	REED SWITCH PICK-UP		
5.	804-088C	WASHER FLAT #8 SAE PLT		
6.	804-043C	WASHER LOCK #8		
7.	803-064C	NUT HEX 8-32		
8.	116-181D	VANSO SWITCH BRACKET		
9.	801-067C	SCREW RD HD 8-32 X 1 1/2LG PLT		
10.	801-016C	SCREW RD HD 8-32 X 1/2 LG PLT		
11.	116-132K	VANSO MAGNET & CABLE TIE ASSY		
12.	890-321C	VANSO MAGNET		
13.	800-112C	CABLE TIE .19X7.25 1.75D 50LB		
14.	VA-VMM253501	MOUNTING BRACKET		
15.	VA-253307	VANSO MOUNTING KNOB KIT		
16.	VA-JX-B77	BRYLITE CONSOLE END		
17.	VA-JX-B76	BRYLITE HARNESS END		

[Table of Contents](#)   [Part Number Index](#)

**Loop Shaft Monitor (2 Channel 116-282A) (3 Channel 116-283A)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Loop Shaft Monitor (2 Channel 116-282A) (3 Channel 116-283A)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg34220	Image No.		
1.	802-257C	HFSS 1/4-20X3/4 GR5		
2.	800-052C	HOSE CLIP 5/8 I.D.		
3.	803-088C	NUT HEX LOCK 1/4-20 FLG		
4.	770026	CABLE TIE, NYLON		
5.	540017	MAGNET, ADHESIVE BACKED, LARGE		
6.	710425	NUT HEX JAM, PLASTIC M16 X 2		
7.	116-019D	SHAFT SENSOR MOUNT		
8.	801-199C	SCR SELF TAP #10 X 3/4		
9.	253100	LOUP SHAFT SENSOR 2&3 CHANNEL		
10.	116-020D	SMALL CUP SENSOR MOUNT		
11.	253017	LOUP 3 CHANNEL SHAFT MONITOR		
12.	253016	LOUP 2 CHANNEL SHAFT MONITOR		
13.	833-595C	SHAFT MONITOR EXT. 30' 6P WP		
14.	318951	HARNESS 3 SHAFT MONITOR LOUP		
15.	253017	LOUP 3 CHANNEL SHAFT MONITOR		
16.	833-596C	SHAFT MONITOR EXT. 25' 4P WP		
17.	318917	HARNESS 2 SHAFT MONITOR LOUP		

## Dual Gauge Wheel

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Dual Gauge Wheel


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17249	Image No.		
1.	194-274D	3S TORSION SPRING HANDLE RH		
1.	194-273D	3S TORSION SPRING HANDLE LH		
2.	195-159D	SUBFRAME LOCK HOOK		
3.	802-138C	HHCS 5/16-18X2 1/4 GR5		
4.	195-160D	GAUGE WHEEL LOCK PIN		
5.	803-011C	NUT LOCK 5/16-18 PLT		
6.	803-208C	NUT BEARING LOCK, TN-10		
7.	804-098C	WASHER BEARING LOCK, TW110		
8.	195-229D	SPNDLE 2"W/5/8 CROSS HOLE DUAL		
9.	120-198D	AXLE SPACER TUBE		
10.	816-138C	SEAL DBL LIP 2.5 ID X 3.881 OD		
11.	822-117C	BEARING CONE 2 TIM33889		
12.	822-118C	BEARING CUP 2 TIM33821		
13.	808-287C	SPKT 50B19C2B W/5/16 HOLE		
13.	808-097C	SPKT 40B19X2B W/5/16 HOLE		
14.	805-030C	PIN ROLL 5/16 X 2 1/2 PLT		
15.	816-012C	SEAL 3.375 X 2.0 X.438 CR20125		
16.	802-104C	BOLT WHEEL 1/2-20X1 90-DEG		
17.	814-026C	TIRE 9.5L X 15 6 PLY RIB IMP		
18.	816-035C	VALVE STEM TR415X.625X1 1/4 LG		
19.	814-008C	WHEEL 8 X 15 X 6 BOLT		
20.	161-046K	6 BOLT WHL&TIRE 6 PLY TUBELESS		
21.	816-241C	RUBBER HANDLE GRIP.207IDX3 1/2		
22.	152-390D	6-BOLT HEAVY DRIVE HUB 2 BORE		
23.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		
24.	804-095C	WASHER FLAT 5/8 HARD ASTM F436		
25.	802-640C	HHCS 5/8-11X4 SPTHD GR8		
26.	818-751C	DECAL CAUTION TIRE 32 PSI		
27.	195-234D	WASHER FLAT 2 ID X 2 5/8 X 10G		
28.	195-265D	SPNDL 2 X 24.70 W/ 1.5-12 THD		
28.	195-351D	SPNDL 2 X 24.7 1.5-12THD NOHLE		
29.	804-182C	WASHER HARD 1 1/2 MILCARB GR8		
30.	803-239C	NUT HEX SLOTTED 1 1/2-12		
31.	805-148C	PIN COTTER 3/8 X 3 PLT		
32.	808-413C	SPKT 50B19 2.88 KEYLESS BORE		
33.	891-137C	HUB KEYLESS 2.0 BORE X 2.88 OD		
34.	195-352D	WRENCH OPEN END 2 1/2		
35.	195-355D	WRENCH SPANNER 6 BOLT HUB		
36.	195-398H	DRIVE SPROCKET TORQUING NUT		
37.	805-249C	PIN ROLL 3/8 X 2 PLT		

## Single Gauge Wheel

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Single Gauge Wheel


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17248	Image No.		
1.	194-274D	3S TORSION SPRING HANDLE RH	Shown.	
1.	194-273D	3S TORSION SPRING HANDLE LH		
2.	195-159D	SUBFRAME LOCK HOOK		
3.	802-138C	HHCS 5/16-18X2 1/4 GR5		
4.	195-160D	GAUGE WHEEL LOCK PIN		
5.	803-011C	NUT LOCK 5/16-18 PLT		
6.	803-208C	NUT BRG LOCK, TN-10	S/N DD1128-	
7.	804-098C	WASHER BRG LOCK, TW110	S/N DD1128-	
8.	195-230D	SPNDLE 2"W/5/8 CROSS HOLE SNGL	S/N DD1128-	
9.	120-198D	AXLE SPACER TUBE		
10.	816-138C	SEAL DBL LIP 2.5 ID X 3.881 OD		
11.	822-117C	BRG CONE 2.00ID TIM33889		
12.	822-118C	BRG CUP 3.75OD TIM33821		
13.	808-287C	SPKT 50B19C2B W/5/16 HOLE	S/N DD1083+	
13.	808-097C	SPKT 40B19X2B W/5/16 HOLE	S/N DD1082-	
14.	805-030C	PIN ROLL 5/16 X 3 PLT		
15.	816-012C	SEAL 3.375 X 2.0 X.438 CR20125		
16.	802-104C	BOLT WHEEL 1/2-20X1 90-DEG		
17.	814-026C	RPBY 814-011C		
18.	816-035C	VALVE STEM TR415X.625X1 1/4 LG		
19.	814-008C	WHEEL 8 X 15 X 6 BOLT		
20.	161-046K	6 BOLT WHL&TIRE 8 PLY TUBELESS		
21.	816-241C	RUBBER HANDLE GRIP.207IDX3 1/2		
22.	152-390D	6-BOLT HEAVY DRIVE HUB 2 BORE		
23.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		
24.	804-095C	WASHER FLAT 5/8 HARD ASTM F436		
25.	802-687C	HHCS 5/8-11X4 SPTHD GR8		
26.	818-751C	DECAL CAUTION TIRE 32 PSI		
27.	195-266D	SPNDL 2 X 19.20 W/ 1.5-12 THD	S/N DD1129+	
28.	804-182C	WASHER HARD 1 1/2 MILCARB GR8	S/N DD1129+	
29.	803-239C	NUT HEX SLOTTED 1 1/2-12 PLT	S/N DD1129+	
30.	805-148C	PIN COTTER 3/8 X 3 PLT	S/N DD1129+	

## Clutch Linkage

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## **Clutch Linkage**


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17253	Image No.		
1.	802-017C	HHCS 3/8-16X1 GR5		
2.	152-262D	CLUTCH ENGAGE ARM		
3.	152-263D	CLUTCH ENGAGE TAB		
4.	802-079C	HHCS 3/8-16X1 1/4 GR5		
5.	804-011C	WASHER FLAT 3/8 USS PLT		
6.	803-215C	NUT NYLOCK JAM THIN 3/8-16 PLT		
7.	804-013C	WASHER LOCK SPRING 3/8 PLT		
8.	803-014C	NUT HEX 3/8-16 PLT		
9.	807-072C	SPRING EXT 1 1/16 ODX.120WX5.5		
10.	803-008C	NUT HEX 5/16-18 PLT		
11.	195-144D	CLUTCH SHUTOFF CAM, 00 SERIES		
12.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
13.	805-083C	PIN CLEVIS 3/4 X 1 1/2		
14.	195-131H	SUBFRM CLUTCH BRKT,SOLID STAND		
15.	803-020C	NUT HEX 1/2-13 PLT		
16.	804-015C	WASHER LOCK SPRING 1/2 PLT		
17.	806-109C	RPBY 806-066C		
18.	195-130H	CLUTCH SHUTOFF LINK, 00 SERIES		
19.	802-012C	HHCS 5/16-18X1 1/2 GR5		
20.	195-254D	CLUTCH PULL TAB		

## Fertilizer Drive Subassembly

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## Fertilizer Drive Subassembly

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16476	Image No.		
1.	195-209D	HEX SHAFT 7/8,FERT JACKSHAFT 1		
2.	195-210D	HEX SHAFT 7/8,FERT JACKSHAFT 2		
3.	195-212D	ANGLE, FERTILIZER DRIVE MOUNT		
4.	808-260C	SPKT 40B12 X 7/8 HEX BORE		
5.	195-145H	FERTILIZER DRIVE WELDMENT LH	Shown.	
5.	195-250H	FERTILIZER DRIVE WELDMENT RH		
6.	195-153H	SPKT 40B16T X 7/8 HEX BORE		
7.	195-154H	SPKT 40B17T X 7/8 HEX BORE		
8.	195-155H	SPKT 40B18T X 7/8 HEX BORE		
9.	195-156H	SPKT 40B19T X 7/8 HEX BORE		
10.	195-157H	SPKT 40B20T X 7/8 HEX BORE		
11.	195-158H	SPKT 40B21T X 7/8 HEX BORE		
12.	195-159H	SPKT 40B44T X 7/8 HEX BORE		
13.	802-034C	HHCS 1/2-13X1 1/4 GR5		
14.	802-041C	HHCS 1/2-13X3 1/2 GR5		
15.	802-282C	RHSNB 5/16-18X1 GR5		
16.	803-008C	NUT HEX 5/16-18 PLT		
17.	803-020C	NUT HEX 1/2-13 PLT		
18.	803-036C	NUT HEX JAM 1/2-13 PLT		
19.	804-015C	WASHER LOCK SPRING 1/2 PLT		
20.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
21.	804-009C	WASHER LOCK SPRING 5/16 PLT		
22.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
23.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
24.	136-027D	CHAIN RL #40 57 PITCHES		
25.	817-025C	NO. 40 12T IDLER SPKT.		
26.	822-032C	FLANGETTE 52 MST		
27.	822-119C	BRG 7/8HEXX2.05OD SPH		

## Jaw Clutch (176-042S)

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Jaw Clutch (176-042S)


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg10249	Image No.		
1.	800-177C	SNAP RING EXT 1 1/4 HEAVY		
2.	176-065D	CLUTCH FRICTION WASHER		
3.	817-111C	BSHG FLG 1.26IDX1.41ODX.87L		
4.	176-078D	CLUTCH DRIVE PLATE LONG - CW		
5.	176-080D	CLUTCJ ARM PLATE		
6.	176-076D	CLUTCH SLIDE PLATE - CW		
7.	176-084D	CLUTCH HUB 7/8 HEX BORE		
8.	807-097C	SPRING COMP 2 1/16 OD X 4 LG		
9.	176-066D	CLUTCH SPRING RETAINER		
10.	805-024C	PIN ROLL 3/16X 1 1/2 PLT		
11.	176-042S	JAW CLUTCH CW EXT 7/8 HEX		

## Left Hand Clutch Fertilizer (195-187K)

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Left Hand Clutch Fertilizer (195-187K)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16465	Image No.		
1.	152-262D	CLUTCH ENGAGE ARM		
2.	808-240C	SPKT 40A23X1.813-1.818 BR/6HOL		
3.	176-042S	JAW CLUTCH CW EXT 7/8 HEX		
4.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
5.	802-152C	HHCS 1/4-20X2 GR5		
6.	802-017C	HHCS 3/8-16X1 GR5		
7.	803-215C	NUT NYLOCK JAM THIN 3/8-16 PLT		
8.	804-006C	WASHER LOCK SPRING 1/4 PLT		
9.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
10.	195-222D	BEARING 7/8 HEX ID X 1.254 OD		
11.	176-065D	CLUTCH FRICTION WASHER		
12.	817-111C	BSHG FLG 1.26IDX1.41ODX.87L		
13.	195-160H	SPKT CLUTCH 40B23T RND BORE		

[Table of Contents](#)   [Part Number Index](#)

**Left Hand Drive (S/N DD 1151-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17251

**Left Hand Drive (S/N DD 1151-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17251	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
13.	136-175D	CHAIN RL #50 X 162 PITCHES	Serial #DD1083+.	
13.	136-128D	CHAIN RL #40 190 PITCHES	Serial #DD1082-.	
14.	802-282C	RHSNB 5/16-18X1 GR5		
15.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB	Serial #DD1083+.	
15.	195-139H	SPKT 40B57T WITH 7/8 HEX HUB	Serial #DD1082-.	
16.	195-189D	POWER SHAFT 7/8 HEX LH		
17.	804-015C	WASHER LOCK SPRING 1/2 PLT		
18.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
19.	803-036C	NUT HEX JAM 1/2-13 PLT		
20.	817-025C	NO. 40 12T IDLER SPKT.		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	802-039C	HHCS 1/2-13X3 GR5		
23.	802-004C	HHCS 1/4-20X3/4 GR5		
24.	804-006C	WASHER LOCK SPRING 1/4 PLT		
25.	808-240C	SPKT 40A23X1.813-1.818 BR/6HOL		
26.	176-042S	JAW CLUTCH CW EXT 7/8 HEX	Refer to Jaw Clutch (176-042S) for breakdown	
27.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
28.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
29.	805-026C	PIN ROLL 1/4 X 3/4 PLT		
30.	802-039C	HHCS 1/2-13X3 GR5		
31.	817-423C	NO. 50 12T IDLER SPKT	Serial #DD1083+.	
31.	817-025C	NO. 40 12T IDLER SPKT.	Serial #DD1082-.	

[Table of Contents](#)    [Part Number Index](#)

**Left Hand Drive (S/N DD 1152+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



21627

**Left Hand Drive (S/N DD 1152+)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21627	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
13.	136-175D	CHAIN RL #50 162 PITCHES		
14.	802-282C	RHSNB 5/16-18X1 GR5		
15.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB	(S/N DD1637-)	
15.	195-320S	SPKT 50C57 RATCHET DRIVE	(S/N DD1638+) Includes items: 36-42	
16.	195-189D	POWER SHAFT 7/8 HEX LH	(S/N DD1637-)	
16.	195-375D	POWER SHAFT 7/8 HEX LH	(S/N DD1638+)	
17.	804-015C	WASHER LOCK SPRING 1/2 PLT		
18.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
19.	803-036C	NUT HEX JAM 1/2-13 PLT		
20.	817-025C	NO. 40 12T IDLER SPKT.		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	802-039C	HHCS 1/2-13X3 GR5		
23.	802-004C	HHCS 1/4-20X3/4 GR5		
24.	804-006C	WASHER LOCK SPRING 1/4 PLT		
25.	808-240C	SPKT 40A23X1.813-1.818 BR/6HOL		
26.	176-042S	JAW CLUTCH CW EXT 7/8 HEX	Refer to Jaw Clutch (176-042C) for breakdown	
27.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
28.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
29.	805-026C	PIN ROLL 1/4 X 3/4 PLT		
30.	802-039C	HHCS 1/2-13X3 GR5		
31.	817-423C	NO. 50 12T IDLER SPKT		
32.	802-413C	HHCS 1/2-13X4 1/2 GR5		
33.	803-169C	NUT HEX FLG LOCK 1/2-13 PLT		
34.	802-092C	RHSNB 5/16-18X3/4 GR5	(S/N DD1638+)	
35.	195-176D	PLATE, FERT DRIVE BASE	(S/N DD1638+)	
36.	802-418C	HSHCS 1/4-20X7/8		
37.	402-050D	CLUTCH, SIDE PLATE TAPPED		
38.	808-449C	SPKT 50A57 SPECIAL BORE		
39.	402-376D	POLYURETHANE ROD SPRING 5/16 L		
40.	890-954C	HUB RATCHET SPKT #50		
41.	403-751D	KEY RATCHET CLUTCH #50 SPKT		
42.	402-051D	CLUTCH, SIDE PLATE C/BORED		

[Table of Contents](#)   [Part Number Index](#)

**Left Hand Drive Fertilizer (S/N DD 1151-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Left Hand Drive Fertilizer (S/N DD 1151-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19318	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
13.	136-175D	CHAIN RL #50 X 162 PITCHES		
14.	802-282C	RHSNB 5/16-18X1 GR5		
15.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB		
16.	195-189D	POWER SHAFT 7/8 HEX LH		
17.	804-015C	WASHER LOCK SPRING 1/2 PLT		
18.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
19.	803-036C	NUT HEX JAM 1/2-13 PLT		
20.	817-025C	NO. 40 12T IDLER SPKT.		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	802-041C	HHCS 1/2-13X3 1/2 GR5		
23.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
24.	195-187K	3S-3000F LH WING CLUTCH ASSY	Refer to Left Hand Clutch Fertilizer (195-187K) for breakdown	
25.	136-064D	CHAIN RL #40 51 PITCHES		
26.	195-241D	AUXILIRY POWER HEX 7/8		
27.	136-151D	CHAIN RL #40 59 PITCHES		
28.	195-184S	FERTILIZER DRIVE SUBASSY LH	Refer to Fertilizer Drive Subassembly for breakdown	
29.	136-044D	CHAIN RL #40 109 PITCHES		
30.	806-060C	U-BOLT 1/2-13 X 6 1/32 X 7 1/4		
31.	804-015C	WASHER LOCK SPRING 1/2 PLT		
32.	803-020C	NUT HEX 1/2-13 PLT		
33.	817-423C	NO. 50 12T IDLER SPKT		
34.	802-039C	HHCS 1/2-13X3 GR5		

[Table of Contents](#)   [Part Number Index](#)

**Left Hand Drive Fertilizer (S/N DD 1152+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



21628


**Left Hand Drive Fertilizer (S/N DD 1152+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21628	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
13.	136-175D	CHAIN RL #50 162 PITCHES		
14.	802-282C	RHSNB 5/16-18X1 GR5		
15.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB	(S/N DD1637-)	
15.	195-320S	SPKT 50C57 RATCHET DRIVE	(S/N DD1638+) Includes items: 38-44	
16.	195-189D	POWER SHAFT 7/8 HEX LH	(S/N DD1637-)	
16.	195-375D	POWER SHAFT 7/8 HEX LH	(S/N DD1638+)	
17.	804-015C	WASHER LOCK SPRING 1/2 PLT		
18.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
19.	803-036C	NUT HEX JAM 1/2-13 PLT		
20.	817-025C	NO. 40 12T IDLER SPKT.		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	802-041C	HHCS 1/2-13X3 1/2 GR5		
23.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
24.	195-187K	3S-3000F LH WING CLUTCH ASSY	Refer to Right Hand Clutch Fertilizer (195-186K) for breakdown	
25.	136-064D	CHAIN RL #40 51 PITCHES		
26.	195-241D	AUXILIRY POWER HEX 7/8		
27.	136-151D	CHAIN RL #40 59 PITCHES		
28.	195-184S	FERTILIZER DRIVE SUBASSY LH	Refer to Fertilizer Drive Subassembly for breakdown	
29.	136-044D	CHAIN RL #40 109 PITCHES		
30.	806-060C	U-BOLT 1/2-13 X 6 1/32 X 7 1/4		
31.	803-020C	NUT HEX 1/2-13 PLT		
32.	817-423C	NO. 50 12T IDLER SPKT		
33.	802-039C	HHCS 1/2-13X3 GR5		
34.	802-413C	HHCS 1/2-13X4 1/2 GR5		
35.	803-169C	NUT HEX FLG LOCK 1/2-13 PLT		
36.	802-092C	RHSNB 5/16-18X3/4 GR5	(S/N DD1638+)	
37.	195-376D	7/8 HEX WASHER X .21	(S/N DD1638+)	
38.	802-418C	HSHCS 1/4-20X7/8		
39.	402-050D	CLUTCH, SIDE PLATE TAPPED		
40.	808-449C	SPKT 50A57 SPECIAL BORE		
41.	402-376D	POLYURETHANE ROD SPRING 5/16 L		
42.	890-954C	HUB RATCHET SPKT #50		
43.	403-751D	KEY RATCHET CLUTCH #50 SPKT		
44.	402-051D	CLUTCH, SIDE PLATE C/BORED		

## Right Hand Clutch Fertilizer (195-186K)

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Right Hand Clutch Fertilizer (195-186K)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16452	Image No.		
1.	152-262D	CLUTCH ENGAGE ARM		
2.	808-240C	SPKT 40A23X1.813-1.818 BR/6HOL		
3.	176-042S	JAW CLUTCH CW EXT 7/8 HEX		
4.	195-161H	SPKT CLUTCH 40B23T HEX BORE		
5.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
6.	802-017C	HHCS 3/8-16X1 GR5		
7.	802-551C	HHCS 1/4-20X2 1/4 GR5		
8.	803-215C	NUT NYLOCK JAM THIN 3/8-16 PLT		
9.	804-006C	WASHER LOCK SPRING 1/4 PLT		
10.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		

**Right Hand Drive (S/N DD 1151-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Right Hand Drive (S/N DD 1151-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)


Ref	Part No.	Part Description	Comments	Revision
	dwg17252	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
13.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
14.	195-239D	ACRE METER SHAFT		
15.	802-282C	RHSNB 5/16-18X1 GR5		
16.	804-015C	WASHER LOCK SPRING 1/2 PLT		
17.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
18.	803-036C	NUT HEX JAM 1/2-13 PLT		
19.	817-025C	NO. 40 12T IDLER SPKT.		
20.	802-041C	HHCS 1/2-13X3 1/2 GR5		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	802-551C	HHCS 1/4-20X2 1/4 GR5		
23.	804-006C	WASHER LOCK SPRING 1/4 PLT		
24.	808-240C	SPKT 40A23X1.813-1.818 BR/6HOL		
25.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
26.	176-042S	JAW CLUTCH CW EXT 7/8 HEX	Refer to Jaw Clutch (176-042S) for breakdown	
27.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB	Serial #DD1083+.	
27.	195-139H	SPKT 40B57T WITH 7/8 HEX HUB	Serial #DD1082-.	
28.	195-240D	POWER SHAFT RH 7/8 HEX		
29.	195-170D	CLUTCH ADAPTOR 7/8 HEX BORE		
30.	136-175D	CHAIN RL #50 X 162 PITCHES	Serial #DD1083+.	
30.	136-128D	CHAIN RL #40 190 PITCHES	Serial #DD1082-.	
31.	891-057C	2600 ACRE METER		
32.	817-423C	NO. 50 12T IDLER SPKT	Serial #DD1083+.	
32.	817-025C	NO. 40 12T IDLER SPKT.	Serial #DD1082-	
33.	802-039C	HHCS 1/2-13X3 GR5		

## Table of Contents

## Part Number Index

## ***Right Hand Drive (S/N DD 1152+)***

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**



**Right Hand Drive (S/N DD 1152+)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21630	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
13.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
14.	195-239D	ACRE METER SHAFT		
15.	802-282C	RHSNB 5/16-18X1 GR5		
16.	804-015C	WASHER LOCK SPRING 1/2 PLT		
17.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
18.	803-036C	NUT HEX JAM 1/2-13 PLT		
19.	817-025C	NO. 40 12T IDLER SPKT.		
20.	802-041C	HHCS 1/2-13X3 1/2 GR5		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	802-551C	HHCS 1/4-20X2 1/4 GR5		
23.	804-006C	WASHER LOCK SPRING 1/4 PLT		
24.	808-240C	SPKT 40A23X1.813-1.818 BR/6HOL		
25.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
26.	176-042S	JAW CLUTCH CW EXT 7/8 HEX		
27.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB	(S/N DD1637-)	
27.	195-320S	SPKT 50C57 RATCHET DRIVE	(S/N DD1638+) Includes items: 38-44	
28.	195-240D	POWER SHAFT RH 7/8 HEX	(S/N DD1637-)	
28.	195-377D	POWER SHAFT 7/8 HEX RH	(S/N DD1638+)	
29.	195-170D	REP BY 195-223D		
30.	136-175D	CHAIN RL #50 162 PITCHES		
31.	891-057C	2600 ACRE METER		
31.	891-058C	2600 HECTARE METER		
32.	817-423C	NO. 50 12T IDLER SPKT		
33.	802-039C	HHCS 1/2-13X3 GR5		
34.	802-413C	HHCS 1/2-13X4 1/2 GR5		
35.	803-169C	NUT HEX FLG LOCK 1/2-13 PLT		
36.	802-092C	RHSNB 5/16-18X3/4 GR5	(S/N DD1638+)	
37.	195-376D	7/8 HEX WASHER X .21	(S/N DD1638+)	
38.	402-050D	CLUTCH, SIDE PLATE TAPPED		
39.	808-449C	SPKT 50A57 SPECIAL BORE		
40.	402-376D	POLYURETHANE ROD SPRING 5/16 L		
41.	890-954C	HUB RATCHET SPKT #50		
42.	403-751D	KEY RATCHET CLUTCH #50 SPKT		
43.	402-051D	CLUTCH, SIDE PLATE C/BORED		
44.	802-418C	HSHCS 1/4-20X7/8		

[Table of Contents](#)   [Part Number Index](#)

**Right Hand Drive Fertilizer (S/N DD 1151-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Right Hand Drive Fertilizer (S/N DD 1151-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19319	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
13.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
14.	195-239D	ACRE METER SHAFT		
15.	802-282C	RHSNB 5/16-18X1 GR5		
16.	804-015C	WASHER LOCK SPRING 1/2 PLT		
17.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
18.	803-036C	NUT HEX JAM 1/2-13 PLT		
19.	817-025C	NO. 40 12T IDLER SPKT.		
20.	802-041C	HHCS 1/2-13X3 1/2 GR5		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB		
23.	195-240D	POWER SHAFT RH 7/8 HEX		
24.	195-186K	3S-3000F RH WING CLUTCH ASSY	Refer to Right Hand Clutch Fertilizer (195-186K) for breakdown	
25.	136-175D	CHAIN RL #50 X 162 PITCHES		
26.	891-057C	2600 ACRE METER		
27.	136-064D	CHAIN RL #40 51 PITCHES		
28.	195-241D	AUXILIARY POWER HEX 7/8		
29.	136-151D	CHAIN RL #40 59 PITCHES		
30.	195-249S	FERTILIZER DRIVE SUBASSY RH	Refer to Fertilizer Drive Subassembly for breakdown	
31.	802-039C	HHCS 1/2-13X3 GR5		
32.	817-423C	NO. 50 12T IDLER SPKT		
33.	806-060C	U-BOLT 1/2-13 X 6 1/32 X 7 1/4		
34.	136-044D	CHAIN RL #40 109 PITCHES		

[Table of Contents](#)   [Part Number Index](#)

**Right Hand Drive Fertilizer (S/N DD 1152+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Right Hand Drive Fertilizer (S/N DD 1152+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21630	Image No.		
1.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
2.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
3.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
4.	808-257C	SPKT 40B34 X 7/8 HEX BORE		
5.	808-258C	SPKT 40B72 X 7/8 HEX BORE		
6.	822-032C	FLANGETTE 52 MST		
7.	822-119C	BRG 7/8HEXX2.05OD SPH		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	195-169D	SEED JACK SHAFT 7/8 HEX WING		
11.	136-111D	CHAIN RL #40 68 PITCHES		
12.	808-143C	SPKT 40B12 7/8 HEX BORE W/SS		
13.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
14.	195-239D	ACRE METER SHAFT		
15.	802-282C	RHSNB 5/16-18X1 GR5		
16.	804-015C	WASHER LOCK SPRING 1/2 PLT		
17.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
18.	803-036C	NUT HEX JAM 1/2-13 PLT		
19.	817-025C	NO. 40 12T IDLER SPKT.		
20.	802-041C	HHCS 1/2-13X3 1/2 GR5		
21.	136-122D	CHAIN RL #40 129 PITCHES		
22.	195-264H	SPKT 50A57 WITH 7/8 HEX HUB	(S/N DD1637-)	
22.	195-320S	SPKT 50C57 RATCHET DRIVE	(S/N DD1638+) Includes items: 38, 40-45	
23.	195-240D	POWER SHAFT RH 7/8 HEX	(S/N DD1637-)	
23.	195-377D	POWER SHAFT 7/8 HEX RH	(S/N DD1638+)	
24.	195-186K	3S-3000F RH WING CLUTCH ASSY	Refer to Right hand Clutch Fertilizer (195-186K)	
25.	136-175D	CHAIN RL #50 162 PITCHES		
26.	891-057C	2600 ACRE METER		
26.	891-058C	2600 HECTARE METER		
27.	136-064D	CHAIN RL #40 51 PITCHES		
28.	195-241D	AUXILIRY POWER HEX 7/8		
29.	136-151D	CHAIN RL #40 59 PITCHES		
30.	195-249S	FERTILIZER DRIVE SUBASSY RH	Refer to Fertilizer Drive Subassembly for breakdown	
31.	802-039C	HHCS 1/2-13X3 GR5		
32.	817-423C	NO. 50 12T IDLER SPKT		
33.	806-060C	U-BOLT 1/2-13 X 6 1/32 X 7 1/4		
34.	136-044D	CHAIN RL #40 109 PITCHES		
35.	802-413C	HHCS 1/2-13X4 1/2 GR5		
36.	803-169C	NUT HEX FLG LOCK 1/2-13 PLT		
37.	195-376D	7/8 HEX WASHER X .21	(S/N DD1638+)	
38.	802-418C	HSHCS 1/4-20X7/8		
39.	802-092C	RHSNB 5/16-18X3/4 GR5	(S/N DD1638+)	
40.	402-050D	CLUTCH, SIDE PLATE TAPPED		
41.	808-449C	SPKT 50A57 SPECIAL BORE		
42.	402-376D	POLYURETHANE ROD SPRING 5/16 L		
43.	890-954C	HUB RATCHET SPKT #50		
44.	403-751D	KEY RATCHET CLUTCH #50 SPKT		
45.	402-051D	CLUTCH, SIDE PLATE C/BORED		

## Small Seeds Drive

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Small Seeds Drive**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19324	Image No.		
1.	136-064D	CHAIN RL #40 51 PITCHES		
2.	136-183D	CHAIN RL #40 203 PITCHES		
3.	195-145H	FERTILIZER DRIVE WELDMENT LH	Shown.	
3.	195-250H	FERTILIZER DRIVE WELDMENT RH		
4.	195-212D	ANGLE, FERTILIZER DRIVE MOUNT		
5.	195-241D	AUXILIRY POWER HEX 7/8		
6.	802-034C	HHCS 1/2-13X1 1/4 GR5		
7.	802-041C	HHCS 1/2-13X3 1/2 GR5		
8.	802-282C	RHSNB 5/16-18X1 GR5		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	803-020C	NUT HEX 1/2-13 PLT		
11.	803-036C	NUT HEX JAM 1/2-13 PLT		
12.	804-009C	WASHER LOCK SPRING 5/16 PLT		
13.	804-015C	WASHER LOCK SPRING 1/2 PLT		
14.	804-113C	WASHER FLAT 1/2 USS HARD PLT		
15.	805-180C	PIN ROLL 1/4 X 1 1/2 LG PLT		
16.	806-060C	U-BOLT 1/2-13 X 6 1/32 X 7 1/4		
17.	808-256C	SPKT 40C23 X 7/8 HEX BORE		
18.	808-259C	SPKT 40B14 X 7/8 HEX BORE		
19.	817-025C	NO. 40 12T IDLER SPKT.		
20.	822-032C	FLANGETTE 52 MST		
21.	822-119C	BRG 7/8HEXX2.05OD SPH		
22.	195-187K	3S-3000F LH WING CLUTCH ASSY	Shown.	
22.	195-186K	3S-3000F RH WING CLUTCH ASSY		
23.	133-024D	RND SHAFT 3/4 X 11 W/KW		
24.	802-282C	RHSNB 5/16-18X1 GR5		
25.	804-009C	WASHER LOCK SPRING 5/16 PLT		
26.	803-008C	NUT HEX 5/16-18 PLT		
27.	822-126C	BRG FLG .75ID 2BOLT		
28.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
29.	168-127D	3/16 X 1 KEY		
30.	804-016C	WASHER FLAT 1/2 SAE PLT		
31.	805-067C	PIN COTTER 1/8 X 3/4		
32.	136-104D	CHAIN RL #40 62 PITCHES		
33.	802-214C	RHSNB 1/2-13X1 1/4 GR5		
34.	123-832H	SLOTTED IDLER ARM 1/2 X 3 5/16		

## 00 HD Knock Down Kit

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## 00 HD Knock Down Kit


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg27495	Image No.		
1.	122-178D	KNOCK DOWN DISK SCRAPER		
2.	802-007C	HHCS 5/16-18X3/4 GR5		
3.	802-015C	RHSNB 3/8-16X1 GR5		
4.	802-155C	RHSNB 3/8-16X1 1/4 GR5		
5.	802-282C	RHSNB 5/16-18X1 GR5		
6.	803-008C	NUT HEX 5/16-18 PLT		
7.	803-177C	NUT HEX FLG TP LK 5/16-18ZNYCR		
8.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
9.	804-009C	WASHER LOCK SPRING 5/16 PLT		
10.	812-366C	LH KNOCK DOWN TINE BASE		
11.	812-367C	RH KNOCK DOWN TINE BASE		
12.	817-869C	POLY TRASH KNOCK DOWN BAR		
13.	820-431C	TRASH KNOCK DOWN TINE		

## 00 HD Scraper

(Applies to 2S-2600 HD, 2S-2600 HDF only)



26460

## **00 HD Scraper**


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

<b>Ref</b>	<b>Part No.</b>	<b>Part Description</b>	<b>Comments</b>	<b>Revision</b>
	dwg26460	Image No.		
1.	122-004D	00HD OPENER SCRAPER		
2.	122-006D	INSIDE SCRAPER MOUNT		
3.	802-015C	RHSNB 3/8-16X1 GR5		
4.	802-017C	HHCS 3/8-16X1 GR5		
5.	803-014C	NUT HEX 3/8-16 PLT		
6.	804-012C	WASHER FLAT 3/8 SAE PLT		
7.	804-013C	WASHER LOCK SPRING 3/8 PLT		

## Fertilizer Hose

(Applies to 2S-2600 HD, 2S-2600 HDF only)



27007

## Fertilizer Hose

---


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg27007	Image No.		
1.	817-346C	PLASTIC FERTILIZER TUBE		
2.	801-002C	SCREW HEX SLT10-16X1/2P.THD CT		
3.	800-008C	CLAMP HOSE 1 1/2 NO. 24		
4.	816-007C	SEED HOSE X 59 RIBS 1.5-1.25		
5.	800-016C	UPPER FERT HOSE CLAMP		
6.	133-065D	SML SDS TB REINFORCEMENT RING		

[Table of Contents](#)   [Part Number Index](#)

**HD 00 6" Seed-Lok (Option) (122-009K)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24429


**HD 00 6" Seed-Lok (Option) (122-009K)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24429	Image No.		
1.	122-003D	00 HD SER SEED LOK LOCK-UP BAR		
2.	122-120D	5 SEED-LOK WHL ARM PIVOT PIN		
3.	122-164D	SEED LOCK ARM, SINGULATING		
4.	122-166D	SEED LOCK LOCK-UP CAM		
5.	122-250H	SEED LOCK MOUNT, SINGULATING		
6.	206-014S	6 SEED LOK ASSEMBLY		
7.	800-093C	RING SNAP EXTERNAL "E" 1/2		
8.	801-141C	LHS CP 3/8-16X3/4 GR8 PLATED		
9.	802-252C	RHSNB 3/8-16X1 3/4 GR5		
10.	803-014C	NUT HEX 3/8-16 PLT		
11.	804-012C	WASHER FLAT 3/8 SAE PLT		
12.	804-013C	WASHER LOCK SPRING 3/8 PLT		
13.	804-078C	WASHER INTERNAL STAR 3/8 PLT.		
14.	805-020C	PIN COTTER 1/4 X 1 PLT		
15.	805-069C	PIN COTTER 3/16 X 1		
16.	807-101C	SPRING, 1 O.D.X.125WIREX 3 1/2		
17.	807-188C	SPRING COMP .85ODX2.0LGX.067W		
18.	801-084C	SCR PH THD FMG #10X1/2 TP ZP		
19.	816-173C	RETAINER W/BONDED SEAL 4BLT		
20.	188-008V	BEARING 203 SEED-LOK WITH PIN		
21.	817-191C	5/8 X 6 SEED LOK WHEEL		

**HD 00 Keeton Seed Firmer**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24428

***HD 00 Keeton Seed Firmer***

---


**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg24428	Image No.		
1.	120825	KEETON NARROW TAIL		
2.	129BXT821	KEETON MOUNT BAR		
3.	129BXT827	KEETON GUARD		
4.	802-411C	RHSNB 3/8-16X2 GR5		
5.	803-014C	NUT HEX 3/8-16 PLT		
6.	804-013C	WASHER LOCK SPRING 3/8 PLT		

[Table of Contents](#)   [Part Number Index](#)

**HD 00 Series Long Arm Opener (S/N DD1456-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**HD 00 Series Long Arm Opener (S/N DD1456-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24426	Image No.		
1.	107-111D	DD BRG FLANGE DUST COVER		
2.	817-704C	UPPER SEED TUBE CAP		
3.	121-005S	OPENER SPRING ROD ASSY. LONG.		
4.	817-697C	HD 00 SEED TUBE ASSEMBLY		
5.	121-151D	OPENER MOUNTING BRACKET		
6.	142-198D	STRAIGHT ARM OPENER PIVOT PIPE		
7.	198-331D	SEED TUBE 25S HOOK CLIP		
8.	221-131H	OPENER WELDMENT-HD 00 LONG		
9.	404-121S	4.0 MM 15 DISC W/ 5/8 ASSY	Includes items 27-29	
10.	404-170H	25P SCRAPER SEPARATOR WLDMT		
11.	801-172C	SCREW HEX SLT 10-16X3/4PTHD CT		
12.	802-121C	RHSNB 1/2-13X5 1/2 GR5		
13.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
14.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
15.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
16.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
17.	805-127C	PIN CLEVIS 1/2 X 1 3/4		
18.	805-234C	PIN CLEVIS 1/2 X 4 PLATED		
19.	805-335C	PIN ROLL 5/16 X 5/8 PLT		
20.	817-084C	PARALLEL ARM PIVOT BUSHING		
21.	817-349C	SEED FLAP, UHMW, LONG	For use without Seed-Lok or Keeton Seed Firmer	
21.	816-536C	SEED FLAP-RUBBER, SEED-LOK LNG	For use with Seed-Lok	
22.	816-306C	PLUG, SPRING ROD CASTING		
23.	817-688C	HOLE PLUG 1 3/4		
24.	802-045C	HHCS 1/2-13X5 GR5		
25.	804-154C	WASHER POWDER METAL CONE 1/2		
26.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
27.	107-137V	FLANGE AND BEARING ASSY		
28.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
29.	820-287C	4.0 MM 15 DISK (21 DEG BEVEL)		
30.	122-001S	PW ADJUST TRUNION ASSY		
31.	817-328C	T-HANDLE ASSEMBLY		
32.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
33.	817-347C	OPENER TRUNION		
34.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
35.	805-385C	PIN CLEVIS 3/8 X 3 PLT		
36.	800-008C	CLAMP HOSE 1 1/2 NO. 24		
37.	816-239C	SEED HOSE 56 RIBS X 11 LONG		
38.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
39.	121-044D	ADJ.YOKE END 11/16" OPENING		
40.	803-036C	NUT HEX JAM 1/2-13 PLT		
41.	803-193C	NUT HEX FLANGE 1/2-13 GR G PLT		
42.	121-169D	SPACER TB ALUM 10DX 1/2 X 7.28		
43.	121-154D	SPRING STOP STAMPING		
44.	800-322C	STUD 1/2-13X17.6 SPTHD DBBLEND		
45.	807-262C	SPRING COMP 2.560DX.393X12.875		
46.	812-236C	OPNR SPRING RD TRUNION CASTING		
47.	803-310C	NUT HEX 1/2-20 X 5/8 HIGH		
48.	188-001V	BEARING AA205DD		
49.	890-466C	HSG RIBB FLG 6BOLT PLT		

[Table of Contents](#)   [Part Number Index](#)

**HD 00 Series Long Arm Opener (S/N DD1457 - DD1551)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**HD 00 Series Long Arm Opener (S/N DD1457 - DD1551)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg29469	Image No.		
1.	107-111D	DD BRG FLANGE DUST COVER		
2.	817-704C	UPPER SEED TUBE CAP		
3.	121-005S	OPENER SPRING ROD ASSY. LONG.		
4.	817-697C	HD 00 SEED TUBE ASSEMBLY		
5.	121-151D	OPENER MOUNTING BRACKET		
6.	142-198D	STRAIGHT ARM OPENER PIVOT PIPE		
7.	198-331D	SEED TUBE 25S HOOK CLIP		
8.	221-642H	OPENER WELD HD 00 LONG		
9.	404-121S	4.0 MM 15 DISC W/ 5/8 ASSY	Includes items 27-29	
10.	121-008H	SCRAPER SEPARATOR WELD		
11.	801-172C	SCREW HEX SLT 10-16X3/4PTHD CT		
12.	802-121C	RHSNB 1/2-13X5 1/2 GR5		
13.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
14.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
15.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
16.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
17.	805-127C	PIN CLEVIS 1/2 X 1 3/4		
18.	805-234C	PIN CLEVIS 1/2 X 4 PLATED		
19.	805-026C	PIN ROLL 1/4 X 3/4 PLT		
20.	817-084C	PARALLEL ARM PIVOT BUSHING		
21.	817-349C	SEED FLAP, UHMW, LONG	S/N DD1496-	
21.	816-536C	SEED FLAP-RUBBER, SEED-LOK LNG	S/N DD1497+	
22.	816-306C	PLUG, SPRING ROD CASTING		
23.	817-688C	HOLE PLUG 1 3/4		
24.	802-045C	HHCS 1/2-13X5 GR5		
25.	804-154C	WASHER POWDER METAL CONE 1/2		
26.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
27.	107-137V	FLANGE AND BEARING ASSY		
28.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
29.	820-287C	4.0 MM 15 DISK (21 DEG BEVEL)		
30.	122-001S	PW ADJUST TRUNION ASSY		
31.	817-328C	T-HANDLE ASSEMBLY		
32.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
33.	817-347C	OPENER TRUNION		
34.	807-106C	SPRING .540 O.D.X 1 1/4 X .054W		
35.	805-385C	PIN CLEVIS 3/8 X 3 PLT		
36.	800-008C	CLAMP HOSE 1 1/2 NO. 24		
37.	816-239C	SEED HOSE 56 RIBS X 11 LONG		
38.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
39.	121-044D	ADJ. YOKE END, 11/16" OPENING		
40.	803-036C	NUT HEX JAM 1/2-13 PLT		
41.	803-193C	NUT HEX FLANGE 1/2-13 GR G PLT		
42.	121-169D	SPACER TB ALUM 10DX 1/2 X 7.28		
43.	121-154D	SPRING STOP STAMPING		
44.	800-322C	STUD 1/2-13X17.6 SPTHDBBLEND		
45.	807-262C	SPRING COMP 2.560DX.393X12.875		
46.	812-236C	OPNR SPRING RD TRUNION CASTING		
47.	803-310C	NUT HEX 1/2-20 X 5/8 HIGH		
48.	188-001V	BRG AA205DD		
49.	890-466C	HSG RIBB FLG 6BOLT PLT		

[Table of Contents](#)   [Part Number Index](#)

**HD 00 Series Long Arm Opener (S/N DD1552+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**HD 00 Series Long Arm Opener (S/N DD1552+)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg32130	Image No.		
1.	802-045C	HHCS 1/2-13X5 GR5		
2.	804-154C	WASHER POWDER METAL CONE 1/2		
3.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
4.	805-234C	PIN CLEVIS 1/2 X 4 PLATED		
5.	121-151D	OPENER MOUNTING BRACKET		
6.	802-121C	RHSNB 1/2-13X5 1/2 GR5		
7.	803-169C	NUT HEX FLG LOCK 1/2-13 PLT		
8.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
9.	817-084C	PARALLEL ARM PIVOT BUSHING		
10.	142-198D	STRAIGHT ARM OPENER PIVOT PIPE		
11.	805-127C	PIN CLEVIS 1/2 X 1 3/4		
12.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
13.	121-005S	HD OPENER SPRING ROD ASY LONG	Includes items 37-46	
14.	801-172C	SCREW HEX SLT 10-16X3/4PTHD CT		
15.	817-897C	00HD OPENER SEED TUBE		
16.	122-001S	HD PW ADJUST TRUNION ASY		
17.	221-695H	OPENER 00HD LONG NARROW BA		
18.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
19.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
20.	107-111D	DD BRG FLANGE DUST COVER		
21.	404-121S	4.0 MM 15 DISC W/ 5/8 ASSY	Includes items 32 & 33	
22.	817-328C	T-HANDLE ASSEMBLY		
23.	805-168C	PIN HITCH 1 7/16 X 8 3/8 PLT		
24.	817-347C	OPENER TRUNION		
25.	807-106C	SPRING .540 O.D.X 1 1/4 X .054W		
26.	805-385C	PIN CLEVIS 3/8 X 3 PLT		
27.	121-176D	00HD SEED TUBE CLIP		
28.	816-302C	SEED FLAP, RUBBER, SEED-LOK		
29.	221-730S	00HD NARROW SEED TB CLIP/FLAP	Includes items 27 & 28	
30.	812-394C	NARROW HD OPENER LOWER SCRAPER		
31.	805-439C	PIN ROLL 1/4 X 5/8 PLT		
32.	820-287C	4.0 MM 15 DISK (21 DEG BEVEL)		
33.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
34.	890-466C	HSG RIBB FLG 6BOLT PLT		
35.	188-001V	BRG AA205DD		
36.	107-137V	FLANGE AND BRG ASSY	Includes items 34 & 35	
37.	816-306C	PLUG, SPRING ROD CASTING		
38.	803-310C	NUT HEX 1/2-20 X 5/8 HIGH		
39.	800-322C	STUD 1/2-13X17.6 SPTHD DBBLEND		
40.	812-236C	OPNR SPRING RD TRUNION CASTING		
41.	807-262C	SPRING COMP 2.560DX.393X12.875		
42.	121-154D	SPRING STOP STAMPING		
43.	121-169D	SPACER TB ALUM 10DX 1/2 X 7.28		
44.	803-193C	NUT HEX FLANGE 1/2-13 GR G PLT		
45.	803-036C	NUT HEX JAM 1/2-13 PLT		
46.	121-166D	ADJ. YOKE END		

[Table of Contents](#)   [Part Number Index](#)

**HD 00 Series Short Arm Opener (S/N DD1456-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**HD 00 Series Short Arm Opener (S/N DD1456-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24427	Image No.		
1.	107-111D	DD BRG FLANGE DUST COVER		
2.	817-704C	UPPER SEED TUBE CAP		
3.	121-004S	OPENER SPRING ROD ASSY. SHRT.		
4.	817-697C	HD 00 SEED TUBE ASSEMBLY		
5.	121-151D	OPENER MOUNTING BRACKET		
6.	142-198D	STRAIGHT ARM OPENER PIVOT PIPE		
7.	198-331D	SEED TUBE 25S HOOK CLIP		
8.	221-130H	OPENER WELDMENT-HD 00 SHORT		
9.	404-121S	4.0 MM 15 DISC W/ 5/8 ASSY	Includes items 27-29	
10.	404-170H	25P SCRAPER SEPARATOR WLDMT		
11.	801-172C	SCREW HEX SLT 10-16X3/4PTHD CT		
12.	802-121C	RHSNB 1/2-13X5 1/2 GR5		
13.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
14.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
15.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
16.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
17.	805-127C	PIN CLEVIS 1/2 X 1 3/4		
18.	805-234C	PIN CLEVIS 1/2 X 4 PLATED		
19.	805-335C	PIN ROLL 5/16 X 5/8 PLT		
20.	817-084C	PARALLEL ARM PIVOT BUSHING		
21.	817-349C	SEED FLAP, UHMW, LONG	For use without Seed-Lok or Keeton Seed Firmer	
21.	816-536C	SEED FLAP-RUBBER, SEED-LOK LNG	For use with Seed-Lok	
22.	816-306C	PLUG, SPRING ROD CASTING		
23.	817-688C	HOLE PLUG 1 3/4		
24.	802-045C	HHCS 1/2-13X5 GR5		
25.	804-154C	WASHER POWDER METAL CONE 1/2		
26.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
27.	107-137V	FLANGE AND BEARING ASSY		
28.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
29.	820-287C	4.0 MM 15 DISK (21 DEG BEVEL)		
30.	122-001S	PW ADJUST TRUNION ASSY		
31.	817-328C	T-HANDLE ASSEMBLY		
32.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
33.	817-347C	OPENER TRUNION		
34.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
35.	805-385C	PIN CLEVIS 3/8 X 3 PLT		
36.	800-008C	CLAMP HOSE 1 1/2 NO. 24		
37.	816-239C	SEED HOSE 56 RIBS X 11 LONG		
38.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
39.	121-044D	ADJ.YOKE END 11/16" OPENING		
40.	803-036C	NUT HEX JAM 1/2-13 PLT		
41.	803-193C	NUT HEX FLANGE 1/2-13 GR G PLT		
42.	121-154D	SPRING STOP STAMPING		
43.	802-550C	HHCS 1/2-13X10 SPOTHD GR8		
44.	807-262C	SPRING COMP 2.560DX.393X12.875		
45.	812-236C	OPNR SPRING RD TRUNION CASTING		
46.	188-001V	BEARING AA205DD		
47.	890-466C	HSG RIBB FLG 6BOLT PLT		

[Table of Contents](#)   [Part Number Index](#)

**HD 00 Series Short Arm Opener (S/N DD1457 - DD1551)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**HD 00 Series Short Arm Opener (S/N DD1457 - DD1551)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg29468	Image No.		
1.	107-111D	DD BRG FLANGE DUST COVER		
2.	817-704C	UPPER SEED TUBE CAP		
3.	121-004S	OPENER SPRING ROD ASSY. SHRT.		
4.	817-697C	HD 00 SEED TUBE ASSEMBLY		
5.	121-151D	OPENER MOUNTING BRACKET		
6.	142-198D	STRAIGHT ARM OPENER PIVOT PIPE		
7.	198-331D	SEED TUBE 25S HOOK CLIP		
8.	221-641H	OPENER WELD HD 00 SHORT		
9.	404-121S	4.0 MM 15 DISC W/ 5/8 ASSY	Includes items 27-29	
10.	121-008H	SCRAPER SEPARATOR WELD		
11.	801-172C	SCREW HEX SLT 10-16X3/4PTHD CT		
12.	802-121C	RHSNB 1/2-13X5 1/2 GR5		
13.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
14.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
15.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
16.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
17.	805-127C	PIN CLEVIS 1/2 X 1 3/4		
18.	805-234C	PIN CLEVIS 1/2 X 4 PLATED		
19.	805-026C	PIN ROLL 1/4 X 3/4 PLT		
20.	817-084C	PARALLEL ARM PIVOT BUSHING		
21.	817-349C	SEED FLAP, UHMW, LONG	S/N DD1496-	
21.	816-536C	SEED FLAP-RUBBER, SEED-LOK LNG	S/N DD1497+	
22.	816-306C	PLUG, SPRING ROD CASTING		
23.	817-688C	HOLE PLUG 1 3/4		
24.	802-045C	HHCS 1/2-13X5 GR5		
25.	804-154C	WASHER POWDER METAL CONE 1/2		
26.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
27.	107-137V	FLANGE AND BEARING ASSY		
28.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
29.	820-287C	4.0 MM 15 DISK (21 DEG BEVEL)		
30.	122-001S	PW ADJUST TRUNION ASSY		
31.	817-328C	T-HANDLE ASSEMBLY		
32.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
33.	817-347C	OPENER TRUNION		
34.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
35.	805-385C	PIN CLEVIS 3/8 X 3 PLT		
36.	800-008C	CLAMP HOSE 1 1/2 NO. 24		
37.	816-239C	SEED HOSE 56 RIBS X 11 LONG		
38.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
39.	121-044D	ADJ. YOKE END, 11/16" OPENING		
40.	803-036C	NUT HEX JAM 1/2-13 PLT		
41.	803-193C	NUT HEX FLANGE 1/2-13 GR G PLT		
42.	121-154D	SPRING STOP STAMPING		
43.	802-550C	HHCS 1/2-13X10 SPTHD GR8		
44.	807-262C	SPRING COMP 2.560DX.393X12.875		
45.	812-236C	OPNR SPRING RD TRUNION CASTING		
46.	188-001V	BRG AA205DD		
47.	890-466C	HSG RIBB FLG 6BOLT PLT		

[Table of Contents](#)   [Part Number Index](#)

**HD 00 Series Short Arm Opener (S/N DD1552+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**HD 00 Series Short Arm Opener (S/N DD1552+)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg32129	Image No.		
1.	802-045C	HHCS 1/2-13X5 GR5		
2.	804-154C	WASHER POWDER METAL CONE 1/2		
3.	805-234C	PIN CLEVIS 1/2 X 4 PLATED		
4.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
5.	121-151D	OPENER MOUNTING BRACKET		
6.	802-121C	RHSNB 1/2-13X5 1/2 GR5		
7.	803-169C	NUT HEX FLG LOCK 1/2-13 PLT		
8.	803-037C	NUT HEX WHIZ 1/2-13 PLT		
9.	817-084C	PARALLEL ARM PIVOT BUSHING		
10.	142-198D	STRAIGHT ARM OPENER PIVOT PIPE		
11.	805-127C	PIN CLEVIS 1/2 X 1 3/4		
12.	805-109C	PIN COTTER 1/8 X 1 1/4 PLT		
13.	121-004S	HD OPENER SPRING ROD ASY SHORT	Includes items 37-44	
14.	801-172C	SCREW HEX SLT 10-16X3/4PTHD CT		
15.	817-897C	00HD OPENER SEED TUBE		
16.	122-001S	HD PW ADJUST TRUNION ASY		
17.	221-694H	OPENER 00HD SHORT NARROW BA		
18.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
19.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
20.	107-111D	DD BRG FLANGE DUST COVER		
21.	404-121S	4.0 MM 15 DISC W/ 5/8 ASSY	Includes items 32 & 33	
22.	817-328C	T-HANDLE ASSEMBLY		
23.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
24.	817-347C	OPENER TRUNION		
25.	807-106C	SPRING .540 O.D.X 1 1/4 X .054W		
26.	805-385C	PIN CLEVIS 3/8 X 3 PLT		
27.	221-730S	00HD NARROW SEED TB CLIP/FLAP	Includes items 28 & 29	
28.	121-176D	00HD SEED TUBE CLIP		
29.	816-302C	SEED FLAP, RUBBER, SEED-LOK		
30.	812-394C	NARROW HD OPENER LOWER SCRAPER		
31.	805-439C	PIN ROLL 1/4 X 5/8 PLT		
32.	820-287C	4.0 MM 15 DISK (21 DEG BEVEL)		
33.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
34.	188-001V	BRG AA205DD		
35.	890-466C	HSG RIBB FLG 6BOLT PLT		
36.	107-137V	FLANGE AND BRG ASSY	Includes items 34 & 35	
37.	816-306C	PLUG, SPRING ROD CASTING		
38.	802-550C	HHCS 1/2-13X10 SPTHD GR8		
39.	812-236C	OPNR SPRING RD TRUNION CASTING		
40.	807-262C	SPRING COMP 2.560DX.393X12.875		
41.	121-154D	SPRING STOP STAMPING		
42.	803-193C	NUT HEX FLANGE 1/2-13 GR G PLT		
43.	803-036C	NUT HEX JAM 1/2-13 PLT		
44.	121-044D	ADJ. YOKE END, 11/16" OPENING		

[Table of Contents](#)   [Part Number Index](#)

**HD 1 1/4" X 13 1/4" Double Press Wheel**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



27028

***HD 1 1/4" X 13 1/4" Double Press Wheel***

---


**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg27028	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	199-088H	10HD DBL PW ARM WELDMNT RH		
5.	199-089H	10HD DBL PW ARM WELDMNT LH		
6.	802-059C	HHCS 5/8-11X3 GR5		
7.	804-022C	WASHER LOCK SPRING 5/8 PLT		
8.	814-238C	1.25 X 13.5 PRESS WHEEL ASSY		
9.	405-031D	1/4 PW SPACER 5/8 DIA		
10.	802-005C	HHCS 1/4-20X1 GR5		
11.	803-088C	NUT HEX LOCK 1/4-20 FLG		
12.	814-244C	1.25X13.5 ANGLE PEAK TIRE		
13.	817-330C	1 X 12 PRESS WHEEL RIM HALF		
14.	822-170C	BRG .63ID PRESS WHL ASY		

[Table of Contents](#)   [Part Number Index](#)

**HD 1" x 12" Double "V" Press Wheel**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24430

***HD 1" x 12" Double "V" Press Wheel***


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg24430	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	199-043H	NG 1X12 PRESS WHEEL ARM		
6.	802-058C	HHCS 5/8-11X2 1/2 GR5		
7.	804-022C	WASHER LOCK SPRING 5/8 PLT		
8.	814-174C	1 X 12 PRESS WHL ASSY-5203BRG	Includes items 9 through 13.	
9.	802-005C	HHCS 1/4-20X1 GR5		
10.	817-330C	1 X 12 PRESS WHEEL RIM HALF		
11.	814-034C	TIRE RUBBER 1 X 12		
12.	822-170C	BRG .63ID PRESS WHL ASY		
13.	803-088C	NUT HEX LOCK 1/4-20 FLG		

## HD 2" x 13" Single Press Wheel

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24431



***HD 2" x 13" Single Press Wheel***

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24431	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
6.	804-022C	WASHER LOCK SPRING 5/8 PLT		
7.	802-058C	HHCS 5/8-11X2 1/2 GR5		
8.	814-157C	2 X 13 PRESS WHEEL ASSEMBLY	Includes items 9 through 13.	
9.	822-170C	BRG .63ID PRESS WHL ASY		
10.	802-617C	HHFS 1/4-20 X 1 1/2 GR 5		
11.	803-088C	NUT HEX LOCK 1/4-20 FLG		
12.	817-296C	2 X 13 PRESS WHEEL RIM HALF		
13.	814-159C	2 X 13 PRESS WHEEL TIRE		

## HD 3" x 13" Single Press Wheel

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24432


***HD 3" x 13" Single Press Wheel***

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24432	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
6.	804-022C	WASHER LOCK SPRING 5/8 PLT		
7.	802-058C	HHCS 5/8-11X2 1/2 GR5		
8.	814-158C	3 X 13 PRESS WHEEL ASSEMBLY	Includes items 9 through 13.	
9.	822-170C	BRG .63ID PRESS WHL ASY		
10.	802-618C	HHFS 1/4-20 X 2 GR 5		
11.	803-088C	NUT HEX LOCK 1/4-20 FLG		
12.	817-297C	3 X 13 PRESS WHEEL RIM HALF		
13.	814-160C	3 X 13 PRESS WHEEL TIRE		

## HD 3" x 14" Peaked Single Press Wheel

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24433

***HD 3" x 14" Peaked Single Press Wheel***


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg24433	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	202-190D	NG 3X14 PRESS WHEEL ARM		
6.	804-022C	WASHER LOCK SPRING 5/8 PLT		
7.	802-059C	HHCS 5/8-11X3 GR5		
8.	122-117S	3 X 14 PEAKED P.W. ASSEMBLY	Includes items 9 through 17.	
9.	802-197C	HHCS 5/16-18X2 3/4 GR5		
10.	822-095C	BRG INS .63IDX1.57OD DBL LIP		
11.	803-177C	803-184 FLG TP LK 5/16-18ZNYCR		
12.	122-041D	4X12 PW RIM HALF		
13.	817-063C	3 X 14 RIM SPACER RING		
14.	814-067C	3 X 14 PEAKED PRESS WHEEL TIRE		
15.	122-198V	3 X 14 TIRE & RING ASSEMBLY	Includes items 13 and 14.	
16.	817-062C	LARGE SPACER TUBE		
17.	122-110D	SMALL SPACER TUBE		

## HD 4" x 12" Double Ribbed Single Press Wheel

(Applies to 2S-2600 HD, 2S-2600 HDF only)



24434

***HD 4" x 12" Double Ribbed Single Press Wheel***


---

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg24434	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	202-274D	NG 4X12 PRESS WHEEL ARM		
6.	804-022C	WASHER LOCK SPRING 5/8 PLT		
7.	802-151C	HHCS 5/8-11X4 1/4 GR5		
8.	122-103S	4X12 V-GROOVE PRESS WHL ASSY		
9.	802-119C	HHCS 5/16-18X3 3/4 GR5		
10.	822-095C	BRG INS .63IDX1.57OD DBL LIP		
11.	803-177C	803-184 FLG TP LK 5/16-18ZNYCR		
12.	122-041D	4X12 PW RIM HALF		
13.	817-023C	4 X 12 RIM SPACER RING		
14.	814-010C	TIRE PW 4 X 12		
15.	122-197V	4X12 V-GROOVE TIRE & RING ASSY		
16.	817-022C	4 X 12 LARGE SPREADER TUBE		
17.	122-094D	4X12 SMALL SPREADER TUBE-SHORT		

## Fold Hydraulics

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Fold Hydraulics

---


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
1.	dwg15473 810-298C	Image No. CYL 3.5X20X1.5 ROD (TIE ROD)	Refer to Toolbar Fold Midway Hydraulic Cylinder 3.5 x 20 x 1.5 (810-298C) for Breakdown	
2.	811-470C	TE 9/16MJIC 3/4MORB 9/16MJIC		
3.	811-574C	HH1/4R1 040 9/16FJIC		
4.	811-171C	EL 3/4MORB 9/16MJIC		
5.	811-140C	HH1/4R1 012 9/16FJIC		
6.	811-183C	HH1/4R1 381 1/2MNPT 9/16FJIC		
7.	811-490C	RPBY 196-429D		

[Table of Contents](#) [Part Number Index](#)

**Toolbar Fold Midway Hydraulic Cylinder 3.5 X 20 X 1.5 (810-298C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Toolbar Fold Midway Hydraulic Cylinder 3.5 X 20 X 1.5 (810-298C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15702	Image No.		
1.	1M7016	CLEVIS ROD MIDWAY		
2.	2M5530	MW ROD		
3.	3R3812	MW HEAD		
4.	4M5102	RPBY 4M5108		
5.	5M5128	MW TUBE		
6.	6R3162	MW BASE 3 1/2 CYLINDER		
7.	7M5328	TIE ROD		
8.	2A0208	RPBY 805-124C		
9.	2A0132	MW PIN CLIP		
10.		MW WIPER	Only found in seal kit 18	
11.		MW U-CLIP	Only found in seal kit 18	
12.		MW O-RING	Only found in seal kit 18	
13.		MW BACKUP	Only found in seal kit 18	
14.	2A0024	MW PISTON NUT 1-14		
15.	2A0016	MW TIE ROD NUT		
16.	2A0012	RPBY 803-234C		
17.	2A0006	RPBY 802-023C		
18.	810-059C	CYL SEAL KIT 5A5104		

## Transport Axle

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17111

## Transport Axle

---


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17111	Image No.		
1.	811-696C	HH1/4R2 350 1/2MNPT 9/16FJIC90		
2.	811-392C	HH1/4R1 051 9/16FJIC		
3.	811-695C	HH1/4R2 025 9/16FJIC9/16FJIC90		
4.	811-065C	EL 9/16MJIC 9/16MORB		
5.	811-439C	TE 9/16MORB 9/16MJIC 9/16MJIC		
6.	811-064C	TE 9/16MJIC 9/16MJIC 9/16MORB		
7.	811-675C	PL 9/16MORB HEX HEAD		
8.	810-316C	CYL 3.5X12X1.25 ROD (TIE ROD)	(S/N DD1496-) Refer to Transport Axle Midway Hydraulics Cylinder 3.5x12x1.25 (810-316C) for breakdown	
8.	810-687C	CYL 4.0X12X1.50 ROD (TIE ROD)	(S/N DD1497+) Refer to Transport Axle Midway Hydraulics Cylinder 4.0x12x1.5 (810-687C) for breakdown	

## [Table of Contents](#)    [Part Number Index](#)

## **Transport Axle Midway Hydraulics Cylinder 3.5 X 12 X 1.25 (810-316C)**

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**



15702

**Transport Axle Midway Hydraulics Cylinder 3.5 X 12 X 1.25 (810-316C)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15702	Image No.		
1.	1M7016	CLEVIS ROD MIDWAY		
2.	2M5420	MW ROD		
3.	3M5410	RPBY 3R3410		
4.	4M5102	RPBY 4M5108		
5.	5M5120	MW TUBE 3 1/2 X 12		
6.	6R3150	BASE MIDWAY		
7.	7M5320	TIE ROD MIDWAY		
8.	2A0208	RPBY 805-124C		
9.	2A0132	MW PIN CLIP		
10.		MW WIPER	Only found in seal kit 18	
11.		MW U-CUP	Only found in seal kit 18	
12.		MW O-RING	Only found in seal kit 18	
13.		MW BACK UP	Only found in seal kit 18	
14.	2A0024	MW PISTON NUT 1-14		
15.	2A0016	MW TIE ROD NUT		
16.	2A0012	RPBY 803-234C		
17.	2A0006	RPBY 802-023C		
18.	810-149C	SEAL KIT MW (5A5102) 3.5X1.25R		

[Table of Contents](#)   [Part Number Index](#)

**Transport Axle Midway Hydraulics Cylinder 4.0 X 12 X 1.5 (810-687C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



29959

**Transport Axle Midway Hydraulics Cylinder 4.0 X 12 X 1.5 (810-687C)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg29959	Image No.		
1.	1M7021-ADI	MW ROD CLEVIS 1.00PN 1.5-12THD		
2.	2S6522NC	MIDWAY ROD		
3.	3R5410	MIDWAY HEAD		
4.	4M6108	MW PISTON		
5.	5M6120	MW TUBE		
6.	6R5152-ADI	MDWAY ADI BASE		
7.	7M6320	TIE ROD MIDWAY		
8.		MW WIPER	Only found in seal kit 18	
9.		MW U-CUP	Only found in seal kit 18	
10.		MW O-RING MIDWAY	Only found in seal kit 18	
11.		MW BACK UP MIDWAY	Only found in seal kit 18	
12.		MW CROWN SEAL MIDWAY	Only found in seal kit 18	
13.		MW PISTON NUT SEAL	Only found in seal kit 18	
14.	2A0024	MW PISTON NUT 1-14		
15.	2A0018	MW TIE ROD NUT		
16.	803-234C	NUT HEX 3/8-16 PLAIN		
17.	802-023C	HHCS 3/8-16X1 3/4 GR5		
18.	810-060C	CYL SEAL KIT-810-031C-5A6104		

[Table of Contents](#) [Part Number Index](#)

**Opener Down Pressure Hydraulics (Closed Center) (S/N DD1215-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Opener Down Pressure Hydraulics (Closed Center) (S/N DD1215-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
1.	dwg17112 810-299C	Image No. CYL 2X8X1.12 ROD (TIE ROD)	Refer to Opener Lift Midway Hydraulic Cylinder 2 x 8 x 1.12 (810-299C) for breakdown	
2.	811-697C	HH1/4R1 200 9/16FJIC9/16MORM90		
3.	811-065C	EL 9/16MJIC 9/16MORB		
4.	811-578C	HH1/4R1 074 9/16FJIC9/16MORM90		
5.	811-312C	TE 9/16MJIC		
6.	811-698C	HH3/8R1 062 9/16FJIC		
7.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
8.	810-301C	VALVE PRESS REDUCING W/CHECK	Refer to Pressure Reducing Valve (810-301C) for breakdown	
9.	811-631C	HH3/8R1 018 9/16FJIC		
10.	802-551C	HHCS 1/4-20X2 1/4 GR5		
11.	811-677C	AD 9/16MORB 1/4FNPT		
12.	810-300C	PRESSURE GAUGE 3000 PSI		
13.	811-632C	HH3/8R1 021 9/16FJIC9/16MORB90		
14.	811-356C	TE 9/16MJIC BH 9/16MJIC 9/16MJ		
15.	811-585C	HH3/8R1 408 1/2MNPT 9/16FJIC		
16.	803-006C	NUT-HEX 1/4-20 PLT		
17.	804-006C	WASHER LOCK SPRING 1/4 PLT		
18.	804-075C	WASHER FLAT 1/4 USS PLT		
19.	811-170C	AD 9/16MORB 9/16MJIC		
20.	811-064C	TE 9/16MJIC 9/16MJIC 9/16MORB		
21.	811-627C	AD 9/16MORB 9/16FJIC		
22.	810-428C	VALVE PO CHECK 4:1 W/9/16FORB		
23.	811-439C	TE 9/16MORB 9/16MJIC 9/16MJIC		
24.	811-061C	TE 9/16MJIC 9/16MJIC 9/16FJIC		
25.	810-432C	HYDRAULIC BYPASS VALVE		
26.	811-171C	EL 3/4MORB 9/16MJIC		
27.	811-118C	HH3/8R1 041 9/16FJIC 3/4FJIC		
28.	810-410C	FILTER INLINE SHOEMAKER #8055		
29.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
30.	811-796C	HH1/2R1 408 1/2MNPT 9/16FJIC		

[Table of Contents](#) [Part Number Index](#)

**Opener Down Pressure Hydraulics (Closed Center) (S/N DD1216+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



22963

**Opener Down Pressure Hydraulics (Closed Center) (S/N DD1216+)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
1.	dwg22963 810-299C	Image No. CYL 2X8X1.12 ROD (TIE ROD)	Refer to Opener Lift Midway Hydraulic Cylinder 2 x 8 x 1.12 (810-299C) for breakdown	
2.	811-697C	HH1/4R1 200 9/16FJIC9/16MORM90		
3.	811-065C	EL 9/16MJIC 9/16MORB		
4.	811-578C	HH1/4R1 074 9/16FJIC9/16MORM90		
5.	811-312C	TE 9/16MJIC		
6.	811-698C	HH3/8R1 062 9/16FJIC		
7.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
8.	810-301C	VALVE PRESS REDUCING W/CHECK	Refer to Pressure Reducing Valve (810-301C) for breakdown	
9.	811-631C	HH3/8R1 018 9/16FJIC		
10.	802-551C	HHCS 1/4-20X2 1/4 GR5		
11.	811-677C	AD 9/16MORB 1/4FNPT		
12.	810-300C	PRESSURE GAUGE 3000 PSI		
13.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
14.	811-356C	TE 9/16MJIC BH 9/16MJIC 9/16MJ		
15.	811-585C	HH3/8R1 408 1/2MNPT 9/16FJIC		
16.	803-006C	NUT-HEX 1/4-20 PLT		
17.	804-006C	WASHER LOCK SPRING 1/4 PLT		
18.	804-075C	WASHER FLAT 1/4 USS PLT		
19.	811-170C	AD 9/16MORB 9/16MJIC		
20.	811-064C	TE 9/16MJIC 9/16MJIC 9/16MORB		
21.	811-627C	AD 9/16MORB 9/16FJIC		
22.	810-523C	VALVE COUNTER BAL 10:1 9/16FOB	Refer to Counterbalance Valve (810-523C) for breakdown	
23.	811-193C	TE 9/16FJIC 9/16MJIC 9/16MJIC		
24.	811-061C	TE 9/16MJIC 9/16MJIC 9/16FJIC		
25.	810-432C	HYDRAULIC BYPASS VALVE		
26.	811-171C	EL 3/4MORB 9/16MJIC		
27.	811-118C	HH3/8R1 041 9/16FJIC 3/4FJIC		
28.	810-554C	FILTER INLINE 3/4FORB 3/4MJIC	For replacement screen order 810-553C	
29.	841-077C	EL 3/4FJIC 3/4MORB		
30.	811-796C	HH1/2R1 408 1/2MNPT 9/16FJIC		
31.	841-161C	HH3/8R1 041 9/16FJIC		
32.	811-216C	EL 3/4MJIC 9/16MORB		

[Table of Contents](#)   [Part Number Index](#)

**Opener Down Pressure Hydraulics (Open Center) (S/N DD1215-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Opener Down Pressure Hydraulics (Open Center) (S/N DD1215-)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
1.	dwg17113	Image No.		
1.	810-299C	CYL 2X8X1.12 ROD (TIE ROD)	Refer to Opener Lift Midway Hydraulic Cylinder 2 x 8 x 1.12 (810-299C) for breakdown	
2.	811-697C	HH1/4R1 200 9/16FJIC9/16MORM90		
3.	811-064C	TE 9/16MJIC 9/16MJIC 9/16MORB		
4.	811-578C	HH1/4R1 074 9/16FJIC9/16MORM90		
5.	811-312C	TE 9/16MJIC		
6.	811-698C	HH3/8R1 062 9/16FJIC		
7.	811-531C	HH1/4R2 018 9/16FJIC9/16MORB90		
8.	810-301C	VALVE PRESS REDUCING W/CHECK	Refer to Pressure Reducing Valve (810-301) for breakdown	
9.	811-632C	HH3/8R1 021 9/16FJIC9/16MORB90		
10.	802-551C	HHCS 1/4-20X2 1/4 GR5		
11.	811-582C	AD 9/16FJIC 1/4FNPT		
12.	810-300C	PRESSURE GAUGE 3000 PSI		
13.	811-631C	HH3/8R1 018 9/16FJIC		
14.	811-439C	TE 9/16MORB 9/16MJIC 9/16MJIC		
15.	811-585C	HH3/8R1 408 1/2MNPT 9/16FJIC		
16.	803-006C	NUT-HEX 1/4-20 PLT		
17.	804-006C	WASHER LOCK SPRING 1/4 PLT		
18.	804-075C	WASHER FLAT 1/4 USS PLT		
19.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
20.	811-675C	PL 9/16MORB HEX HEAD		
21.	810-343C	VALVE PO CHECK 2:1 W/9/16FORB		
22.	811-636C	AD 9/16MORB STRAIGHT UNION		
23.	811-193C	TE 9/16FJIC 9/16MJIC 9/16MJIC		
24.	810-344C	VALVE SHUTTLE 9/16FORB PORTS		
25.	810-293C	VALVE P O CHECK DELTA 85002692		
26.	810-303C	SEAL KIT 7/8-14 DELTA 21170040		
27.	30102360	DELTA BODY ONLY FS#6 SAE PORTS		
28.	85002946	DELTA SHUTTLE VALVE CARTRIDGE		
29.	811-627C	AD 9/16MORB 9/16FJIC		
30.	810-428C	VALVE PO CHECK 4:1 W/9/16FORB		
31.	811-061C	TE 9/16MJIC 9/16MJIC 9/16FJIC		
32.	811-065C	EL 9/16MJIC 9/16MORB		
33.	810-429C	VALVE CTRG PO CK DELT 85002657		
34.	810-432C	HYDRAULIC BYPASS VALVE		
35.	811-171C	EL 3/4MORB 9/16MJIC		
36.	811-631C	HH3/8R1 018 9/16FJIC		
37.	811-118C	HH3/8R1 041 9/16FJIC 3/4FJIC		
38.	810-410C	FILTER INLINE SHOEMAKER #8055		
39.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
40.	811-146C	AD 3/4FJIC 9/16MJIC		

[Table of Contents](#) [Part Number Index](#)

**Opener Down Pressure Hydraulics (Open Center) (S/N DD1216+)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



**Opener Down Pressure Hydraulics (Open Center) (S/N DD1216+)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
1.	dwg22964 810-299C	Image No. CYL 2X8X1.12 ROD (TIE ROD)	Refer to Opener Lift Midway Hydraulic Cylinder 2 x 8 x 1.12 (810-299C) for breakdown	
2.	811-697C	HH1/4R1 200 9/16FJIC9/16MORM90		
3.	811-064C	TE 9/16MJIC 9/16MJIC 9/16MORB		
4.	811-578C	HH1/4R1 074 9/16FJIC9/16MORM90		
5.	811-312C	TE 9/16MJIC		
6.	811-698C	HH3/8R1 062 9/16FJIC		
7.	811-531C	HH1/4R2 018 9/16FJIC9/16MORB90		
8.	810-301C	VALVE PRESS REDUCING W/CHECK	Refer to Pressure Reducing Valve (810-301C) for breakdown	
9.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
10.	802-551C	HHCS 1/4-20X2 1/4 GR5		
11.	811-582C	AD 9/16FJIC 1/4FNPT		
12.	810-300C	PRESSURE GAUGE 3000 PSI		
13.	811-631C	HH3/8R1 018 9/16FJIC		
14.	811-439C	TE 9/16MORB 9/16MJIC 9/16MJIC		
15.	811-585C	HH3/8R1 408 1/2MNPT 9/16FJIC		
16.	803-006C	NUT-HEX 1/4-20 PLT		
17.	804-006C	WASHER LOCK SPRING 1/4 PLT		
18.	804-075C	WASHER FLAT 1/4 USS PLT		
19.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
20.	811-675C	PL 9/16MORB HEX HEAD		
21.	810-343C	VALVE PO CHECK 2:1 W/9/16FORB		
22.	811-636C	AD 9/16MORB STRAIGHT UNION		
23.	811-193C	TE 9/16FJIC 9/16MJIC 9/16MJIC		
24.	810-344C	VALVE SHUTTLE 9/16FORB PORTS		
25.	810-293C	VALVE P O CHECK DELTA 85002692		
26.	810-303C	SEAL KIT 7/8-14 DELTA 21170040		
27.	30102360	DELTA BODY ONLY FS#6 SAE PORTS		
28.	85002946	DELTA SHUTTLE VALVE CARTRIDGE		
29.	811-627C	AD 9/16MORB 9/16FJIC		
30.	810-523C	VALVE COUNTER BAL 10:1 9/16FOB	Refer to Counterbalance Valve (810-523C) for breakdown	
31.	811-061C	TE 9/16MJIC 9/16MJIC 9/16FJIC		
32.	811-065C	EL 9/16MJIC 9/16MORB		
33.	810-524C	CARTRGE COUNTER BAL 10:1 EATON		
34.	810-432C	HYDRAULIC BYPASS VALVE		
35.	811-171C	EL 3/4MORB 9/16MJIC		
36.	811-631C	HH3/8R1 018 9/16FJIC		
37.	811-118C	HH3/8R1 041 9/16FJIC 3/4FJIC		
38.	810-554C	FILTER INLINE 3/4FORB 3/4MJIC	For replacement screen order 810-553C	
39.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
40.	811-430C	AD 3/4MJIC 3/4MJIC		
41.	811-216C	EL 3/4MJIC 9/16MORB		
42.	841-077C	EL 3/4FJIC 3/4MORB		
43.	802-097C	HHCS 1/4-20X2 1/2 GR5		
44.	113-271D	SHEAR BUSHING 5/8X.357		

[Table of Contents](#)   [Part Number Index](#)

**Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1215-)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



22973

**Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1215-)**

---


**(Applies to 2S-2600 HD, 2S-2600 HDF only)**

Ref	Part No.	Part Description	Comments	Revision
1.	dwg22973	Image No.		
1.	810-299C	CYL 2X8X1.12 ROD (TIE ROD)	Refer to Opener Lift Midway Hydraulic Cylinder 2 x 8 x 1.12 (810-299C) for breakdown	
2.	811-697C	HH1/4R1 200 9/16FJIC9/16MORM90		
3.	811-065C	EL 9/16MJIC 9/16MORB		
4.	811-578C	HH1/4R1 074 9/16FJIC9/16MORM90		
5.	811-312C	TE 9/16MJIC		
6.	811-698C	HH3/8R1 062 9/16FJIC		
7.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
8.	810-301C	VALVE PRESS REDUCING W/CHECK	Refer to Pressure Reducing Valve (810-301C) for breakdown	
9.	803-013C	NUT LOCK 3/8-16 PLT		
10.	804-011C	WASHER FLAT 3/8 USS PLT		
11.	810-371C	MANIFOLD ASY 3S-3000 POINT ROW		
12.	802-026C	HHCS 3/8-16X3 3/4 GR5		
13.	802-551C	HHCS 1/4-20X2 1/4 GR5		
14.	811-169C	EL 9/16MJIC 9/16FJIC		
15.	804-075C	WASHER FLAT 1/4 USS PLT		
16.	804-006C	WASHER LOCK SPRING 1/4 PLT		
17.	803-006C	NUT-HEX 1/4-20 PLT		
18.	811-171C	EL 3/4MORB 9/16MJIC		
19.	810-432C	HYDRAULIC BYPASS VALVE		
20.	810-300C	PRESSURE GAUGE 3000 PSI		
21.	811-677C	AD 9/16MORB 1/4FNPT		
22.	811-170C	AD 9/16MORB 9/16MJIC		
23.	811-631C	HH3/8R1 018 9/16FJIC		
24.	811-118C	HH3/8R1 041 9/16FJIC 3/4FJIC		
25.	810-410C	FILTER INLINE SHOEMAKER #8055		
26.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
27.	811-585C	HH3/8R1 408 1/2MNPT 9/16FJIC		
28.	811-796C	HH1/2R1 408 1/2MNPT 9/16FJIC		
29.	810-428C	VALVE PO CHECK 4:1 W/9/16FORB		
30.	811-632C	HH3/8R1 021 9/16FJIC9/16MORB90		
31.	811-627C	AD 9/16MORB 9/16FJIC		
32.	811-064C	TE 9/16MJIC 9/16MJIC 9/16MORB		
33.	811-061C	TE 9/16MJIC 9/16MJIC 9/16FJIC		

## [Table of Contents](#)    [Part Number Index](#)

## **Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1216+)**

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**



22974

**Opener Down Pressure Hydraulics With Point Row (Option) (S/N DD1216+)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
1.	dwg22974 810-299C	Image No. CYL 2X8X1.12 ROD (TIE ROD)	Refer to Opener Lift Midway Hydraulic Cylinder 2 x 8 x 1.12 (810-299C) for breakdown	
2.	811-697C	HH1/4R1 200 9/16FJIC9/16MORM90		
3.	811-065C	EL 9/16MJIC 9/16MORB		
4.	811-578C	HH1/4R1 074 9/16FJIC9/16MORM90		
5.	811-312C	TE 9/16MJIC		
6.	811-698C	HH3/8R1 062 9/16FJIC		
7.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
8.	810-301C	VALVE PRESS REDUCING W/CHECK	Refer to Pressure Reducing Valve (810-301C) for breakdown	
9.	803-013C	NUT LOCK 3/8-16 PLT		
10.	804-011C	WASHER FLAT 3/8 USS PLT		
11.	810-371C	MANIFOLD ASY 3S-3000 POINT ROW		
12.	802-026C	HHCS 3/8-16X3 3/4 GR5		
13.	802-551C	HHCS 1/4-20X2 1/4 GR5		
14.	841-077C	EL 3/4FJIC 3/4MORB		
15.	804-075C	WASHER FLAT 1/4 USS PLT		
16.	804-006C	WASHER LOCK SPRING 1/4 PLT		
17.	803-006C	NUT-HEX 1/4-20 PLT		
18.	811-171C	EL 3/4MORB 9/16MJIC		
19.	810-432C	HYDRAULIC BYPASS VALVE		
20.	810-300C	PRESSURE GAUGE 3000 PSI		
21.	811-677C	AD 9/16MORB 1/4FNPT		
22.	811-170C	AD 9/16MORB 9/16MJIC		
23.	811-631C	HH3/8R1 018 9/16FJIC		
24.	811-118C	HH3/8R1 041 9/16FJIC 3/4FJIC		
25.	810-554C	FILTER INLINE 3/4FORB 3/4MJIC	For replacement screen order 810-553C	
26.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
27.	811-585C	HH3/8R1 408 1/2MNPT 9/16FJIC		
28.	811-796C	HH1/2R1 408 1/2MNPT 9/16FJIC		
29.	810-523C	VALVE COUNTER BAL 10:1 9/16FOB	Refer to Counterbalance Valve (810-523C) for breakdown	
30.	811-286C	HH3/8R2 020 3/4FJIC 9/16FJIC		
31.	811-627C	AD 9/16MORB 9/16FJIC		
32.	811-064C	TE 9/16MJIC 9/16MJIC 9/16MORB		
33.	811-061C	TE 9/16MJIC 9/16MJIC 9/16FJIC		
34.	811-169C	EL 9/16MJIC 9/16FJIC		
35.	811-430C	AD 3/4MJIC 3/4MJIC		
36.	811-216C	EL 3/4MJIC 9/16MORB		

[Table of Contents](#)   [Part Number Index](#)

**Opener Lift Midway Hydraulic Cylinder 2 X 8 X 1.12 (810-299C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Opener Lift Midway Hydraulic Cylinder 2 X 8 X 1.12 (810-299C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15705	Image No.		
1.	1M6006	MW ROD CLEVIS		
2.	2M2316	MW ROD		
3.	3R0122	MW HEAD		
4.	4M2102	RPBY 4M2108		
5.	5M2116	MW TUBE		
6.	6R0032	BASE MIDWAY		
7.	7M2316	MW TIE ROD		
8.	2A0208	RPBY 805-124C		
9.	2A0132	MW PIN CLIP		
10.		MW WIPER	Only found in seal kit #17	
11.		MW U-CUP	Only found in seal kit #17	
12.		MW O-RING	Only found in seal kit #17	
13.		MW BACKUP	Only found in seal kit #17	
14.	2A0022	RPBY 803-114C		
15.	2A0012	RPBY 803-234C		
16.	2A0006	RPBY 802-023C		
17.	810-310C	SEAL KIT MW 5A2104		

## Counterbalance Valve (810-523C)

(Applies to 2S-2600 HD, 2S-2600 HDF only)



29533

## **Counterbalance Valve (810-523C)**


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

<b>Ref</b>	<b>Part No.</b>	<b>Part Description</b>	<b>Comments</b>	<b>Revision</b>
	dwg29533	Image No.		
1.	810-524C	CARTRGE COUNTER BAL 10:1 EATON		
2.	810-523C	VALVE COUNTER BAL 10:1 9/16FOB	Includes item 1	

## Manifold Block (810-371C)

(Applies to 2S-2600 HD, 2S-2600 HDF only)



17027

**Manifold Block (810-371C)**

---


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17027	Image No.		
1.	61010016	#4 SAE PLUG		
2.	61010039	.078 ORIFICE PLUG		
3.	30102754	MANIFOLD		
4.	85002333	DELTA 4W2P VALVE DGS4D-00		
5.	39680008	DELTA COIL 12VDC W CONN		
6.	61011003	#4 SAE PLUG ZL		
7.	811-203C	PL 3/4MORB HOLLOW HEX		
7.	500-090B	SEAL KIT 7/8-14 DELTA W/ LTITE		

[Table of Contents](#)   [Part Number Index](#)

**Pressure Reducing Valve (810-301C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## **Pressure Reducing Valve (810-301C)**

---

(Applies to 2S-2600 HD, 2S-2600 HDF only)


Ref	Part No.	Part Description	Comments	Revision
	dwg16292	Image No.		
1.	PRPIL-10-K-25	CARTRIDGE PRESS RED SHOEMAKER		
2.	5075	RPBY 810-452C		
3.	85020040	DELTA CARTRIDGE ONLY WITH KNOB		
4.	810-303C	SEAL KIT 7/8-14 DELTA 21170040	See chart for sizes	
5.	CP2-10	REPLACED BY CP2-10-0		
6.	5070	RPBY 5075		
	810-303C	SEAL KIT 7/8-14 DELTA 21170040	Includes: 2 Each of the thin Back-Up Rings, sizes B, C, and D 1 Each of the thick Back-Up Rings, sizes C and D. 2 Each of the thick Back-Up Rings size B. 1 Each of O-Rings sizes A, B, C, and D.	

## Table of Contents

## Part Number Index

## ***Decal Placement***

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**



26445

## Decal Placement


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg17250	Image No.		
1.	818-339C	DECAL WARNING HIGH PRESSUR SML		
2.	818-019C	DECAL WARNING NEG TONGUE WT		
3.	818-078C	DECAL CAUTION FP-HC-MF-24&30		
4.	818-337C	DECAL WARNING 20 MPH TRANS SML		
5.	818-871C	DECAL 2S-2600 FOLD LATCH		
6.	818-045C	DECAL WARNING PINCH PT/CRUSH		
7.	818-664C	DECAL CENTER SECTION		
8.	818-710C	DECAL WING SECTIONS		
9.	818-400C	DECAL GREASE 50 HRS LH		
10.	818-398C	DECAL CAUTION TIRES NOT A STEP		
11.	818-401C	DECAL GREASE 50 HRS RH		
12.	818-752C	DECAL CAUTION TIRE 52 PSI		
13.	818-751C	DECAL CAUTION TIRE 32 PSI		
14.	818-864C	DECAL DANGER CRUSHING HAZARD		
15.	818-229C	DECAL AMBER REFLECTOR	2000 and below.	
16.	838-229C	DECAL GREAT PLAINS ON LOGO LRG	2000 and above.	2nd rev.
16.	818-598C	DECAL GP LOGO - LARGE	1999 and below.	1st rev.
17.	818-708C	DECAL DRIVE TYPE&CHAIN ROUTING		
18.	818-349C	DECAL GREASE 10 HRS LH		
19.	838-161C	DECAL LOGO&GP F/STRIPE 4 X 24	2000 and above.	2nd rev.
19.	818-412C	DECAL GREAT PLAINS W/LOGO	1999 and below.	1st rev.
20.	838-237C	DECAL SEED LEVEL LH	2000 and above.	2nd rev.
20.	818-392C	DECAL SEED LEVEL, NOTCHED	1999 and below.	1st rev.
21.	818-296C	DECAL LETTER F	Not available. Order item 20.	
22.	818-295C	DECAL LETTER E	Not available. Order item 20.	
23.	818-402C	DECAL GREASE 10 HRS RH		
24.	818-258C	DECAL TRANSPORT LOCK FIELD		
25.	818-257C	DECAL TRANSPORT LOCK ROAD		
26.	818-230C	DECAL RED REFLECTOR	2000 and below.	
27.	818-003C	DECAL SLOW MOVING VEHICLE		
28.	838-197C	DECAL 2S-2600	2000 and above.	2nd rev.
28.	818-863C	DECAL SOLID STAND 2600-2S	1999 and below.	1st rev.
29.	838-160C	DECAL 3 COLOR STRIPE 2.50 WIDE	2000 and above.	2nd rev.
29.	818-414C	DECAL W/ 4 COLOR STRIPE	1999 and below.	1st rev.
30.	818-370C	DECAL 3PT,2&3SEC SEEDRATE 2OF2	2003 and below.	
31.	818-371C	DECAL 3PT FERT RATE (METRIC)	2003 and below.	
32.	818-415C	DECAL GP W/ LOGO AND STRIPE		
33.	818-861C	DECAL TRANSPORT LOCK WARNING		
34.	818-884C	DECAL IMPORTANT FOLD INST.2600		
35.	838-169C	DECAL SCRIPT SOLID STAND LARGE	2000 and above.	
36.	838-265C	DECAL REFLECTOR AMBER 1 1/2X9	2001 and above.	
37.	838-266C	DECAL REFLECTOR RED 1 1/2X9	2001 and above.	
38.	838-267C	DECAL REFLECTR DAYTIME 1 1/2X9	2001 and above.	
39.	838-102C	DECAL WARNING FALLING HAZARD		
40.	838-482C	DECAL GP PLANTING COMPONENTS		
41.	195-200B	2600 SEEDRATE BOOK	2004 and above	
42.	838-828C	DECAL HD		

[Table of Contents](#)   [Part Number Index](#)

**Cross Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)



15704


**Cross Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15704	Image No.		
1.	1D0005-2250	CROSS TUBE		
2.	1D0204-2475	CROSS ROD		
3.	1D1003-4	CROSS ROD CLEVIS		
4.	2A0235-6	CROSS NUT, CLEVIS & TIE ROD		
5.	2A0079-616	CROSS SCREW, CAP		
6.	2A0578-2475	CROSS TIE ROD		
7.	2A0235-6	CROSS NUT, CLEVIS & TIE ROD		
8.	1D1155-13	CROSS HEAD		
9.		BACKUP PISTON	Only found in seal kit item 18	
10.		U-CUP	Only found in seal kit item 18	
11.		ROD WIPER	Only found in seal kit item 18	
12.		O-RING PISTON	Only found in seal kit item 18	
13.	1D1401-250	CROSS PISTON		
14.	4C2024	CROSS BASE		
15.	2A0246-12	CROSS NUT, PISTON		
16.	1D1582-16275	CROSS PIN, CLEVIS (BASE END)		
17.	2A0308-1	RPBY 805-032C		
18.	810-119C	RPBY 810-210C		

**Double Selector Valve (810-274C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)




**Double Selector Valve (810-274C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg14927	Image No.		
1.	810-274C	DOUBLE SELECTOR VALVE 3/4FORB		
2.	1079	RPBY SEAL KIT		
3.	1089-210	RPBY SEAL KIT 810-458C		
4.	1088-210	SHOEMAKER O-RING BUNA N 70DURO		
5.	1285	SH GROOVE PIN		
6.	817-255C	BLACK VINYL GRIP		
7.	1084	SH PIN, SPRING 0.25 DIAMETER		

## Dual Markers Hydraulics

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## Dual Markers Hydraulics

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
1.	dwg15484 810-118C	Image No. CYL 2.5X20X1.12 ROD (TIE)1 PIN	Refer to Midway Hydralic Cylinder 2.5 x 20 x 1.12 (810-118C), Cross Hydraulic Cylinder 2.5 x 20 x 1.12 (810-118C) & Monarch Hydraulic Cylinder 2.5 x 20 x 1.12 (810-118C) for breakdown	
2.	811-281C	EL 3/8FNPT 9/16MORB		
3.	811-035C	HH1/4R1 252 9/16FJIC 3/8MNPT		
4.	811-293C	HH1/4R1 272 3/8MNPT 9/16FJIC		
5.	811-580C	HH1/4R1 348 1/2MNPT 9/16FJIC		
6.	810-197C	VALVE,SEQUENCE SHOEMAKER	Refer to Sequence Valve (810-197C) for breakdown	
7.	802-014C	HHCS 3/8-16X3/4 GR5		
8.	811-021C	AD 1/2FNPTS 3/4MORB		
9.	810-274C	DOUBLE SELECTOR VALVE 3/4FORB	Refer to Double Selector Valve (810-274C) for breakdown	
10.	811-579C	HH3/8R1 096 1/2MNPT 9/16FJIC		
11.	811-171C	EL 3/4MORB 9/16MJIC		
12.	802-168C	HHCS 3/8-16X3 1/4 GR5		
13.	804-013C	WASHER LOCK SPRING 3/8 PLT		
14.	803-014C	NUT HEX 3/8-16 PLT		
15.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
16.	113-370D	1/4 MARKER HYD HOSE GUARD		
17.	196-112D	RPBY 196-146D		
18.	804-009C	WASHER LOCK SPRING 5/16 PLT		
19.	802-138C	HHCS 5/16-18X2 1/4 GR5		

## Flat Fold Marker

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Flat Fold Marker

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15482	Image No.		
1.	113-180H	LH FIRST SECTION	Shown	
1.	113-188H	RH FIRST SECTION		
2.	113-181H	LIFT LUG CHANNEL LH	Shown	
2.	113-189H	LIFT LUG CHANNEL RH		
3.	113-182H	2ND SECTION	Shown	
3.	113-190H	RPBY 113-182H		
4.	113-183H	30' F.F. MKR. 3RD. SECTION		
5.	113-248D	PIN 1 OD X 4.41 USABLE		
6.	113-312D	FIRST PIVOT SHAFT		
7.	113-313D	SECOND PIVOT SHAFT		
8.	113-324D	CYLINDER STOP		
9.	113-325D	STOP BUSHING		
10.	113-351D	MARKER TUBE 42 LG		
11.	113-558H	MARKER, L.H. MOUNT 96	Shown	
11.	113-559H	MARKER, R.H. MOUNT 96		
12.	113-563S	MARKER DISC & HUB ASSEMBLY		Refer to Marker Disk and Hub for breakdown
13.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
14.	801-054C	SCREW SET SQ HD 1/2-13X1 GR5		
15.	802-039C	HHCS 1/2-13X3 GR5		
16.	802-115C	HHCS 5/16-18X2 GR5		
17.	802-249C	HHCS 1/2-13X4 1/2 GR5 SPTHD		
18.	802-254C	HHCS 5/8-11X5 1/2 GR5		
19.	802-266C	HHCS 3/8-16X2 GR2		
20.	803-011C	NUT LOCK 5/16-18 PLT		
21.	803-013C	NUT LOCK 3/8-16 PLT		
22.	803-019C	NUT LOCK 1/2-13 PLT		
23.	803-020C	NUT HEX 1/2-13 PLT		
24.	803-024C	NUT LOCK 5/8-11 PLT		
25.	803-036C	NUT HEX JAM 1/2-13 PLT		
26.	804-015C	WASHER LOCK SPRING 1/2 PLT		
27.	804-017C	WASHER FLAT 1/2 USS PLT		
28.	804-029C	WASHER FLAT 1 SAE		
29.	805-058C	PIN COTTER 3/16 X 2		
30.	810-118C	CYL 2.5X20X1.12 ROD (TIE)1 PIN		Refer to Midway Hydralic Cylinder 2.5 x 20 x 1.12 (810-118C), Cross Hydraulic Cylinder 2.5 x 20 x 1.12 (810-118C) & Monarch Hydraulic Cylinder 2.5 x 20 x 1.12 (810-118C) for breakdown
31.	113-200H	CHAIN BAR WELDMENT		
32.	113-311D	HINGE PIN		
33.	113-319D	CHAIN COIL 1/4 HIGH TEST 61 IN		
34.	113-323D	CHAIN BAR		
35.	113-560H	MARKER CARRIER		
36.	113-568H	MARKER TRANSPORT MOUNT		
37.	802-022C	HHCS 3/8-16X1 1/2 GR5		
38.	802-168C	HHCS 3/8-16X3 1/4 GR5		
39.	802-261C	HHCS 3/8-16X2 1/2 GR5 FTHD		
40.	803-020C	NUT HEX 1/2-13 PLT		
41.	803-021C	NUT HEX 5/8-11 PLT		
42.	804-011C	WASHER FLAT 3/8 USS PLT		
43.	804-015C	WASHER LOCK SPRING 1/2 PLT		
44.	804-022C	WASHER LOCK SPRING 5/8 PLT		
45.	806-005C	U-BOLT 1/2-13 X 2 X 3 GR 5		
46.	806-039C	U-BOLT 5/8-11 X 6 1/32 X 7 3/4		
47.	806-060C	U-BOLT 1/2-13 X 6 1/32 X 7 1/4		

***Flat Fold Marker (continued)***

---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
48.	890-018C	5/16 X 1 1/4 UTILITY CLEVIS		
49.	818-682C	DECAL WARNING PINCH/CRUSH MRKR		
50.	890-005C	BUSHING CYL 1 1/4 X 1 X 1		

***Flat Fold Marker (continued)***


---

(Applies to 2S-2600 HD, 2S-2600 HDF only)

***This Page Intentionally Left Blank***

## Marker Disk And Hub

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Marker Disk And Hub

---


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15481	Image No.		
1.	815-001C	TINE GW HUB	Includes items 2-7, 11,12 &13.	
2.	816-014C	TINE GAUGE WHEEL HUB SEAL		
3.	822-030C	BRG CONE 1.00ID L44643		
4.	822-080C	BRG CUP 1.98OD L44610		
5.	802-125C	RPBY BO-47		
6.	1-100-02-00	RELIABLE HUB 4 BOLT		
7.	890-068C	RPBY 890-614C		
8.	803-159C	NUT LUG 1/2-20X60DEG PLT(.75AF		
9.	113-563S	MARKER DISC & HUB ASSEMBLY	Includes item 1 and items 10 through 15	
10.	113-562H	1 SPINDLE MARKER WELDMENT		
11.	804-025C	WASHER FLAT 3/4 SAE PLT		
12.	803-053C	NUT HEX SLOTTED 3/4-16		
13.	805-019C	PIN COTTER 5/32 X 1 PLT		
14.	820-098C	14 4-BOLT MARKER DISK		
15.	113-369H	DEPTH BAND 10 4-BOLT 4B.C.		

## [Table of Contents](#)    [Part Number Index](#)

## **Midway Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)**

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**



15705

**Midway Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)**


(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15705	Image No.		
1.	1M6006	MW ROD CLEVIS		
2.	2M3326	MW ROD		
3.	3R0310	MW HEAD		
4.	4M3102	RPBY 4M3108		
5.	5M3128	MW TUBE 2-1/2 X 20 CYLINDER		
6.	6R3150	BASE MIDWAY		
7.	7M3328	MIDWAY TIE ROD		
8.	2A0206	MW PIN SHORT		
9.	2A0132	MW PIN CLIP		
10.		MW WIPER	Only found in seal kit 17	
11.		MW U-CUP	Only found in seal kit 17	
12.		MW O-RING	Only found in seal kit 17	
13.		MW BACKUP	Only found in seal kit 17	
14.	2A0022	RPBY 803-114C		
15.	2A0012	RPBY 803-234C		
16.	2A0006	RPBY 802-023C		
17.	810-210C	SEAL KIT MW 2.5 CYL 3A3102		

## [Table of Contents](#)    [Part Number Index](#)

## **Monarch Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)**

**(Applies to 2S-2600 HD, 2S-2600 HDF only)**



15713


**Monarch Hydraulic Cylinder 2.5 X 20 X 1.12 (810-118C)**

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15713	Image No.		
1.	492650	LION ROD CLEVIS 1 1/8-12UNF		
2.	492643	LION ROD 1.25 X 20		
3.	492724	LION ROD CAP 2.5X1.25 9/16 ORB		
4.	492529	LION PISTON		
5.	491680	LION CYL. TUBE 2.5X20 H6080		
6.	492371	LION CLEVIS CAP 2.5		
7.	492230	LION TIE ROD 3/8X20 H6630 RIO		
8.	134953	LION PIN		
9.		WIPER SEAL	Only found in seal kit 21	
10.		O-RING	Only found in seal kit 21	
11.		BACKUP RING	Only found in seal kit 21	
12.		O-RING	Only found in seal kit 21	
13.		BACKUP RING	Only found in seal kit 21	
14.	129090	LION NUT 3/4UNC		
15.	803-014C	NUT HEX 3/8-16 PLT		
16.	801-023C	SCREW SET SH 3/8-16X3/8 TYPE C		
17.	134952	LION PIN CLIP-CLEVIS		
18.		O-RING	Only found in seal kit 21	
19.		BACKUP RING	Only found in seal kit 21	
20.	186561	LION PLUG		
21.	810-254C	SEAL KIT LN 639574 2.5BX1.25RD		

## Sequence Valve (810-197C)

(Applies to 2S-2600 HD, 2S-2600 HDF only)




## Sequence Valve (810-197C)

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg12024	Image No.		
1.	3089	SHOEMAKER BODY MKR SEQ VALVE		
2.	1088-908	SHOEMAKER O-RING		
3.	1132-08	SHOEMAKER PLUG, HEX SOCKET		
4.	1179	SHOEMAKER NEEDLE, FLOW CONTROL		
5.	1217	SHOEMAKER .125 SPRING PIN		
6.	1211	SHOEMAKER SPRING COMPRESSION		
7.	1088-011	RPBY 1100-011		
8.	1089-011	RPBY SEAL KIT		
9.	1180	SHOEMAKER SCREW, FLOW CON.ADJ.		
10.	1218	SHOEMAKER HEX, JAM NUT Z PLTD.		
11.	1099	RPBY SEAL KIT		
12.	1087-250	RPBY SEAL KIT		
13.	1087-437	RPBY SEAL KIT		
14.	1042	RPBY SEAL KIT		
15.	1088-906	SHOEMAKER O-RING		
16.	1182	SHOEMAKER FITTING PORT ADPT.		
17.	1132-05	SHOEMAKER HEX, SKT O-RING PLUG		
18.	1088-905	SHOEMAKER O-RING		
19.	1092-6	RPBY 1092-6-6		
20.	2153 810-456C	SHOEMAKER SPOOL, MKR SEQ. .055 SEAL KIT SHOEMAKER #1223		

## Single Marker Hydraulics

(Applies to 2S-2600 HD, 2S-2600 HDF only)



## Single Marker Hydraulics

(Applies to 2S-2600 HD, 2S-2600 HDF only)

Ref	Part No.	Part Description	Comments	Revision
	dwg15483	Image No.		
1.	810-118C	CYL 2.5X20X1.12 ROD (TIE)1 PIN	Refer to Midway Hydraulic Cylinder 2.5 x 20 x 1.12 (810-118C), Cross Hydraulic Cylinder 2.5 x 20 x 1.12 (810-118C) & Monarch Hydraulic Cylinder 2.5 x 20 x 1.12 (810-118C) for breakdown	
2.	811-281C	EL 3/8FNPT 9/16MORB		
3.	811-035C	HH1/4R1 252 9/16FJIC 3/8MNPT		
4.	811-293C	HH1/4R1 272 3/8MNPT 9/16FJIC		
5.	811-580C	HH1/4R1 348 1/2MNPT 9/16FJIC		
6.	811-044C	AD 3/8MNPT		
7.	810-058C	VALVE 3/8 NEEDLE		
8.	811-315C	AD 9/16MJIC		
9.	811-021C	AD 1/2FNPTS 3/4MORB		
10.	810-274C	DOUBLE SELECTOR VALVE 3/4FORB	Refer to Double Selector Valve (810-274C) for breakdown	
11.	811-579C	HH3/8R1 096 1/2MNPT 9/16FJIC		
12.	811-171C	EL 3/4MORB 9/16MJIC		
13.	802-168C	HHCS 3/8-16X3 1/4 GR5		
14.	803-014C	NUT HEX 3/8-16 PLT		
15.	804-013C	WASHER LOCK SPRING 3/8 PLT		
16.	800-082C	CABLE TIE .31X21.5 6DIA 120LB		
17.	113-370D	1/4 MARKER HYD HOSE GUARD		
18.	196-112D	RPBY 196-146D		
19.	804-009C	WASHER LOCK SPRING 5/16 PLT		
20.	802-138C	HHCS 5/16-18X2 1/4 GR5		



# Part Number Index

The Part Number Index is a numeric index of all part numbers included in this manual. The index shows what page(s) the part is used on.

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
001015 .....	15	1132-08 .....	199	123-409D .....	51	175-145H .....	29
006125 .....	15	116-019D .....	83	123-410D .....	51	175-146H .....	39, 41
009052 .....	15	116-020D .....	83	123-476H .....	51	175-180S .....	39, 41
009062 .....	15	116-132K .....	81	123-491D .....	53	175-182H .....	33
015796 .....	15	116-181D .....	81	123-492D .....	53	175-183H .....	33
016048 .....	15	1179 .....	199	123-575D .....	51	175-184H .....	33
016053 .....	15	118-226S .....	67, 69, 71, 73,	123-576D .....	51	175-187K .....	35
017012 .....	15		75, 77	123-577D .....	51	175-188K .....	35
017802 .....	15	118-336D .....	67, 69, 71, 73,	123-832H .....	115	175-189K .....	35
017806 .....	15		75, 77	123-834H .....	51	175-190S .....	27
020022 .....	15	118-338D .....	73, 75, 77	1285 .....	185	175-219H .....	31
020023 .....	15	118-341D .....	67, 69, 71, 73,	129090 .....	197	175-233D .....	67, 69, 71, 73,
1-100-02-00 .....	193		75, 77	129BXT821 .....	125		75, 77
10-50057 .....	9	118-431D .....	67, 69	129BXT827 .....	125	175-243H .....	79
10-50058 .....	9	118-432D .....	67, 69, 73	133-024D .....	115	175-280D .....	75, 77
10-70020 .....	9	118-433D .....	67, 69	133-061H .....	51	175-289D .....	27
10-80012 .....	9	118-434D .....	67, 69	133-062H .....	51	175-325D .....	55
10-80028 .....	9	118-437D .....	69, 71, 73	133-063H .....	51	175-326D .....	55
10-80054 .....	9	118-438D .....	71, 73	133-064H .....	51	175-327D .....	49, 55
10-80147 .....	9	118-440D .....	73	133-065D .....	121	175-331D .....	55
1042 .....	199	118-466D .....	73	133-152K .....	53	175-332D .....	49
107-111D .....	127, 129, 131, 133, 135, 137	118-467D .....	71	133-153K .....	53	175-338D .....	33
107-137V .....	127, 129, 131, 133, 135, 137	118-468D .....	73	133-154K .....	53	175-341D .....	33
		118-508D .....	67, 69, 71, 73, 75, 77	133-155K .....	53	176-042S .....	93, 95, 97, 99, 105, 107, 109
1079 .....	185	1180 .....	199	133-156K .....	53	176-065D .....	93, 95
1084 .....	185	1182 .....	199	133-157K .....	53	176-066D .....	93
1087-250 .....	199	119-153D .....	39, 41	133-158H .....	53	176-076D .....	93
1087-437 .....	199	119-154D .....	39, 41	133-159H .....	53	176-078D .....	93
1088-011 .....	199	119-190D .....	29, 31, 53	133-160H .....	53	176-080D .....	93
1088-210 .....	185	120-198D .....	85, 87	133-161H .....	53	176-084D .....	93
1088-905 .....	199	120-247D .....	57	134952 .....	197	181-064D .....	21
1088-906 .....	199	120825 .....	125	134953 .....	197	186561 .....	197
1088-908 .....	199	121-004S .....	133, 135, 137	136-027D .....	91	188-001V .....	127, 129, 131, 133, 135, 137
1088-011 .....	199	121-005S .....	127, 129, 131	136-044D .....	101, 103, 111, 113		
1089-210 .....	185	121-008H .....	129, 135	136-064D .....	101, 103, 111, 113, 115	188-008V .....	123
109-025H .....	79	121-044D .....	127, 129, 133,	136-104D .....	115	191-001D .....	33
109-069D .....	79		135, 137	136-111D .....	97, 99, 101, 103, 107, 109, 111, 113	191-002D .....	33
109-091D .....	67, 69, 71, 73, 75, 77	121-151D .....	127, 129, 131, 133, 135, 137	136-122D .....	97, 99, 101, 103, 107, 109, 111, 113	191-018D .....	33
1092-6 .....	199	121-154D .....	127, 129, 131, 133, 135, 137	136-128D .....	97, 107	194-058D .....	65
1099 .....	199			136-151D .....	101, 103, 111, 113	194-059D .....	65
113-180H .....	189	121-166D .....	131	136-154D .....	97, 99, 101, 103, 107, 109, 111, 113	194-070D .....	11
113-181H .....	189	121-169D .....	127, 129, 131	136-175D .....	97, 99, 101, 103, 107, 109, 111, 113	194-113H .....	19
113-182H .....	189	121-176D .....	131, 137	136-183D .....	97	194-123K .....	57
113-183H .....	189	1211 .....	199	136-184D .....	101, 103, 111, 113	194-129H .....	57
113-188H .....	189	1217 .....	199	136-185D .....	101, 103, 111, 113	194-134H .....	13
113-189H .....	189	1218 .....	199	136-186D .....	97, 99, 101, 103, 107, 109, 111, 113	194-135H .....	59, 61
113-190H .....	189	122-001S .....	127, 129, 131, 133, 135, 137	136-187D .....	97, 99, 101, 103, 107, 109, 111, 113	194-152H .....	37
113-200H .....	189			136-188D .....	97	194-154H .....	37
113-248D .....	189	122-003D .....	123	136-189D .....	101, 103, 111, 113	194-155H .....	57
113-271D .....	167	122-004D .....	119	136-190D .....	101, 103, 111, 113	194-156H .....	57
113-311D .....	189	122-006D .....	119	136-191D .....	101, 103, 111, 113	194-157H .....	37
113-312D .....	189	122-041D .....	147, 149	136-192D .....	127, 129, 131, 133, 135, 137	194-158H .....	37
113-313D .....	189	122-094D .....	149	136-193D .....	133, 135, 137	194-160H .....	23, 29, 31
113-319D .....	189	122-103S .....	149	148-402D .....	19	194-161H .....	23, 29, 31
113-323D .....	189	122-110D .....	147	148-613D .....	29	194-162H .....	37
113-324D .....	189	122-117S .....	147	152-044D .....	67, 69	194-163H .....	25
113-325D .....	189	122-120D .....	123	152-215D .....	21	194-164H .....	25
113-351D .....	189	122-164D .....	123	152-262D .....	89, 95, 105	194-165H .....	57
113-369H .....	193	122-166D .....	123	152-263D .....	89	194-166H .....	57
113-370D .....	13, 29, 31, 187, 201	122-178D .....	117	152-390D .....	85, 87	194-167H .....	17
113-558H .....	189	122-197V .....	149	155-012K .....	21	194-171H .....	11
113-559H .....	189	122-198V .....	147	161-046K .....	85, 87	194-172H .....	19
113-560H .....	189	122-250H .....	123	168-127D .....	115	194-268D .....	25
113-562H .....	193	123-050H .....	51	170-033H .....	11	194-269D .....	23
113-563S .....	189, 193	123-113D .....	51	170-034H .....	11	194-270D .....	23, 25
113-568H .....	189	123-116D .....	51	171-043D .....	63	194-273D .....	85, 87
113-568 .....	189	123-118D .....	51	171-101H .....	63	194-274D .....	85, 87
1132-05 .....	199	123-356D .....	51	171-102H .....	63	194-381D .....	17
				175-102H .....	33	194-401D .....	19



# Part Number Index (continued)

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
194-402D	19	195-241D	101, 103, 111, 113, 115	2A0006	153, 157, 173, 195	61011003	177
194-516D	57	195-244D	67	2A0012	153, 157, 173, 195	640069X	.15
194-577D	25	195-245D	71	2A0016	153, 157	6R0032	.173
195-062H	61	195-246D	75	2A0018	.159	6R3150	.157, 195
195-063H	61	195-249S	111, 113	2A0022	.173, 195	6R3162	.153
195-064H	61	195-250H	91, 115	2A0024	153, 157, 159	6R5152-ADI	.159
195-100D	29, 31	195-253H	79	2A0079-616	.183	701029X	.15
195-101D	29, 31	195-254D	89	2A0132	153, 157, 173, 195	701140	.15
195-102D	29, 31	195-264H	97, 99, 101, 103, 107, 109, 111, 113	2A0206	.195	710425	.83
195-112D	43	195-265D	85	2A0208	153, 157, 173	712205	.15
195-121D	59	195-266D	87	2A0235-6	.183	770026	.83
195-122D	59	195-310H	61	2A0246-12	.183	7M2316	.173
195-124H	47	195-311H	61	2A0308-1	.183	7M3328	.195
195-130H	89	195-320S	99, 103, 109, 113	2A0578-2475	.183	7M5320	.157
195-131H	89	195-340D	61	2H-200GP	.9	7M5328	.153
195-139H	97, 107	195-351D	85	2H-30080	.9	7M6320	.159
195-144D	89	195-352D	85	2H-30081	.9	800-001C	.19, 37, 57, 189
195-145H	91, 115	195-355D	85	2H-300GP	.9	800-003C	.79
195-153H	91	195-375D	99, 103	2M2316	.173	800-004C	.67, 69, 71, 73,
195-154H	91	195-376D	103, 109, 113	2M3326	.195	75, 77	
195-155H	91	195-377D	109, 113	2M5420	.157	800-008C	.121, 127, 129,
195-156H	91	195-398H	85	2M5530	.153	133, 135	
195-157H	91	196-112D	13, 29, 31, 187, 201	2S6522NC	.159	800-012C	.33, 55
195-158H	91	196-136H	11	30102360	.165, 167	800-016C	.121
195-159D	85, 87	197-001D	23, 25	30102754	.177	800-028C	.51
195-159H	91	197-089D	47	3089	.199	800-032C	.33
195-160D	85, 87	197-091D	47	313-176D	.39, 41	800-046C	.9
195-160H	95	197-096D	47	313-186D	.39, 41	800-052C	.83
195-161H	105	198-137D	139, 141, 143, 145, 147, 149	318917	.83	800-058C	.57, 95, 97, 99,
195-165D	43	198-331D	127, 129, 133, 135	318951	.83	105, 107, 109	
195-169D	97, 99, 101, 103, 107, 109, 111, 113	199-043H	141	39680008	.177	800-064C	.25, 43
195-170D	107, 109	199-088H	139	3M5410	.157	800-073C	.37
195-176D	99	199-089H	139	3R0122	.173	800-082C	.161, 163, 165,
195-177S	41	1D0005-2250	183	3R0310	.195	167, 169, 171,	
195-181H	27	1D0204-2475	183	3R3812	.153	187, 201	
195-182H	27	1D1003-4	183	3R5410	.159	800-093C	.123
195-183H	27	1D1155-13	183	401-154D	.37	800-101C	.47, 51
195-184S	101, 103	1D1401-250	183	402-050D	99, 103, 109, 113	800-107C	.67, 69, 71, 73,
195-186K	111, 113, 115	1D1582-16275	183	402-051D	99, 103, 109, 113	75, 77	
195-187K	101, 103, 115	1M6006	173, 195	402-376D	99, 103, 109, 113	800-112C	.81
195-188H	57	1M7016	153, 157	403-751D	99, 103, 109, 113	800-121C	.39, 41
195-189D	97, 99, 101, 103	1M7021-ADI	159	404-121S	127, 129, 131, 133, 135, 137	800-130C	.25
195-192D	55	20-20028	9	404-170H	.127, 133	800-148C	.43
195-193H	59, 61	200-001D	21	405-031D	.139	800-149C	.43
195-194D	27	202-189D	143, 145	491680	.197	800-177C	.93
195-197D	41, 49, 55	202-190D	147	492230	.197	800-213C	.127, 129, 131, 133, 135, 137
195-198D	41	202-274D	149	492371	.197	800-322C	.127, 129, 131
195-200B	181	206-014S	123	492529	.197	800-436C	.25
195-205D	31	2153	199	492643	.197	800-449C	.25
195-206D	31	221-130H	133	492650	.197	801-001C	.51, 79
195-207D	31	221-131H	127	492724	.197	801-002C	.121
195-208D	27	221-641H	135	4C2024	.183	801-003C	.51
195-209D	91	221-642H	129	4M2102	.173	801-009C	.33
195-210D	91	221-694H	137	4M3102	.195	801-016C	.81
195-212D	91, 115	221-695H	131	4M5102	153, 157	801-023C	.197
195-222D	95	221-730S	131, 137	500-090B	.177	801-035C	.51, 67, 69, 71, 73, 75, 77
195-223K	35	248-251D	39	5070	.179	801-052C	.9
195-224K	35	253000	81	5075	.179	801-054C	.189
195-225K	35	253001	81	540017	.83	801-057C	.67, 69, 71, 73,
195-229D	85	253016	83	5M2116	.173	75, 77	
195-230D	87	253017	83	5M3128	.195	801-067C	.81
195-234D	85	253100	83	5M5120	.157	801-068C	.19
195-236D	69	253700	81	5M5128	.153	801-084C	.123
195-237D	73	253701	81	5M6120	.159	801-096C	.47
195-238D	77	61010016	.177	61010039	.177	801-141C	.123
195-239D	107, 109, 111, 113	6101039	.177	6101039	.177	801-151C	.43
195-240D	107, 109, 111, 113						



# Part Number Index (continued)

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
801-154C	47	802-273C	25	803-037C	127, 129, 131, 133, 135, 137	804-022C	17, 63, 139, 141, 143, 145, 147, 149, 189
801-172C	127, 129, 131, 133, 135, 137	802-282C	91, 97, 99, 101, 103, 107, 109, 111, 113, 115	803-053C	193	804-023C	19, 57, 63
801-199C	83			803-058C	51	804-025C	57, 193
802-004C	39, 51, 67, 69, 71, 73, 75, 77, 97, 99	802-283C	19	803-064C	81	804-027C	57
802-005C	27, 139, 141	802-375C	27, 35, 41, 55	803-068C	61	804-029C	189
802-007C	79, 117	802-387C	27, 29, 31	803-079C	23, 25	804-030C	11, 25, 37
802-012C	89	802-388C	53	803-088C	27, 33, 35, 41, 55, 79, 83, 139,	804-031C	67, 69, 71, 73, 75, 77
802-014C	67, 69, 71, 73, 75, 77, 79, 187	802-399C	21			804-035C	23, 25
802-015C	39, 41, 117, 119	802-411C	39, 41, 125	803-159C	193	804-036C	25, 39, 41, 79
802-017C	27, 61, 89, 95, 105, 119	802-413C	99, 103, 109, 113	803-169C	29, 31, 43, 53, 99, 103, 109, 113, 127, 129,	804-040C	79, 127, 129, 131, 133, 135, 137
802-022C	65, 189	802-418C	99, 103, 109, 113	803-179C	31, 117, 147, 149	804-042C	51
802-023C	159	802-421C	139, 141, 143, 145, 147, 149	803-193C	127, 129, 131, 131, 133, 135, 133, 135, 137	804-043C	81
802-026C	169, 171	802-425C	39, 41	803-194C	67, 69, 71, 73, 75, 77	804-044C	51
802-030C	61	802-442C	31	803-199C	27, 29, 31	804-046C	51
802-034C	29, 31, 53, 59, 61, 91, 115	802-543C	11	803-208C	85, 87	804-048C	33
802-039C	11, 97, 99, 101, 103, 107, 109, 111, 113, 189	802-544C	11, 37	803-209C	27, 39, 41, 61, 117	804-075C	47, 161, 163, 165, 167, 169, 171
802-041C	91, 101, 103, 107, 109, 111, 113, 115	802-550C	133, 135, 137	803-215C	89, 95, 105	804-078C	123
802-045C	127, 129, 131, 133, 135, 137	802-551C	105, 107, 109, 161, 163, 165, 167, 169, 171	803-234C	159	804-082C	19
802-055C	63	802-617C	143	803-239C	85, 87	804-088C	81
802-058C	17, 141, 143, 145	802-618C	145	803-263C	85, 87	804-095C	85, 87
802-059C	139, 147	802-633C	33	803-293C	39	804-098C	85, 87
802-078C	49, 51, 55	802-640C	85	803-295C	25	804-113C	91, 97, 99, 101, 103, 107, 109, 111, 113, 115
802-079C	13, 17, 29, 31, 33, 61, 89	802-687C	87	803-296C	127, 129, 131	804-154C	127, 129, 131, 133, 135, 137
802-082C	57, 59	802-705C	25	803-310C	127, 129, 131	804-182C	85, 87
802-092C	33, 51, 99, 103, 109, 113	803-001C	47, 51	804-001C	79	805-004C	37
802-095C	57	803-003C	47	804-002C	51, 79	805-016C	21, 79
802-097C	167	803-006C	19, 33, 51, 161, 163, 165, 167, 169, 171	804-003C	51, 79	805-019C	51, 193
802-104C	21, 85, 87	803-011C	39, 41, 85, 87, 189	804-004C	47, 51	805-020C	123
802-114C	15, 37	803-013C	15, 17, 37, 169, 171, 189	804-006C	33, 51, 95, 97, 99, 105, 107, 109, 161, 163, 165, 167, 169,	805-023C	67, 69, 71, 73, 75, 77
802-115C	189	803-014C	13, 29, 31, 33, 43, 53, 65, 89, 119, 123, 125, 187, 197, 201	804-007C	55	805-024C	93
802-119C	149	803-015C	61	804-009C	13, 25, 29, 31, 33, 79, 91, 97, 99, 101, 103, 107, 109, 111, 113, 115, 117, 187, 201	805-026C	97, 99, 129, 135
802-121C	127, 129, 131, 133, 135, 137	803-016C	79	804-011C	13, 17, 29, 31, 89, 169, 171, 189	805-030C	85, 87
802-125C	193	803-019C	189	804-012C	51, 67, 69, 71, 73, 75, 77, 79, 119, 123	805-032C	59, 61
802-138C	13, 29, 31, 85, 87, 187, 201	803-020C	11, 29, 31, 57, 59, 61, 89, 91, 101, 103, 115, 189	804-013C	13, 29, 31, 33, 43, 53, 61, 65, 67, 69, 71, 73, 75, 77, 79, 89, 119, 123, 125, 187, 201	805-058C	189
802-139C	57	803-024C	21, 189	804-014C	61	805-067C	47, 51, 115
802-148C	33, 51	803-026C	57	804-015C	11, 29, 31, 57, 59, 61, 89, 91, 97, 99, 101, 103, 107, 109, 111, 113, 115, 117, 119, 123, 125, 187, 201	805-069C	123
802-151C	149	803-027C	19, 57, 63	804-016C	61, 115	805-083C	89
802-152C	95	803-028C	25, 57	804-017C	11, 189	805-085C	23, 25
802-153C	21	803-029C	21	804-019C	17, 63	805-104C	19, 57
802-155C	117	803-031C	57	804-021C	61	805-109C	89, 127, 129, 131, 133, 135,
802-168C	187, 189, 201	803-032C	25	804-024C	11, 29, 31, 57, 59, 61, 89, 91, 97, 99, 101, 103, 107, 109, 111, 113, 115, 117, 119, 123	805-124C	137
802-178C	25	803-034C	11, 37	804-025C	43, 53, 61, 65, 67, 69, 71, 73, 75, 77, 79, 89, 119, 123, 125, 187, 201	805-127C	127, 129, 131, 133, 135, 137
802-196C	27, 35, 79	803-035C	51, 79	804-026C	61	805-148C	85, 87
802-197C	147	803-036C	91, 97, 99, 101, 103, 107, 109, 111, 113, 115	804-027C	11, 29, 31, 57, 59, 61, 89, 91, 97, 99, 101, 103, 107, 109, 111, 113, 115, 117, 119, 123	805-168C	131
802-203C	29, 31, 39, 43, 53	803-037C	21	804-028C	55	805-180C	91, 95, 97, 99, 101, 103, 105, 107, 109, 111,
802-204C	57	803-038C	57	804-029C	13, 25, 29, 31, 33, 79, 91, 97, 99, 101, 103, 107, 109, 111, 113, 115, 117, 119, 123	805-197C	59, 61
802-212C	19	803-039C	25	804-030C	61	805-234C	127, 129, 131, 133, 135, 137
802-214C	115	803-040C	11, 37	804-031C	11, 29, 31, 57, 59, 61, 89, 91, 97, 99, 101, 103, 107, 109, 111, 113, 115, 117, 119, 123	805-236C	57
802-228C	127, 129, 131, 133, 135, 137	803-041C	51, 79	804-032C	11, 29, 31, 57, 59, 61, 89, 91, 97, 99, 101, 103, 107, 109, 111, 113, 115, 117, 119, 123	805-240C	91, 97, 99, 101, 103, 107, 109,
802-249C	189	803-042C	91, 97, 99, 101, 103, 107, 109, 111, 113, 115	804-033C	61, 115	111, 113	
802-252C	33, 123	803-043C	127, 129, 131, 133, 135, 137	804-034C	11, 189	805-246C	127, 129, 131, 133, 135, 137
802-254C	189	803-044C	189	804-035C	17, 63	805-250C	91, 97, 99, 101, 103, 107, 109,
802-257C	83	803-045C	189	804-036C	79	111, 113	
802-261C	189	803-046C	189				
802-266C	189	803-047C	189				



# Part Number Index (continued)

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
805-249C .....	85	810-408C .....	45	811-696C .....	155	817-070C .....	67, 69, 71, 73,
805-335C .....	127, 133	810-410C .....	161, 165, 169	811-697C .....	161, 163, 165,	817-071C .....	75, 77
805-385C .....	127, 129, 131, 133, 135, 137	810-428C .....	161, 165, 169	811-698C .....	167, 169, 171	817-071C .....	67, 69, 71, 73,
805-439C .....	131, 137	810-429C .....	165	811-796C .....	161, 163, 165,	817-073C .....	75, 77
806-005C .....	189	810-432C .....	45, 161, 163, 165, 167, 169,	811-796C .....	167, 169, 171	817-074C .....	67, 69, 71, 73,
806-039C .....	189	810-456C .....	199	812-236C .....	127, 129, 131,	817-074C .....	75, 77
806-060C .....	101, 103, 111, 113, 115, 189	810-523C .....	163, 167, 171,	813-135, 137		817-075C .....	67, 69, 71, 73,
806-093C .....	63	810-524C .....	175	812-366C .....	117	817-084C .....	75, 77
806-109C .....	89	810-554C .....	167, 175	812-367C .....	117	817-084C .....	127, 129, 131,
807-072C .....	89	810-554C .....	163, 167, 171	812-394C .....	131, 137	817-084C .....	133, 135, 137,
807-073C .....	11	810-687C .....	19, 155	814-008C .....	85, 87	817-084C .....	139, 141, 143,
807-097C .....	93	811-021C .....	187, 201	814-010C .....	149	817-084C .....	145, 147, 149
807-101C .....	123	811-035C .....	187, 201	814-023C .....	21	817-086C .....	.47
807-106C .....	39, 41, 127, 129, 131, 133, 135,	811-044C .....	201	814-026C .....	85, 87	817-087C .....	.79
807-177C .....	17	811-061C .....	161, 163, 165, 167, 169, 171	814-031C .....	21	817-111C .....	.93, 95
807-188C .....	123	811-064C .....	155, 161, 163, 165, 167, 169,	814-034C .....	141	817-191C .....	.123
807-262C .....	127, 129, 131, 133, 135, 137	811-065C .....	155, 161, 163, 165, 167, 169,	814-067C .....	147	817-202C .....	.47
808-086C .....	33	811-118C .....	161, 163, 165, 167, 169, 171	814-157C .....	143	817-255C .....	.185
808-097C .....	85, 87	811-140C .....	151	814-158C .....	145	817-296C .....	.143
808-143C .....	97, 99, 101, 103, 107, 109, 111, 113	811-146C .....	165	814-159C .....	143	817-297C .....	.145
808-170C .....	115	811-169C .....	169, 171	814-160C .....	145	817-308C .....	.19
808-240C .....	95, 97, 99, 105, 107, 109	811-170C .....	161, 163, 169,	814-174C .....	141	817-321C .....	.27
808-256C .....	97, 99, 101, 103, 107, 109, 111, 113	811-171C .....	151, 161, 163, 165, 167, 169,	814-238C .....	139	817-322C .....	.27
808-257C .....	97, 99, 101, 103, 107, 109, 111, 113	811-183C .....	151	814-244C .....	139	817-323C .....	.33
808-258C .....	97, 99, 101, 103, 107, 109, 111, 113	811-193C .....	163, 165, 167	815-001C .....	193	817-324C .....	.27
808-259C .....	97, 99, 101, 103, 107, 109, 111, 113, 115	811-203C .....	177	815-089C .....	21	817-328C .....	127, 129, 131, 133, 135, 137
808-260C .....	91	811-216C .....	163, 167, 171	815-090C .....	21	817-330C .....	.139, 141
808-287C .....	85, 87	811-281C .....	187, 201	815-094C .....	21	817-346C .....	.121
808-413C .....	85	811-286C .....	161, 163, 165, 167, 169, 171	816-007C .....	121	817-349C .....	127, 129, 133,
808-449C .....	99, 103, 109, 113	811-293C .....	187, 201	816-012C .....	85, 87	817-349C .....	133, 135, 137
810-058C .....	201	811-312C .....	161, 163, 165, 167, 169, 171	816-014C .....	193	817-349C .....	.127, 129, 131,
810-059C .....	153	811-315C .....	201	816-035C .....	21, 85, 87	817-349C .....	133, 135, 137
810-060C .....	159	811-356C .....	161, 163	816-112C .....	51	817-350C .....	.47
810-118C .....	187, 189, 201	811-392C .....	155	816-113C .....	51	817-423C .....	97, 99, 101, 103, 107, 109, 111,
810-119C .....	183	811-430C .....	167, 171	816-138C .....	85, 87	817-423C .....	113
810-149C .....	157	811-439C .....	155, 161, 165,	816-173C .....	123	816-239C .....	.69, 71, 73, 75,
810-197C .....	187	811-470C .....	151	816-241C .....	85, 87	817-504C .....	.77, 127, 129,
810-210C .....	195	811-490C .....	151	816-265C .....	21	817-516C .....	133, 135
810-254C .....	197	811-531C .....	165, 167	816-278C .....	55	817-688C .....	.127, 129, 133,
810-274C .....	185, 187, 201	811-578C .....	161, 163, 165, 167, 169, 171	816-291C .....	49, 55	817-697C .....	135
810-293C .....	165, 167	811-579C .....	187, 201	816-292C .....	33	817-704C .....	.127, 129, 133,
810-298C .....	25, 151	811-580C .....	187, 201	816-302C .....	131, 137	817-806C .....	.135
810-299C .....	57, 161, 163, 165, 167, 169, 171	811-582C .....	165, 167	816-306C .....	127, 129, 131, 133, 135, 137	817-869C .....	.117
810-300C .....	161, 163, 165, 167, 169, 171	811-585C .....	161, 163, 165, 167, 169, 171	816-536C .....	127, 129, 133,	817-897C .....	.131, 137
810-301C .....	161, 163, 165, 167, 169, 171	811-627C .....	161, 163, 165, 167, 169, 171	816-241C .....	135	818-003C .....	.181
810-303C .....	165, 167, 179	811-631C .....	161, 163, 165, 167, 169, 171	816-2639C .....	67	818-019C .....	.181
810-310C .....	173	811-632C .....	161, 165, 169	817-004C .....	67, 69, 71, 73,	818-045C .....	.181
810-316C .....	19, 155	811-636C .....	165, 167	817-022C .....	149	818-078C .....	.181
810-343C .....	165, 167	811-675C .....	155, 165, 167	817-023C .....	149	818-229C .....	.181
810-344C .....	165, 167	811-677C .....	161, 163, 169,	817-025C .....	.91, 97, 99, 101, 103, 107, 109,	818-230C .....	.181
810-371C .....	169, 171	811-695C .....	155	111, 113, 115		818-337C .....	.181
				817-026C .....	.51	818-339C .....	.181
				817-042C .....	.39	818-349C .....	.181
				817-053C .....	.33	818-370C .....	.181
				817-062C .....	.147	818-371C .....	.181
				817-063C .....	.147	818-392C .....	.47, 181
				817-068C .....	.67, 69, 71, 73,	818-398C .....	.181
				75, 77		818-400C .....	.181
				817-069C .....	.67, 69, 71, 73,	818-401C .....	.181
				75, 77		818-402C .....	.181
				817-069C .....	.67, 69, 71, 73,	818-412C .....	.181



# Part Number Index (continued)

Part Number	Page	Part Number	Page	Part Number	Page
818-414C	181	890-018C	190	dwg17249	85
818-415C	181	890-026C	33	dwg17250	181
818-598C	181	890-068C	193	dwg17251	97
818-664C	181	890-183C	11	dwg17252	107
818-682C	190	890-190C	67, 69, 71, 73, 75, 77	dwg17253	89
818-708C	181	890-193C	25	dwg17255	39
818-710C	181	890-221C	39	dwg17311	47
818-751C	85, 87, 181	890-305C	47	dwg17329	37
818-752C	21, 181	890-308C	41	dwg19311	31
818-861C	181	890-311C	43	dwg19312	41
818-863C	181	890-312C	43	dwg19314	27
818-864C	181	890-313C	43	dwg19316	35
818-871C	181	890-321C	81	dwg19317	33
818-884C	181	890-349C	51	dwg19318	101
819-001C	79	890-350C	67, 69, 71, 73, 75, 77	dwg19319	111
819-041C	51	890-430C	43	dwg19320	53
819-109C	79	890-466C	127, 129, 131, 133, 135, 137	dwg19324	115
820-098C	193	890-610C	11	dwg20213	15
820-287C	127, 129, 131, 133, 135, 137	890-954C	99, 103, 109, 113	dwg21627	99
820-431C	117	891-057C	107, 109, 111, 113	dwg21628	103
822-008C	79	891-058C	109, 113	dwg21630	109, 113
822-020C	21	891-137C	85	dwg22963	163
822-021C	21	990-109R	25	dwg22964	167
822-030C	193	CP2-10	179	dwg22972	45
822-032C	91, 97, 99, 101, 103, 107, 109, 111, 113, 115	dwg10249	93	dwg22973	169
822-048C	21	dwg12024	199	dwg22974	171
822-053C	21	dwg13324	9	dwg24414	63
822-080C	193	dwg14927	185	dwg24426	127
822-083C	33	dwg15449	43	dwg24427	133
822-095C	147, 149	dwg15473	151	dwg24428	125
822-103C	67, 69, 71, 73, 75, 77	dwg15481	193	dwg24429	123
822-117C	85, 87	dwg15482	189	dwg24430	141
822-118C	85, 87	dwg15483	201	dwg24431	143
822-119C	91, 97, 99, 101, 103, 107, 109, 111, 113, 115	dwg15484	187	dwg24432	145
822-126C	115	dwg15702	153, 157	dwg24433	147
822-170C	139, 141, 143, 145	dwg15704	183	dwg24434	149
823-059C	81	dwg15705	173, 195	dwg25317	65
823-060C	81	dwg15713	197	dwg26460	119
823-076C	81	dwg16292	179	dwg27007	121
823-175C	45	dwg16452	105	dwg27009	81
823-185C	45	dwg16465	95	dwg27028	139
823-190C	45	dwg16476	91	dwg27495	117
825-002C	15	dwg16578	49	dwg29468	135
833-595C	83	dwg16579	55	dwg29469	129
833-596C	83	dwg16593	51	dwg29533	175
838-102C	181	dwg16676	79	dwg29959	159
838-160C	181	dwg17027	177	dwg31231	61
838-161C	181	dwg17111	155	dwg32129	137
838-169C	181	dwg17112	161	dwg32130	131
838-197C	181	dwg17113	165	dwg34220	83
838-229C	181	dwg17231	11	PRPIL-10-K-25	179
838-237C	47, 181	dwg17232	17	VA-080002	81
838-265C	181	dwg17233	13	VA-253307	81
838-266C	181	dwg17234	19	VA-JX-B76	81
838-267C	181	dwg17235	21	VA-JX-B77	81
838-467C	51	dwg17236	25	VA-VMM253501	81
838-482C	39, 181	dwg17237	23		
838-828C	181	dwg17238	29		
841-077C	163, 167, 171	dwg17240	59		
841-161C	163	dwg17241	57		
85002333	177	dwg17242	67		
85002946	165, 167	dwg17243	69		
85020040	179	dwg17244	71		
890-005C	190	dwg17245	73		
		dwg17246	75		
		dwg17247	77		
		dwg17248	87		

***This Page Intentionally Left Blank***



Great Plains Mfg., Inc.  
1525 E. North Street  
Salina, Kansas 67401 USA

[www.greatplainsmfg.com](http://www.greatplainsmfg.com)

---