

Parts Manual

6' No-Till Drill

605NT S/N VV1454-
606NT S/N VV1455+
3P605NT S/N WW1646-
3P606NT S/N WW1647+



Read the Operator's manual entirely. When you see this symbol, the subsequent instructions and warnings are serious - follow without exception. Your life and the lives of others depend on it!






Table of Contents

Section 1: Introduction.....	5	3" x 13" V-Crown Press Wheel.....	80
Using This Manual.....	5	605 & 606 Hydraulics.....	82
Manual Replacement Information.....	5	Lift Hydraulics.....	82
Manual Revisions.....	5	Depth Stop Valve Assembly.....	84
Touch-up Paint.....	5	Hydraulic Shut Off Valve (810-084C).....	86
Hardware Legend.....	6	Stroke Control Valve (810-445C).....	88
Replacement Hardware.....	6	Hydraulic Cylinder (810-171C).....	90
Serial Numbers.....	6	Hydraulic Cylinder (810-412C).....	92
Part Number Service Coding.....	6	605 & 606 Decals.....	94
605 & 606 Box Assembly.....	7	Decal Placement.....	94
Tongue To Frame.....	8	Decal Placement (Small Seeds & Native Grass).....	96
Box To Frame.....	10	3P605 & 3P606 Box Assembly.....	98
Box Components.....	12	Box To Frame.....	98
Seed Level Indicator.....	14	Box Components.....	100
Walkboard.....	16	Seed Level Indicator.....	102
Weight Bracket (Option).....	18	Walkboard.....	104
Agitator (Option).....	20	Lights (Option).....	106
6 ft Grease Bank (Option).....	22	Weight Bracket (Option).....	108
Small Seeds Box To Seed Box (Option).....	24	Agitator (Option).....	110
Small Seeds Box Components.....	26	6 ft Grease Bank (Option).....	112
Native Grass Box To Seed Box (Option).....	28	Small Seeds Box To Seed Box (Option).....	114
Native Grass Box Components.....	30	Small Seeds Box Components.....	116
Small Seeds Box To Native Grass Box (Option).....	34	Small Seeds Box To Native Grass Box (Option).....	118
605 & 606 Metering.....	36	Native Grass Box To Seed Box (Option).....	120
7 1/2" Feeder Cup Spacing.....	36	Native Grass Box Components.....	122
6-7 1/2" Series 2 Native Grass Tray.....	38	3P605 & 3P606 Metering.....	125
Adjustment Handle.....	40	7 1/2" Feeder Cup Spacing.....	126
605 & 606 Gauge Wheels.....	42	6-7 1/2" Series 2 Native Grass Tray.....	128
Right Hand Gauge Wheel.....	42	Adjustment Handle.....	130
Left Hand Gauge Wheel Drive.....	44	3P605 & 3P606 Drives.....	132
605 & 606 Drives.....	47	Drive.....	132
Drive.....	48	Drivewheel.....	134
Jaw Clutch (176-042S).....	50	Agitator Drive.....	136
Agitator Drive.....	52	Agitator Drive With Native Grass.....	138
Agitator Drive With Native Grass.....	54	Small Seeds Drive.....	140
Small Seeds Drive.....	56	Native Grass Drive.....	142
Native Grass Drive.....	58	Gearbox Breakdown.....	144
Gearbox Breakdown.....	60	3P605 & 3P606 Openers.....	146
605 & 606 Openers.....	62	Coulter (S/N WW1188-).....	146
Coulter (S/N VV1144-).....	62	Coulter (S/N WW1189+).....	148
Coulter (S/N VV1145+).....	64	Small Seeds Hose Retainer.....	150
Small Seeds Hose Retainer.....	66	Native Grass Opener.....	152
Native Grass Opener.....	68	Native Grass Opener With Small Seeds.....	154
Native Grass Opener With Small Seeds.....	70	3P605 & 3P606 Press Wheel.....	156
605 & 606 Press Wheel.....	72	1 1/4" X 13 1/2" Double Press Wheel.....	156
1 1/4" X 13 1/2" Double Press Wheel.....	72	1" x 12" Double Press Wheel.....	158
1" x 12" Double Press Wheel.....	74	2" x 13" Native Grass Single Press Wheel.....	160
2" x 13" Native Grass Single Press Wheel.....	76	2" x 13" Single Press Wheel.....	162
2" x 13" Single Press Wheel.....	78	3" x 13" V-Crown Press Wheel.....	164

© Copyright 2013 All rights reserved Printed 04/10/13

Great Plains Manufacturing, Inc. provides this publication "as is" without warranty of any kind, either expressed or implied. While every precaution has been taken in the preparation of this manual, Great Plains Manufacturing, Inc. assumes no responsibility for errors or omissions. Neither is any liability assumed for damages resulting from the use of the information contained herein. Great Plains Manufacturing, Inc. reserves the right to revise and improve its products as it sees fit. This publication describes the state of this product at the time of its publication, and may not reflect the product in the future.

Great Plains Manufacturing, Incorporated Trademarks

The following are trademarks of Great Plains Mfg., Inc.: Application Systems, Aushman, Land Pride, Great Plains

All other brands and product names are trademarks or registered trademarks of their respective holders.

Printed in the United States of America.



Table of Contents (continued)

3P605 & 3P606 Decals.....	166
Decal Placement.....	166
Decal Placement (Small Seeds & Native Grass).....	168
 Part Number Index.....	 170



Alphabetized Table of Contents

Selected Models

1

1 1/4" X 13 1/2" Double Press Wheel.....	72
1" x 12" Double Press Wheel.....	74

2

2" x 13" Native Grass Single Press Wheel.....	76
2" x 13" Single Press Wheel.....	78

3

3" x 13" V-Crown Press Wheel.....	80
-----------------------------------	----

6

6 ft Grease Bank (Option).....	22
6-7 1/2" Series 2 Native Grass Tray.....	38

7

7 1/2" Feeder Cup Spacing.....	36
--------------------------------	----

A

Adjustment Handle.....	40
Agitator (Option).....	20
Agitator Drive.....	52
Agitator Drive With Native Grass.....	54

B

Box Components.....	12
Box To Frame.....	10

C

Coulter (S/N VV1144-).....	62
Coulter (S/N VV1145+).....	64
Coulter (S/N WW1188-).....	146
Coulter (S/N WW1189+).....	148

D

Decal Placement.....	94
Decal Placement (Small Seeds & Native Grass).....	96
Depth Stop Valve Assembly.....	84
Drive.....	48
Drivewheel.....	134

G

Gearbox Breakdown.....	60
------------------------	----

H

Hydraulic Cylinder (810-171C).....	90
Hydraulic Cylinder (810-412C).....	92
Hydraulic Shut Off Valve (810-084C).....	86

J

Jaw Clutch (176-042S).....	50
----------------------------	----

L

Left Hand Gauge Wheel Drive.....	44
----------------------------------	----

Lift Hydraulics.....	82
Lights (Option).....	106

N

Native Grass Box Components.....	30
Native Grass Box To Seed Box (Option).....	28
Native Grass Drive.....	58
Native Grass Opener.....	68
Native Grass Opener With Small Seeds.....	70

R

Right Hand Gauge Wheel.....	42
-----------------------------	----

S

Seed Level Indicator.....	14
Small Seeds Box Components.....	26
Small Seeds Box To Native Grass Box (Option).....	34
Small Seeds Box To Seed Box (Option).....	24
Small Seeds Drive.....	56
Small Seeds Hose Retainer.....	66
Stroke Control Valve (810-445C).....	88

T

Tongue To Frame.....	8
----------------------	---

W

Walkboard.....	16
Weight Bracket (Option).....	18



General Information

Using This Manual

This manual is divided into sections. The first section contains General Information, a Table of Contents, an Alphabetical Page Index, and a Part Number Index. The remaining sections divide the machine into segments (i.e. Frames, Drives, Hydraulics, etc.) which illustrate and list all parts.

The Great Plains parts in this manual are specially designed for this machine and should be replaced with Great Plains parts only.

The information in this manual is current at printing. Some parts may change to assure top performance.

Right-hand and left-hand as used in this manual are determined by facing the direction the machine will travel while in use.

Below is an example of two facing pages from a parts manual. Familiarize yourself with the contents of these pages.

Manual Replacement Information

Replacement manuals are available. Refer to your dealer or the Great Plains Publications Catalog for additional information.


Manual Revisions

When this manual is revised, the modification date is printed on the front cover and on the revised page(s).

Touch-up Paint

Repaint parts where paint is worn or scratched to prevent rust. Aerosol touch-up paint is available. To order use Great Plains parts numbers below:

GP Green	821-001C
GP Black	821-002C
GP Beige	821-003C
GP Buckskin	821-004C



Hardware Legend

AR	As Required	HWHMS	Hex Washer Head Machine Screw
BLADE	Blade Bolt	HXBHCS	Hex Socket Button Head Cap Screw
C	Cap Screw	J	Hex Jam Nut
CP	Cotter Pin	JIC	37 Degree Tapered Thread
CPHSSS	Cup Point Hex Socket Set Screw	L	Helical Spring Lock Washer
CPSHSS	Cup Point Square Head Set Screw	LUG	Lug Bolt
CPSQHSS	Cup Point Square Head Set Screw	NFC	National Fine Cap Screw
CRFCHMS	Cross Recess Flat Countersunk Head Mach. Screw	NPSM	National Pipe Straight Mechanical
CRPHMS	Cross Recess Pan Head Machine Screw	NPTF	National Pipe Taper Fuel
CRPHTFS	Cross Recess Pan Head Thread Forming	P	Wide Plain Washer
CRRHMS	Cross Recess Round Head Machine Screw	PHMS	Pan Head Machine Screw
CRTHMS	Cross Recess Truss Head Machine Screw	PLOW	Plow Bolt
CSNB	Countersunk Square Neck Bolt	RHMS	Round Head Machine Screw
FHMS	Flat Head Machine Screw	RHSNB	Round Head Square Neck Bolt
FTC	Full Thread Cap Screw	SCREW LEVELING	Leveling Screw
H	Hex Nut	SCREW THUMB	Thumb Screw
HCLN	Hex Center Lock Nut	SCREW WELD	Weld Screw
HFLCS	Hex Flange Lock Cap Screw	SFCHMS	Slotted Flat Countersunk Head Machine Screw
HFS	Hex Flange Screw	SFHMS	Slotted Fillister Head Machine Screw
HFSLN	Hex Flange Serrated Lock Nut	SP	Special
HFSS	Hex Flange Serrated Screw	SP SCREW	Special Screw
HHCS	Hex Head Cap Screw or Metric Bolt	SQHSS	Square Head Set Screw
HSBHCS	Hex Socket Button Head Cap Screw	SRHMS	Slotted Round Head Machine Screw
HSFCHCS	Hex Socket Flat Countersunk Head Cap Screw	SSS	Socket Set Screw
HSHCS	Hex Socket Head Cap Screw	STCS	Self Tapping Cap Screw
HSSS	Hex Socket Head Screw	STHMS	Slotted Truss Head Machine Screw
HTLN	Hex Top Lock Nut	WHEEL	Wheel Studs and Hub Long Bolts
HWHCS	Hex Washer Head Cap Screw	WING	Wing Bolt

Replacement Hardware

The **Hardware Legend** above lists hardware abbreviations used in the parts lists. All bolts and nuts are grade 5 unless otherwise noted. The use of improper grades of hardware can result in personal injury, damage to equipment, or loss of property.

Serial Numbers


Always use the serial and model number when ordering parts. Refer to the operator's manual for serial number plate location.

(S/N 20001+ or S/N 20001 and above)	Includes serial numbers 20001 and above (to the latest number)
(S/N 10001+→20000)	Includes serial numbers between 10000 and 20001
(S/N 10000- or S/N 10000 and below)	Includes serial numbers 10000 and below (to the earliest number)

This Page Intentionally Left Blank

Tongue To Frame

(Applies to 605NT, 606NT only)



18561


Tongue To Frame

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18561	Image No.		
1.	151-054H	6' TONGUE WELDMENT	Applies to 605NT	
1.	151-130H	606NT TONGUE WELDMENT	Applies to 606NT	
2.	151-075S	TONGUE LEVEL LINK ASSEMBLY		
3.	177-527H	CLEVIS HITCH WELDMENT		
4.	177-587D	SAFETY CHAIN WASHER		
5.	802-070C	HHCS 3/4-10X6 GR5		
6.	802-095C	HHCS 3/4-10X7 GR5		
7.	803-027C	NUT HEX 3/4-10 PLT		
8.	804-023C	WASHER LOCK SPRING 3/4 PLT		
9.	804-025C	WASHER FLAT 3/4 SAE PLT		
10.	805-134C	PIN CLEVIS 1 X 2 29/64 USABLE		
11.	890-182C	SAFETY CHAIN 10000 LB		
12.	890-245C	SCREW JACK 2000# 15-30 TOP WND		
13.	156-013E	ADJ LINK WELDMENT RH THD		
14.	803-032C	NUT HEX JAM 1 1/4-7 PLT		
15.	151-074H	TONGUE LEVEL LINK		
16.	156-014E	ADJ LINK WELDMENT LH THD		
17.	803-046C	NUT HEX JAM 1 1/4-7 LH THD PLT		
18.	175-235H	CALIBRATION CRANK WELDMENT		
19.	805-065C	PIN WIRE RETAINING 1/4 X 1 3/4		
20.	817-632C	GRIP HANDLE VNYL 1.0 IDX4.5 LG		
21.	805-060C	PIN COTTER 7/32 X 2		
22.	804-029C	WASHER FLAT 1 SAE		
23.	177-535H	PINTLE HITCH WELDMENT		
24.	890-806C	PINTLE HOOK SQ.BASE BDB1250-15		
25.	803-021C	NUT HEX 5/8-11 PLT		
26.	804-022C	WASHER LOCK SPRING 5/8 PLT		
27.	802-057C	HHCS 5/8-11X2 1/4 GR5		
28.	177-534A	PINTLE HITCH OPTION	Includes items 23-27	
29.	890-005C	BUSHING CYL 1 1/4 X 1 X 1		
30.	890-143C	1 1/4 X 1 X 3/4 HDR BUSHING		
31.	803-014C	NUT HEX 3/8-16 PLT		
32.	804-013C	WASHER LOCK SPRING 3/8 PLT		
33.	802-017C	HHCS 3/8-16X1 GR5		
34.	175-403D	HOSE RETAINER		
35.	802-004C	HHCS 1/4-20X3/4 GR5		
36.	833-492C	7-PIN CONNECTOR HOLDER		
37.	804-006C	WASHER LOCK SPRING 1/4 PLT		
38.	803-006C	NUT HEX 1/4-20 PLT		
39.	817-044C	FLEX GUARD HOSE.594 OD X.413ID		
40.	838-406C	DECAL WARNING EXT. CLEVISES		

Box To Frame

(Applies to 605NT, 606NT only)




Box To Frame

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18558	Image No.		
1.	802-034C	HHCS 1/2-13X1 1/4 GR5		
2.	804-015C	WASHER LOCK SPRING 1/2 PLT		
3.	803-020C	NUT HEX 1/2-13 PLT		
4.	118-765L	6' 7 1/2" BOX ASSEMBLY		
5.	151-059H	6' NT PULLTYPE FRAME	Applies to 605NT only	
5.	151-132H	6' NT PULLTYPE FRAME	Applies to 606NT only	
6.	118-652D	MANUAL PAK MOUNT		
7.	802-005C	HHCS 1/4-20X1 GR5		
8.	803-014C	NUT HEX 3/8-16 PLT		
9.	803-293C	NUT HEX FLNG T-LOCK 1/4-20 YLW		
10.	804-013C	WASHER LOCK SPRING 3/8 PLT		
11.	806-138C	U-BOLT 3/8-16 X 4 1/32 X 3 3/4		
12.	817-042C	MINI END WHEEL PRESS WHEEL		
13.	817-516C	MANUAL PAK 1" W/ GASKET		
14.	838-482C	DECAL GP PLANTING COMPONENTS		
15.	151-061B	6' NO-TILL SEEDRATE BOOK	Applies to 605NT only	
15.	151-122B	2007+ 3P605/605NT SEED RATE BK	Applies to 606NT only	

Box Components

(Applies to 605NT, 606NT only)



18559


Box Components

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18559	Image No.		
1.	118-739H	6' BOX WELDMENT		
2.	118-563D	6' BOX LID LATCH		
3.	801-096C	HFS 10-24 X 1 1/8 PLTD		
4.	804-004C	WASHER INTERNAL STAR #10 PLT		
5.	803-001C	NUT HEX 10-24 PLT		
6.	802-387C	HFS 5/16-18X3/4 GR5		
7.	802-203C	HFSS 1/2-13X1 1/2 GR5		
8.	119-190D	HANDLE		
9.	802-092C	RHSNB 5/16-18X3/4 GR5		
10.	118-403D	BEARING CUTOUT COVER, 47 MST		
11.	804-009C	WASHER LOCK SPRING 5/16 PLT		
12.	803-008C	NUT HEX 5/16-18 PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	804-013C	WASHER LOCK SPRING 3/8 PLT		
15.	803-014C	NUT HEX 3/8-16 PLT		
16.	118-560D	BOX PARTITION		
17.	804-046C	WASHER FLAT #10 SAE PLT		
18.	801-024C	SCREW 5/16-18X82DEG CNTSKX3/4P		
19.	179-021D	LID LATCH - LOWER ARM		
20.	817-033C	LID LATCH GRIP		
21.	803-084C	NUT HEX NYLOCK 5/16-18 PLT		
22.	179-022D	LID LATCH - UPPER ARM		
23.	802-159C	HHCS 5/16-18X1 GR5		
24.	179-023D	LID LATCH - HANDLE		
25.	313-076S	LID HINGE ASSEMBLY PS25120		
26.	802-411C	RHSNB 3/8-16X2 GR5		
27.	313-176D	LID HINGE BASE PLATE		
28.	313-186D	LID HINGE PIVOT		
29.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
30.	802-388C	HFS 3/8-16X1 GR5		
31.	803-199C	NUT HEX FLANGE 5/16-18 PLT		
32.	801-151C	SCR HEX SELF TAP 1/4-20X1TYPEF		
33.	890-311C	DUAL AG LIGHTS LH		
34.	890-312C	DUAL AG LIGHTS RH		
35.	800-112C	CABLE TIE .19X7.25 1.75D 50LB		
36.	890-390C	LIGHT HARNESS, 10' WISHBONE		
37.	890-640C	LIGHT HARNESS, 5' LEAD		
38.	119-271H	6' LID WELDMENT		
39.	800-148C	CABLE TIE MOUNT		

Seed Level Indicator

(Applies to 605NT, 606NT only)



18560


Seed Level Indicator

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18560	Image No.		
1.	805-067C	PIN COTTER 1/8 X 3/4		
2.	890-305C	CABLE 3/64 X 11 5/8 W/ EYELETS		
3.	118-474H	SEED LEVEL ARM, 6 3/4R. TAB		
4.	817-202C	SEED LEVEL ARM MOUNT		
5.	804-004C	WASHER INTERNAL STAR #10 PLT		
6.	803-001C	NUT HEX 10-24 PLT		
7.	817-086C	SEED LEVEL BUSHING		
8.	801-154C	SCR HEX HD SHT MET #8 X 1/2		
9.	817-350C	SEED LEVEL INDICATOR		
10.	197-096D	FOAM FLOAT WASHER		
11.	804-075C	WASHER FLAT 1/4 USS PLT		
12.	803-255C	NUT HEX NYLOCK 1/4-20		
13.	838-237C	DECAL SEED LEVEL LH		
14.	801-096C	HFS 10-24 X 1 1/8 PLTD		
15.	197-089D	FOAM FLOAT		
16.	118-498D	SEED FLOAT DOWN FLOAT STOP		

Walkboard

(Applies to 605NT, 606NT only)



18565


Walkboard

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18565	Image No.		
1.	119-192D	STEP		
2.	119-272H	SEED & SGS WALKBOARD WELDMENT	Shown.	
2.	119-273H	SEED & NG WALKBOARD WELDMENT		
2.	119-274H	SEED,SGS,&NG WALKBOARD WELD		
3.	802-079C	HHCS 3/8-16X1 1/4 GR5		
4.	802-091C	HHCS 1/2-13X1 1/2 GR5		
5.	803-014C	NUT HEX 3/8-16 PLT		
6.	803-020C	NUT HEX 1/2-13 PLT		
7.	804-013C	WASHER LOCK SPRING 3/8 PLT		
8.	804-015C	WASHER LOCK SPRING 1/2 PLT		
9.	802-004C	HHCS 1/4-20X3/4 GR5		
10.	818-055C	DECAL SLOW MOVING-GALV. BACKED		
11.	804-006C	WASHER LOCK SPRING 1/4 PLT		
12.	803-006C	NUT-HEX 1/4-20 PLT		
13.	890-153C	SMV MOUNTING BLADE		
14.	802-007C	HHCS 5/16-18X3/4 GR5		
15.	804-009C	WASHER LOCK SPRING 5/16 PLT		
16.	803-008C	NUT HEX 5/16-18 PLT		

Weight Bracket (Option)

(Applies to 605NT, 606NT only)



18562


Weight Bracket (Option)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18562	Image No.		
1.	151-057H	WEIGHT BRACKET WELDMENT		
2.	151-138D	WEIGHT BRACKET ADJ LEG		
3.	806-160C	U-BOLT 3/4-10 X 4 1/32 X 4 1/2		
4.	803-027C	NUT HEX 3/4-10 PLT		
5.	804-023C	WASHER LOCK SPRING 3/4 PLT		
6.	802-055C	HHCS 5/8-11X2 GR5		
7.	803-021C	NUT HEX 5/8-11 PLT		
8.	804-021C	WASHER FLAT 5/8 SAE PLT		
9.	804-022C	WASHER LOCK SPRING 5/8 PLT		

Agitator (Option)

(Applies to 605NT, 606NT only)



18567


Agitator (Option)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18567	Image No.		
1.	118-556D	6" DRILL ADGITATOR SHAFT		
2.	118-494D	LOCK COLLAR 3/4 HEX BORE		
3.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
4.	802-282C	RHSNB 5/16-18X1 GR5		
5.	118-493D	AGITATOR PADDLE 3/4 HEX		
6.	802-448C	HFSS 1/4-20X2 GR5		
7.	803-088C	NUT HEX LOCK 1/4-20 FLG		
8.	803-008C	NUT HEX 5/16-18 PLT		
9.	804-009C	WASHER LOCK SPRING 5/16 PLT		
10.	822-041C	FLANGETTE 47 MST		
11.	822-128C	BRG INS 3/4HEXX1.85OD SPH		
12.	808-185C	SPKT 40B35 X 3/4 HEX BORE W/SS		

6 ft Grease Bank (Option)

(Applies to 605NT, 606NT only)



25088


6 ft Grease Bank (Option)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg25088	Image No.		
1.	151-259D	6' GREASE BANK MOUNT		
2.	802-091C	HHCS 1/2-13X1 1/2 GR5		
3.	803-078C	NUT LOCK 3/8-16 NYLON INSERT		
4.	800-449C	AD PUSH 1/4 TUBE 1/8 FNPT		
5.	149-553D	GREASE BANK		
6.	800-130C	GREASE ZERK STRAIGHT 1/8-27NPT		
7.	802-014C	HHCS 3/8-16X3/4 GR5		
8.	804-015C	WASHER LOCK SPRING 1/2 PLT		
9.	803-020C	NUT HEX 1/2-13 PLT		

Small Seeds Box To Seed Box (Option)

(Applies to 605NT, 606NT only)



18566


Small Seeds Box To Seed Box (Option)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18566	Image No.		
1.				
1.	802-041C	HHCS 1/2-13X3 1/2 GR5		
2.	133-045D	SGS BOX SUPPORT STRAP		
3.	133-127H	SGS DRIVER MOUNT WELDMENT		
4.	804-015C	WASHER LOCK SPRING 1/2 PLT		
5.	803-020C	NUT HEX 1/2-13 PLT		
6.	202-186D	NG/SGS BOX SPACER		

Small Seeds Box Components

(Applies to 605NT, 606NT only)



18568


Small Seeds Box Components

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18568	Image No.		
1.	119-190D	HANDLE		
2.	123-050H	ADJUSTMENT HANDLE PIVOT		
3.	123-113D	LOCK TAB		
4.	123-116D	SEED ADJUSTMENT SPOOL		
5.	123-118D	SEED ADJUSTMENT SUPPORT		
6.	123-356D	10' EWNT SGS LID LATCH		
7.	123-410D	GAUGE MOUNTING BRACKET		
8.	123-476H	REAR SEED RATE ADJ HANDLE WLD		
9.	123-834H	SML SDS DRIVE SPKT HUB 27T		
10.	133-031D	6'-7 1/2" SGS SHAFT		
11.	133-045D	SGS BOX SUPPORT STRAP		
12.	133-118H	6' SGS LID WELDMENT		
13.	133-117H	6'- 7 1/2" SGS BOX WELDMENT		
14.	800-028C	SNAP RING .875		
15.	800-101C	RIVET POP 1/8X.265LG FLG		
16.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
17.	801-003C	SCREW RD HD SLT 10-24X1/2 PLT		
18.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
19.	802-005C	HHCS 1/4-20X1 GR5		
20.	802-078C	HHCS 1/4-20X5/8 GR5		
21.	802-148C	HFSS 1/4-20X1/2 GR5		
22.	802-203C	HFSS 1/2-13X1 1/2 GR5		
23.	802-282C	RHSNB 5/16-18X1 GR5		
24.	803-001C	NUT HEX 10-24 PLT		
25.	803-006C	NUT-HEX 1/4-20 PLT		
26.	803-007C	NUT-LOCK 1/4-20 PLT		
27.	803-035C	NUT HEX 8-32 BRASS		
28.	803-058C	NUT WING 5/16-18		
29.	803-088C	NUT HEX LOCK 1/4-20 FLG		
30.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
31.	804-002C	WASHER INTERNAL STAR #8 BRASS		
32.	804-003C	WASHER FLAT #8 BRASS		
33.	804-004C	WASHER INTERNAL STAR #10 PLT		
34.	804-006C	WASHER LOCK SPRING 1/4 PLT		
35.	804-042C	WASHER GRASS SEEDER CUP SHAFT		
36.	804-044C	WASHER FLAT 1 3/8X.876X.048 TH		
37.	804-046C	WASHER FLAT #10 SAE PLT		
38.	805-019C	PIN COTTER 5/32 X 1 PLT		
39.	805-067C	PIN COTTER 1/8 X 3/4		
40.	816-112C	RUBBER LATCH 37-11-065-10		
41.	816-113C	LATCH KEEPER 37-15-061-17		
42.	817-504C	SML SEED FEEDER CUP ASSY	(S/N VV1045+)	2nd rev.
42.	817-008C	RPBY 817-504C	(S/M VV1044-)	1st rev.
43.	817-009C	GRASS SEEDER SLEEVE		
44.	817-010C	GRASS SEEDER SPROCKET		
45.	817-026C	HANGER DRIVE SHAFT		
46.	819-041C	SEED ADJUSTMENT GUIDE		
47.	890-349C	3/8 SHAFT LOCKING COLLAR		
48.	817-806C	SMALL SEEDS CUP WIND SHIELD		

Native Grass Box To Seed Box (Option)

(Applies to 605NT, 606NT only)




Native Grass Box To Seed Box (Option)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18569	Image No.		
1.	802-034C	HHCS 1/2-13X1 1/4 GR5		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	804-015C	WASHER LOCK SPRING 1/2 PLT		
4.	803-020C	NUT HEX 1/2-13 PLT		
5.	202-414L	6 FT NG BOX & LID ASSY		
6.	119-190D	HANDLE		
7.	802-203C	HFSS 1/2-13X1 1/2 GR5		

Native Grass Box Components

(Applies to 605NT, 606NT only)



18570

Native Grass Box Components

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18570	Image No.		
1.	118-494D	LOCK COLLAR 3/4 HEX BORE		
2.	119-271H	6" LID WELDMENT		
3.	168-127D	3/16 X 1 KEY		
4.	179-021D	LID LATCH - LOWER ARM		
5.	179-022D	LID LATCH - UPPER ARM		
6.	179-023D	LID LATCH - HANDLE		
7.	202-007D	GRASS METER SPROCKET		
8.	202-026D	CUP BEARING SUPPORT		
9.	202-181D	NG BOX LID LATCH		
10.	202-183D	NG BOX SHAFT		
11.	202-184D	NG BOX ADGITATOR SHAFT		
12.	202-185D	NG ADGITATOR PADDLE	S/N VV1254-	
13.	202-409H	605NT 7 1/2" NG BOX WELDMENT		
14.	313-076S	LID HINGE ASSEMBLY PS25120		
15.	801-003C	SCREW RD HD SLT 10-24X1/2 PLT		
16.	801-021C	SCREW RD HD 10-24 X 3/4 PLT		
17.	801-023C	SCREW SET SH 3/8-16X3/8 TYPE C		
18.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
19.	802-004C	HHCS 1/4-20X3/4 GR5		
20.	802-010C	HHCS 5/16-18X1 1/4 GR5		
21.	802-159C	HHCS 5/16-18X1 GR5		
22.	802-282C	RHSNB 5/16-18X1 GR5		
23.	802-388C	HFS 3/8-16X1 GR5		
24.	802-448C	HFSS 1/4-20X2 GR5		
25.	803-001C	NUT HEX 10-24 PLT		
26.	803-006C	NUT-HEX 1/4-20 PLT		
27.	803-008C	NUT HEX 5/16-18 PLT		
28.	803-084C	NUT HEX NYLOCK 5/16-18 PLT		
29.	803-088C	NUT HEX LOCK 1/4-20 FLG		
30.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
31.	804-004C	WASHER INTERNAL STAR #10 PLT		
32.	804-006C	WASHER LOCK SPRING 1/4 PLT		
33.	804-009C	WASHER LOCK SPRING 5/16 PLT		
34.	804-010C	WASHER FLAT 5/16 USS PLT		
35.	804-036C	WASHER FLAT 5/16 SAE PLT		
36.	804-056C	WASHER WAVE SPRING 5/16		
37.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
38.	808-043C	SPKT 40B20 X 3/4 B W/KW&SS		
39.	812-054C	CASTING GRASS SEED FEEDER CUP		
40.	816-051C	GASKET GRASS SEED METER WHEEL		
41.	817-033C	LID LATCH GRIP		
42.	822-041C	FLANGETTE 47 MST		
43.	822-057C	BRG PB .75ID PILLOW BLOCK		
44.	822-071C	BRG FLG .75ID 2BOLT		
45.	822-128C	BRG INS 3/4HEXX1.85OD SPH		
46.	808-185C	SPKT 40B35 X 3/4 HEX BORE W/SS		
47.	808-281C	SPKT 40B23 3/4B W/KW & SS		
48.	202-055D	GRASS SEED METER WHEEL COVER		
49.	808-069C	SPKT 40B19 X 3/4 B W/ KW & SS		
50.	808-070C	SPKT 40B21 X 3/4B W/ KW & SS		
51.	808-100C	SPKT 40B22 3/4B W/K.W. &SS		
52.	808-118C	SPKT 40B18 X 3/4 B W/KW & 2SS		
53.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
54.	808-279C	SPKT 40B15 3/4B W/KW & SS		
55.	808-280C	SPKT 40B16 3/4B W/KW & SS		
56.	808-278C	SPKT 40B14 3/4B W/KW & SS		
57.	202-584K	6"-7 1/2" SERIES 2 NG TRAY	S/N VV1255+	

Native Grass Box Components (continued)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
58.	202-280D	RH NG SERIES 2 AGITATOR	S/N VV1255+	
59.	202-281D	LH NG SERIES 2 AGITATOR	S/N VV1255+	
60.	202-283D	DIVIDER AGITATOR RH	S/N VV1255+	
61.	202-284D	DIVIDER AGITATOR LH	S/N VV1255+	
62.	802-196C	HFSS 1/4-20X5/8 GR5	S/N VV1255+	
63.	816-540C	NATIVE GRASS CUP GASKET	S/N VV1255+	


Native Grass Box Components (continued)

(Applies to 605NT, 606NT only)

This Page Intentionally Left Blank

Small Seeds Box To Native Grass Box (Option)

(Applies to 605NT, 606NT only)



18571


Small Seeds Box To Native Grass Box (Option)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18571	Image No.		
1.	202-414L	6 FT NG BOX & LID ASSY		
2.	802-045C	HHCS 1/2-13X5 GR5		
3.	133-127H	SGS DRIVER MOUNT WELDMENT		
4.	202-186D	NG/SGS BOX SPACER		
5.	133-045D	SGS BOX SUPPORT STRAP		
6.	804-015C	WASHER LOCK SPRING 1/2 PLT		
7.	803-020C	NUT HEX 1/2-13 PLT		
8.	133-129L	6' 7 1/2" SGS BOX ASSY		

7 1/2" Feeder Cup Spacing

(Applies to 605NT, 606NT only)




7 1/2" Feeder Cup Spacing

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18572	Image No.		
1.	118-555D	6'-7 1/2" FEEDER CUP CHANNEL		
2.	118-554D	FEEDER CUP SHAFT		
3.	118-315D	SPACER TUBE X 4.539		
4.	118-226S	FEEDER CUP BEARING ASSEMBLY		
5.	109-091D	MACHINED ADJUSTMENT SPOOL		
6.	890-350C	5/8 SHAFT LOCKING COLLAR		
7.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
8.	890-190C	PM SEED CUP SPROCKET		
9.	817-075C	SEED CUP ASSEMBLY		
10.	817-074C	SEED CUP SLEEVE		
11.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
12.	118-341D	2SNT SEED BOX DIVIDER CLIP		
13.	118-453D	SEED BOX DIVIDER HALF CLIP LH		
14.	118-454D	SEED BOX DIVIDER HALF CLIP RH		
15.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
16.	816-055C	END WHEEL SEED HOSE		
17.	802-014C	HHCS 3/8-16X3/4 GR5		
18.	804-013C	WASHER LOCK SPRING 3/8 PLT		
19.	804-012C	WASHER FLAT 3/8 SAE PLT		
20.	118-548D	BOX DIVIDER 3 1/2		
21.	118-338D	7 1/4 BOX DVDR FOR 7 1/2 ROW		
22.	118-433D	BOX DVDR 4.00 X 60DEG		
23.	118-372D	BOX DVDR 6.13 X 60DEG		
24.	118-508D	BEARING HUB 40A15		
25.	118-336D	FEEDER CUP BEARING HOUSING		
26.	822-103C	BRG 30IDX55OD MM		
27.	800-004C	SNAP RING EXT BASIC 1 3/16		
28.	800-107C	SNAP RING INTERNAL 2.165		
29.	817-071C	SEED CUP ADJUSTMENT HANDLE		
30.	817-069C	SEED CUP RIGHT HALF		
31.	817-070C	SEED CUP DOOR		
32.	817-068C	SEED CUP LEFT HALF		
33.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
34.	817-004C	NYLON WASHER-SPLIT		
35.	817-073C	SEED CUP WASHER RETAINER		
36.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
37.	802-004C	HHCS 1/4-20X3/4 GR5		
38.	804-031C	WASHER RETAINING		

6-7 1/2" Series 2 Native Grass Tray

(Applies to 605NT, 606NT only)



25087


6-7 1/2" Series 2 Native Grass Tray

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg25087	Image No.		
1.	812-346C	NG CUP HI-RATE SPROCKET		
2.	202-183D	NG BOX SHAFT		
3.	202-055D	GRASS SEED METER WHEEL COVER		
4.	202-575H	6'-7 1/2" NG TRAY WELDMENT		
5.	801-033C	SCREW U-TYPE DRIVE 0 X 1/2		
6.	802-005C	HHCS 1/4-20X1 GR5		
7.	802-159C	HHCS 5/16-18X1 GR5		
8.	803-001C	NUT HEX 10-24 PLT		
9.	803-006C	NUT-HEX 1/4-20 PLT		
10.	803-008C	NUT HEX 5/16-18 PLT		
11.	804-004C	WASHER INTERNAL STAR #10 PLT		
12.	804-006C	WASHER LOCK SPRING 1/4 PLT		
13.	804-007C	WASHER FLAT 1/4 SAE PLT		
14.	804-009C	WASHER LOCK SPRING 5/16 PLT		
15.	804-010C	WASHER FLAT 5/16 USS PLT		
16.	812-054C	CASTING GRASS SEED FEEDER CUP		
17.	816-539C	NG METER GASKET-WIDE		
18.	822-057C	BRG PB .75ID PILLOW BLOCK		
19.	800-067C	CLAMP BAND 2 1/2		
20.	816-180C	NATIVE GRASS SEED HOSE NO-TILL		

Adjustment Handle

(Applies to 605NT, 606NT only)



18573


Adjustment Handle

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18573	Image No.		
1.	803-008C	NUT HEX 5/16-18 PLT		
2.	804-009C	WASHER LOCK SPRING 5/16 PLT		
3.	802-014C	HHCS 3/8-16X3/4 GR5		
4.	804-013C	WASHER LOCK SPRING 3/8 PLT		
5.	804-012C	WASHER FLAT 3/8 SAE PLT		
6.	802-007C	HHCS 5/16-18X3/4 GR5		
7.	800-003C	SNAP RING EXT 17 MM		
8.	822-008C	BRG BALL 17IDX40OD 6203		
9.	804-001C	WASHER ADJ HANDLE BRG		
10.	118-443H	SEED RATE ADJ HANDLE WLDMNT		
11.	804-021C	WASHER FLAT 5/8 SAE PLT		
12.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
13.	109-069D	ADJUSTMENT HANDLE PIVOT		
14.	805-016C	PIN COTTER 3/16 X 1 1/4 PLT		
15.	803-016C	NUT WING 1/2-13 PLT		
16.	109-025H	ADJ LOCK PLATE ASS'Y - 1 1/2 W		
17.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
18.	804-003C	WASHER FLAT #8 BRASS		
19.	819-001C	NAME PLATE ADJ. GUIDE LONG		
20.	118-444H	SEED RATE ADJ WLDMNT		
21.	804-002C	WASHER INTERNAL STAR #8 BRASS		
22.	803-035C	NUT HEX 8-32 BRASS		
23.	803-088C	NUT HEX LOCK 1/4-20 FLG		
24.	802-196C	HFSS 1/4-20X5/8 GR5		
25.	817-087C	1 3/4 WIDE FEEDER CUP PLUG	Option.	

Right Hand Gauge Wheel

(Applies to 605NT, 606NT only)




18574

Right Hand Gauge Wheel**(Applies to 605NT, 606NT only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg18574	Image No.		
1.	120-223D	3 BOLT PIVOT CAST MACHINED		
2.	802-128C	HHCS 1/2-13X2 GR5		
3.	804-015C	WASHER LOCK SPRING 1/2 PLT		
4.	803-020C	NUT HEX 1/2-13 PLT		
5.	152-255H	RH NON-DRIVE GW WELDMENT	Applies to 605NT	
5.	152-311H	606NT RH GW WELDMENT	Applies to 606NT	
6.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
7.	890-005C	BUSHING CYL 1 1/4 X 1 X 1		
8.	803-019C	NUT LOCK 1/2-13 PLT		
9.	802-041C	HHCS 1/2-13X3 1/2 GR5		
10.	815-117C	SPINDLE ASSY 1.75	Applies to 605NT	
10.	815-295C	SPINDLE 1.750 X 8.81	Applies to 606NT	
11.	815-116C	HUB & SPINDLE ASSY 6 BOLT	Applies to 605NT	
11.	815-294C	HUB & SPINDLE ASSY 606NT	Applies to 606NT	
12.	815-082C	HUB 6 BOLT 4 5/8 PILOT W/ CUPS		
13.	822-019C	BRG CUP LM-29710		
14.	822-168C	BRG CUP 3.06OD LM603011		
15.	802-104C	BOLT WHEEL 1/2-20X1 90-DEG		
16.	822-018C	BRG CONE 1.50ID LM-29749		
17.	816-011C	SEAL 2.56X1.625X.438 CR16289		
18.	822-021C	BRG CONE 1.25ID LM-67048		
19.	804-055C	WASHER SPINDLE - 7/8		
20.	805-016C	PIN COTTER 3/16 X 1 1/4 PLT		
21.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
22.	200-001D	HUB GREASE CAP		
23.	161-073H	CYLINDER LOCK CHANNEL-LONG		
24.	805-001C	PIN 3/8 X 3 USABLE LW/PIN	Formerly 805-152C	
25.	810-171C	CYL REP 3.25X10X1.25 ROD (TIE)	Refer to "Stroke Control Valve (810-445C)"	
26.	402-182K	TIRE/WHEEL ASSY 7.00-15 LT	(S/N VV1255+) Applies to 606NT	
26.	402-069K	TIRE/WHEEL ASSY 9.5LX15 8 PLY	(S/N VV1254-) Applies to 605NT	
27.	814-302C	TIRE 7.00-15 LT	(S/N VV1255+)	
27.	814-011C	TIRE 9.5 L X 15 8 PLY	(S/N VV1254-)	
28.	816-035C	VALVE STEM TR415X.625X1 1/4 LG	(S/N VV1255+)	
29.	814-220C	WHEEL 15X6 6 BOLT WHITE	(S/N VV1255+)	
29.	814-008C	WHEEL 8 X 15 X 6 BOLT	(S/N VV1254-)	
30.	151-086H	605 TRANSPORT LOCK		
31.	805-143C	PIN HAIR COTTER .120 PLT		
32.	805-328C	CLEVIS PIN 3/8X5 57/64 USEABLE		

Left Hand Gauge Wheel Drive

(Applies to 605NT, 606NT only)



18575

Left Hand Gauge Wheel Drive

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18575	Image No.		
1.	802-130C	HHCS 1/2-13X2 1/2 GR5		
2.	804-016C	WASHER FLAT 1/2 SAE PLT		
3.	152-263H	605 CLUTCH ADJUSTER		
4.	120-223D	3 BOLT PIVOT CAST MACHINED		
5.	120-269S	3 BOLT PIVOT BEARING ASSY		
6.	120-188D	3 BOLT PIVOT CAST W/BRG SEAT		
7.	188-006V	BEARING .880 HEX BORE 205DD		
8.	800-038C	SNAP RING INT. 2.05 OD		
9.	802-128C	HHCS 1/2-13X2 GR5		
10.	402-025S	LOCK COLLAR, 7/8 HEX W/ SET SC		
11.	402-058D	COLLAR LOCK 7/8 HEX		
12.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
13.	152-571D	606NT LOWER JACKSHAFT	Applies to 606NT	
13.	152-556D	605NT GW JACKSHAFT	2ND Revision Applies to 605NT	2nd Revision.
13.	152-486D	GW CLUTCH SHAFT	1ST Revision Applies to 605NT	1st Revision.
14.	151-068H	RPBY 151-087A		
15.	805-328C	CLEVIS PIN 3/8X5 57/64 USEABLE		
16.	805-131C	PIN CLEVIS 1 X 4 11/16 USABLE		
17.	810-412C	HYD CYL REP 3.5X10X1.25 TIEROD	Refer to "Hydraulic Cylinder (810-171C) 605NT".	
18.	808-125C	SPKT 40B19X1 B MAX .875 THRU		
19.	123-004D	KEY 1/4 X 1		
20.	188-003V	BEARING 1.000 DIA W/SET-SCREWS		
21.	822-108C	BUSHING BRZ 1 1DX1 1/4 OD FLG		
22.	816-138C	SEAL DBL LIP 2.5 ID X 3.881 OD		
23.	822-106C	BRG CONE 2.25ID 387		
24.	200-041S	6-BOLT LOCKOUT HUB W/ CUPS		
25.	822-107C	BRG CUP 3.81D 382A		
26.	172-218D	6-BOLT LOCKOUT HUB-MACHINED		
27.	822-013C	BRG CUP 25520		
28.	822-014C	BEARING CONE 25590		
29.	804-083C	WASHER BRG LOCK 1.767		
30.	803-186C	NUT BRG LOCK 1.767 OD THD		
31.	802-104C	BOLT WHEEL 1/2-20X1 90-DEG		
32.	152-271H	605 LOCKOUT SHAFT	Applies to 605NT	
32.	152-312H	606NT LOCKOUT SHAFT WELD	Applies to 606NT	
33.	175-173S	LOCK OUT HUB END CAP ASY		
34.	172-201D	6 BOLT LOCKOUT PLUNGER		
35.	807-096C	SPRING COMP 1/2 OD X 1 LG		
36.	816-139C	30-3SEC LOCKOUT HUB SEAL		
37.	172-199D	6 BOLT LOCKOUT END CAP		
38.	805-062C	PIN ROLL 3/16 X 2 1/2 LG. PTL.		
39.	804-006C	WASHER LOCK SPRING 1/4 PLT		
40.	802-005C	HHCS 1/4-20X1 GR5		
41.	152-254H	LH DRIVE GW WELDMENT	Applies to 605NT	
41.	152-310H	606NT LH GW WEIDMENT	Applies to 606NT	
42.	800-314C	IDLER STUD		
43.	803-023C	NUT HEX JAM 5/8-11 PLT		
44.	802-005C	HHCS 1/4-20X1 GR5		
45.	804-006C	WASHER LOCK SPRING 1/4 PLT		
46.	152-075D	ACCESS COVER DOOR		
47.	152-030H	IDLER ADJUST BRACKET WMNT		
48.	804-013C	WASHER LOCK SPRING 3/8 PLT		
49.	805-067C	PIN COTTER 1/8 X 3/4		
50.	817-025C	NO. 40 12T IDLER SPKT.		
51.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
52.	803-014C	NUT HEX 3/8-16 PLT		

Left Hand Gauge Wheel Drive (continued)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
53.	804-012C	WASHER FLAT 3/8 SAE PLT		
54.	152-460D	CLUTCH ADJUSTER		
55.	152-484D	SPKT 40B19 7/8 HEX W/SS		
56.	136-164D	CHAIN RL #40 186 PITCHES		
57.	890-005C	BUSHING CYL 1 1/4 X 1 X 1		
58.	172-306D	36' & 45' LOCKOUT HUB SPACER		
59.	805-143C	PIN HAIR COTTER .120 PLT		


Left Hand Gauge Wheel Drive (continued)

(Applies to 605NT, 606NT only)

This Page Intentionally Left Blank

Drive

(Applies to 605NT, 606NT only)



18576


Drive

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18576	Image No.		
1.	802-300C	HHCS 1/4-28X3/8 GR5		
2.	801-076C	SCR SELF TAPPING 3/8X1		
3.	120-237D	GEARBOX SHIFT HANDLE		
4.	151-157D	NT GEARBOX COVER		
5.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
6.	819-059C	DRIVE TYPE PLATE, 4 3 2 1		
7.	804-002C	WASHER INTERNAL STAR #8 BRASS		
8.	803-035C	NUT HEX 8-32 BRASS		
9.	890-282C	GEAR BOX	Refer to "Gearbox Breakdown 605NT".	
10.	808-157C	SPKT 40B19 X 36T SPLINE BORE		
11.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
12.	136-031D	CHAIN RL #40 90 PITCHES		
13.	808-160C	SPKT 40B12 X 36T SPLINE BORE		
14.	136-065D	CHAIN RL #40 63 PITCHES		
15.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
16.	804-017C	WASHER FLAT 1/2 USS PLT		
17.	803-036C	NUT HEX JAM 1/2-13 PLT		
18.	817-025C	NO. 40 12T IDLER SPKT.		
19.	802-039C	HHCS 1/2-13X3 GR5		
20.	822-175C	FLANGETTE 52 3-BOLT PLT		
21.	822-119C	BRG 7/8HEXX2.05OD SPH		
22.	802-282C	RHSNB 5/16-18X1 GR5		
23.	804-036C	WASHER FLAT 5/16 SAE PLT		
24.	804-009C	WASHER LOCK SPRING 5/16 PLT		
25.	803-008C	NUT HEX 5/16-18 PLT		
26.	152-482D	UPPER JACK SHAFT		
27.	152-485D	SPKT 40B25 7/8 HEX W/SS		
28.	152-484D	SPKT 40B19 7/8 HEX W/SS		
29.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
30.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
31.	802-079C	HHCS 3/8-16X1 1/4 GR5		
32.	804-011C	WASHER FLAT 3/8 USS PLT		
33.	152-461D	CLUTCH FIXED MOUNT		
34.	801-013C	SCREW SET SQ HD 1/2-13X1 1/2G5		
35.	803-014C	NUT HEX 3/8-16 PLT		
36.	402-025S	LOCK COLLAR, 7/8 HEX W/ SET SC		
37.	402-058D	COLLAR LOCK 7/8 HEX		
38.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
39.	805-026C	PIN ROLL 1/4 X 3/4 PLT		
40.	801-070C	HSHCS 1/4-20X3/4		
41.	202-157D	25T CLUTCH SPROCKET		
42.	176-042S	JAW CLUTCH CW EXT 7/8 HEX	Refer to "Jaw Clutch (176-042S) 605NT".	
43.	152-481D	605 CLUTCH TAB		
44.	802-149C	RHSNB 3/8-16X3/4 GR5		
45.	136-126D	CHAIN RL #40 99 PITCHES		
46.	803-215C	NUT NYLOCK JAM THIN 3/8-16 PLT		
47.	804-006C	WASHER LOCK SPRING 1/4 PLT		
48.	800-058C	GREASE ZERK 1/4-28 X 45-DEG		
49.	891-007C	605/6 NT ACRE METER	Option.	
49.	891-008C	605/6 NT HECTARE METER	Option.	
50.	816-510C	GRIP 1/4 X 1 X 4 LG		

Jaw Clutch (176-042S)

(Applies to 605NT, 606NT only)



10249


Jaw Clutch (176-042S)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg10249	Image No.		
1.	800-177C	SNAP RING EXT 1 1/4 HEAVY		
2.	176-065D	CLUTCH FRICTION WASHER		
3.	817-111C	BSHG FLG 1.26IDX1.41ODX.87L		
4.	176-078D	CLUTCH DRIVE PLATE LONG - CW		
5.	176-080D	CLUTCH ARM PLATE		
6.	176-076D	CLUTCH SLIDE PLATE - CW		
7.	176-084D	CLUTCH HUB 7/8 HEX BORE		
8.	807-097C	SPRING COMP 2 1/16 OD X 4 LG		
9.	176-066D	CLUTCH SPRING RETAINER		
10.	805-024C	PIN ROLL 3/16X 1 1/2 PLT		
11.	176-042S	JAW CLUTCH CW EXT 7/8 HEX		

Agitator Drive

(Applies to 605NT, 606NT only)



18577


Agitator Drive

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18577	Image No.		
1.	808-271C	SPKT 40B16 X 36T SPLINE BORE		
2.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
3.	136-161D	CHAIN RL #40 45 PITCHES		
4.	168-127D	3/16 X 1 KEY		
5.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
6.	802-282C	RHSNB 5/16-18X1 GR5		
7.	822-041C	FLANGETTE 47 MST		
8.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
9.	802-039C	HHCS 1/2-13X3 GR5		
10.	817-025C	NO. 40 12T IDLER SPKT.		
11.	803-036C	NUT HEX JAM 1/2-13 PLT		
12.	804-017C	WASHER FLAT 1/2 USS PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	136-054D	CHAIN RL #40 89 PITCHES		
15.	804-036C	WASHER FLAT 5/16 SAE PLT		
16.	804-009C	WASHER LOCK SPRING 5/16 PLT		
17.	803-008C	NUT HEX 5/16-18 PLT		
18.	202-182D	RPBY 120-234D		

Agitator Drive With Native Grass

(Applies to 605NT, 606NT only)



18578


Agitator Drive With Native Grass

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18578	Image No.		
1.	808-271C	SPKT 40B16 X 36T SPLINE BORE		
2.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
3.	136-081D	CHAIN RL #40 44 PITCHES		
4.	168-127D	3/16 X 1 KEY		
5.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
6.	802-282C	RHSNB 5/16-18X1 GR5		
7.	822-041C	FLANGETTE 47 MST		
8.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
9.	802-039C	HHCS 1/2-13X3 GR5		
10.	817-025C	NO. 40 12T IDLER SPKT.		
11.	803-036C	NUT HEX JAM 1/2-13 PLT		
12.	804-017C	WASHER FLAT 1/2 USS PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	136-051D	CHAIN RL #40 166 PITCHES		
15.	804-036C	WASHER FLAT 5/16 SAE PLT		
16.	804-009C	WASHER LOCK SPRING 5/16 PLT		
17.	803-008C	NUT HEX 5/16-18 PLT		
18.	202-182D	RPBY 120-234D		
19.	817-420C	NATIVE GRASS BOX COVER		
20.	801-042C	SCREW THUMB 5/16-18 X 5/8 PLT		
21.	802-055C	HHCS 5/8-11X2 GR5		
22.	808-046C	SPROCKET 40A17 IDLER		
23.	202-180D	IDLER SPACER		
24.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		
25.	802-286C	HHCS 5/8-11X4 GR5 FTHD		
26.	803-023C	NUT HEX JAM 5/8-11 PLT		

Small Seeds Drive

(Applies to 605NT, 606NT only)



18579


Small Seeds Drive

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18579	Image No.		
1.	802-045C	HHCS 1/2-13X5 GR5		
2.	817-025C	NO. 40 12T IDLER SPKT.		
3.	803-036C	NUT HEX JAM 1/2-13 PLT		
4.	804-017C	WASHER FLAT 1/2 USS PLT		
5.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
6.	802-092C	RHSNB 5/16-18X3/4 GR5		
7.	822-126C	BRG FLG .75ID 2BOLT		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
11.	808-072C	SPKT 40B28 X 3/4 B W/ KW & SS		
12.	136-017D	CHAIN RL #40 49 PITCHES		
13.	133-043D	SGS DRIVE SHAFT		
14.	822-041C	FLANGETTE 47 MST		
15.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
16.	802-282C	RHSNB 5/16-18X1 GR5		
17.	804-036C	WASHER FLAT 5/16 SAE PLT		
18.	802-041C	HHCS 1/2-13X3 1/2 GR5		
19.	136-115D	CHAIN RL #40 142 PITCHES		
20.	168-127D	3/16 X 1 KEY		
21.	133-052D	5' SGS DRIVE SHAFT	S/N VV1107+	2nd rev.
21.	133-042D	RPBY 133-052D	Repl. By 133-052D	1st rev.
22.	136-057D	CHAIN RL #40 42 PITCHES		
23.	808-100C	SPKT 40B22 3/4B W/K.W. &SS		
24.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
25.	808-160C	SPKT 40B12 X 36T SPLINE BORE		
26.	800-064C	HOSE CLIP 13/16 ID	S/N VV1255+	

Native Grass Drive

(Applies to 605NT, 606NT only)



29531


Native Grass Drive

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18578	Image No.		
1.	808-271C	SPKT 40B16 X 36T SPLINE BORE		
2.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
3.	136-081D	CHAIN RL #40 44 PITCHES		
4.	168-127D	3/16 X 1 KEY		
5.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
6.	802-282C	RHSNB 5/16-18X1 GR5		
7.	822-041C	FLANGETTE 47 MST		
8.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
9.	802-039C	HHCS 1/2-13X3 GR5		
10.	817-025C	NO. 40 12T IDLER SPKT.		
11.	803-036C	NUT HEX JAM 1/2-13 PLT		
12.	804-017C	WASHER FLAT 1/2 USS PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	136-051D	CHAIN RL #40 166 PITCHES		
15.	804-036C	WASHER FLAT 5/16 SAE PLT		
16.	804-009C	WASHER LOCK SPRING 5/16 PLT		
17.	803-008C	NUT HEX 5/16-18 PLT		
18.	202-182D	RPBY 120-234D		
19.	817-420C	NATIVE GRASS BOX COVER		
20.	801-042C	SCREW THUMB 5/16-18 X 5/8 PLT		
21.	802-055C	HHCS 5/8-11X2 GR5		
22.	808-046C	SPROCKET 40A17 IDLER		
23.	202-180D	IDLER SPACER		
24.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		

Gearbox Breakdown

(Applies to 605NT, 606NT only)



12056


Gearbox Breakdown

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg12056	Image No.		
1.	788051A	SQ CUT RING P/T GEARBOX		
2.	780105A	P/T FLANGED BUSHING FOR G-BOX		
3.	780072	P/T WASHER		
4.	780090	P/T WASHER		
5.	778273	P/T SPUR GEAR 19T		
6.	780108	P/T WASHER		
7.	778123A	P/T SPUR GEAR 25T		
8.	778124A	P/T SPUR GEAR 30T		
9.	778146	RPBY 778146A		
10.	770119	P/T CASE CASTING 9100		
11.	776370	P/T SHIFTER & OUTPUT SHAFT		
12.	788078A	P/T RETAINING RING INVERTED		
13.	792159	P/T SHIFT KEY		
14.	784371	P/T SHIFT COLLAR		
15.	784372	P/T SHIFT ROD & FORK ASSEMBLY		
15.	784312	RPBY 784372		
16.	792142	P/T SPRING		
17.	792139	P/T BALL 3/8 DIA		
18.	772131	P/T COVER CASTING 9100 4 SPD		
19.	792073A	1/4-20X 1 1/4 SCREW P/T G-BOX		
20.	776397	P/T OUTPUT SHAFT		
21.	778211	P/T SPUR GEAR 12T		
22.	778126A	P/T SPUR GEAR 20T		
23.	778127A	P/T SPUR GEAR 25T		
24.	778163	P/T SPUR GEAR 31 TEETH		
25.	786088	P/T SPACER		
26.	778319	P/T SPUR GEAR 36T		
27.	776368	P/T INPUT SHAFT		
28.	792017	P/T RETAINING RING		
29.	780095	P/T WASHER		
30.	788069	P/T RING SQUARE CUT		
31.	792145	P/T PUSHNUT 1/2		
31.	788067	OBSOLETE REPLACED BY 788067B	Not shown	
31.	510334	P/T GASKET ELIMINATOR	Not shown	

Coulter (S/N VV1144-)

(Applies to 605NT, 606NT only)



18580


Coulter (S/N VV1144-)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18580	Image No.		
1.	149-962S	RPBY 249-136A		
2.	149-181E	FERT COULTER SWING ARM		2nd rev.
2.	149-928E	RPBY 149-181E		Use existing stock; 1st rev.
3.	804-039C	WASHER FLAT 1 1/4 SAE PLT		
4.	805-021C	PIN COTTER 1/4 X 2 PLT		
5.	204-075H	COULTER SPRING ROD WLDMT		
6.	803-048C	NUT HEX JAM 3/4-10 PLT		
7.	149-559D	SPRING 2.25 O.D. X .5 COIL		
8.	204-107D	SPRING ROD SLEEVE 1 1/8 OD		
9.	149-558D	COULTER SPRING WASHER		
10.	803-181C	NUT HEX FLANGE LOCK 3/4-10 PLT		
11.	817-029C	BUSHING COULTER CASTING		
12.	204-269D	LONG COULT. SPRING BAR		
13.	802-332C	HHCS 7/8-9X3 GR5		
14.	804-037C	WASHER LOCK SPRING 7/8 PLT		
15.	803-049C	NUT HEX 7/8-9 PLT		
16.	802-214C	RHSNB 1/2-13X1 1/4 GR5		
17.	816-009C	OIL-SEAL DOUBLE LIP		
18.	822-021C	BEARING CONE LM-67048		
19.	822-020C	BEARING CUP LM-67010		
20.	200-039V	COULTER HUB & CUP ASSY		
21.	200-001D	HUB GREASE CAP		
22.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
23.	200-002S	COULTER HUB PACKAGE		
24.	805-017C	PIN COTTER 3/16 X 1 3/4 PLT		
25.	820-018C	COULTER BLADE FLUTED		
26.	804-015C	WASHER LOCK SPRING 1/2 PLT		
27.	803-020C	NUT HEX 1/2-13 PLT		
28.	804-055C	WASHER SPINDLE - 7/8		
29.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
30.	806-105C	U-BOLT 5/8-11 4 1/32 X 6		
31.	200-039V	COULTER HUB & CUP ASSY		
32.	817-051C	SWING ARM BUSHING		
33.	800-211C	GREASE ADAPT 1/4-28M X 1/4 TB		
34.	153-001D	OPENER BRACKET		
35.	802-082C	HHCS 1/2-13X1 3/4 GR5		
36.	149-059D	COULTER CLAMP BAR		
37.	804-015C	WASHER LOCK SPRING 1/2 PLT		
38.	803-020C	NUT HEX 1/2-13 PLT		
39.	890-389C	BUSHING 1.50ODX1.25IDX2.94		

Coulter (S/N VV1145+)

(Applies to 605NT, 606NT only)



21701


Coulter (S/N VV1145+)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21701	Image No.		
1.	249-050S	CLTR CASTING ASSY		
2.	249-051H	CLTR SWING ARM WLMT		
3.	153-001D	OPENER BRACKET		
4.	802-718C	EYE BOLT 3/4-10X14 3/4 LG SP		
5.	805-331C	COULTER SPRING GUIDE TUBE		
6.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
7.	802-103C	HHCS 7/8-9X2 3/4 GR5		
8.	800-164C	SNAP RING 3/4 EXTERNAL HEAVY		
9.	816-009C	OIL-SEAL DOUBLE LIP		
10.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
11.	803-048C	NUT HEX JAM 3/4-10 PLT		
12.	803-049C	NUT HEX 7/8-9 PLT		
13.	817-513C	BUSHING 1X3/4X1 1/8 FLG HD		
14.	822-021C	BEARING CONE LM-67048		
15.	200-039V	COULTER HUB & CUP ASSY		
16.	804-037C	WASHER LOCK SPRING 7/8 PLT		
17.	804-165C	WASHER MACH 1 7/8X1 1/4X 14GA		
18.	804-055C	WASHER SPINDLE - 7/8		
19.	805-017C	PIN COTTER 3/16 X 1 3/4 PLT		
20.	800-177C	SNAP RING EXT 1 1/4 HEAVY		
21.	204-280D	18" COULTER SPRING BAR-PAINTED	(S/N VV1816-)	
21.	807-300C	COULT SPR BAR 3/4 X 2 1/2 X 18	SHOWN (S/N 1817+)	
22.	149-559D	SPRING 2.25 O.D. X .5 COIL		
23.	200-001D	HUB GREASE CAP		
24.	149-558D	COULTER SPRING WASHER		
25.	804-156C	WASHER MACH 1 1/4X3/4X14GA		
26.	802-214C	RHSNB 1/2-13X1 1/4 GR5		
27.	804-015C	WASHER LOCK SPRING 1/2 PLT		
28.	803-020C	NUT HEX 1/2-13 PLT		
29.	820-018C	COULTER BLADE FLUTED		
29.	820-082C	17 COULTER BLADE 3/4 WAVY		
29.	820-116C	17 COULTER BLADE 5/8 WAVY		
29.	820-156C	5/8 WAVY TURBO BLADE		
30.	806-105C	U-BOLT 5/8-11 4 1/32 X 6		
31.	149-059D	COULTER CLAMP BAR	(S/N VV1816-)	
31.	149-590D	COULTER CLAMP 4 TUBE X 3/4 BAR	SHOWN (S/N 1817+)	
31.	149-565D	EXTENDED COULTER CLAMP	(S/N VV1816-)	
31.	149-591D	EXT COULTER CLMP 4 TB 3/4 BAR	SHOWN (S/N 1817+) Used in certain locations to avoid frame interference	
32.	802-082C	HHCS 1/2-13X1 3/4 GR5		
33.	197-010D	OFFSET COULTER BRKT F/LH BOX		

Small Seeds Hose Retainer

(Applies to 605NT, 606NT only)



25091


Small Seeds Hose Retainer

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19916	Image No.		
1.	817-346C	PLASTIC FERTILIZER TUBE	S/N VV1106-	
2.	801-002C	SCREW HEX SLT10-16X1/2P.THD CT		
3.	800-304C	SGS TUBE CLAMP	S/N VV1106-	
4.	816-513C	SGS HOSE 85 RIBS	S/N VV1255+	
4.	123-521D	GRASS SEED HOSE, 40IN.	S/N VV1254-	
5.	800-029C	SINGLE WIRE HOSE CLAMP #14		
6.	133-065D	SML SDS TB REINFORCEMENT RING	S/N VV1106-	
7.	123-939H	SMALL SEEDS TUBE WELDMENT	S/N VV1107+	

Native Grass Opener

(Applies to 605NT, 606NT only)



18634


Native Grass Opener

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18634	Image No.		
1.	806-004C	U-BOLT 3/8-16 X 2 X 2 3/4		
2.	804-013C	WASHER LOCK SPRING 3/8 PLT		
3.	803-014C	NUT HEX 3/8-16 PLT		
4.	121-025D	SPRING ROD CASTING CLIP		
5.	812-012C	CASTING DOUBLE SPRING ROD		
6.	121-011A	SPRING CASTING MTG ASS'Y		
7.	121-133D	STRAIGHT ARM OPENER SPRING ROD		
8.	802-004C	HHCS 1/4-20X3/4 GR5		
9.	804-006C	WASHER LOCK SPRING 1/4 PLT		
10.	803-006C	NUT-HEX 1/4-20 PLT		
11.	807-118C	SPRING COMP 13/16IDX.156WX19.5		
12.	107-027D	DISC SPRING BAR WIRE CLIP		
13.	802-427C	HFS 3/8-16X3 3/4 SPTH		
14.	804-012C	WASHER FLAT 3/8 SAE PLT		
15.	107-113D	D.D. SLOTTED SCRAPER		
16.	802-015C	RHSNB 3/8-16X1 GR5		
17.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
18.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
19.	820-155C	RPBY 820-187C		
20.	188-001V	BEARING AA205DD		
21.	107-112D	BEARING FLANGE-3/16 DIA HOLES		
22.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
23.	107-133S	RPBY 107-135S		
24.	107-111D	DD BRG FLANGE DUST COVER		
25.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
26.	202-503H	05 NATIVE GRASS OPENER WELD.	(S/N VV1045+)	2nd rev.
26.	202-415H	NATIVE GRASS OPENER WELDMENT	(S/N VV1044-)	1st rev.
27.	817-314C	OPENER SEED TUBE, PLASTIC		
28.	801-002C	SCREW HEX SLT10-16X1/2P.THD CT		
29.	800-008C	CLAMP HOSE 1 1/2 NO. 24		
30.	816-055C	END WHEEL SEED HOSE		
31.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
32.	802-218C	RHSNB 1/2-13X7 1/4 GR5 SPTH		
33.	817-084C	PARALLEL ARM PIVOT BUSHING		
34.	153-045D	12EWNT OPENER PIVOT SPACER		
35.	803-178C	NUT NYLOCK JAM NUT 1/2-13		
36.	122-242S	SEED FLAP & HEX CLIP, SEEDLOK		
37.	121-164D	HEX SEED FLAP MOUNTING CLIP		
38.	816-302C	SEED FLAP, RUBBER, SEED-LOK		
39.	800-346C	CLAMP HOSE 2 5/8 #42		
40.	816-180C	NATIVE GRASS SEED HOSE NO-TILL		
41.	817-507C	NATIVE GRASS TUBE		
42.	800-341C	CLAMP HOSE 2 1/2 #40		
43.	804-007C	WASHER FLAT 1/4 SAE PLT		
44.	801-172C	SCREW HEX SLT 10-16X3/4PTHD CT		
45.	153-001D	OPENER BRACKET		

Native Grass Opener With Small Seeds

(Applies to 605NT, 606NT only)



18618


Native Grass Opener With Small Seeds

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18618	Image No.		
1.	800-029C	SINGLE WIRE HOSE CLAMP #14		
2.	123-521D	GRASS SEED HOSE, 40IN.		
3.	801-002C	SCREW HEX SLT10-16X1/2P.THD CT		
4.	123-939H	SMALL SEEDS TUBE WELDMENT		

1 1/4" X 13 1/2" Double Press Wheel

(Applies to 605NT, 606NT only)



24499


1 1/4" X 13 1/2" Double Press Wheel

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24499	Image No.		
1.	802-058C	HHCS 5/8-11X2 1/2 GR5		
2.	804-022C	WASHER LOCK SPRING 5/8 PLT		
3.	814-238C	1.25 X 13.5 PRESS WHEEL ASSY		
4.	199-089H	10HD DBL PW ARM WELDMENT LH		
5.	817-330C	1 X 12 PRESS WHEEL RIM HALF		
6.	814-244C	1.25X13.5 ANGLE PEAK TIRE		
7.	822-170C	BRG .63ID PRESS WHL ASY		
8.	803-088C	NUT HEX LOCK 1/4-20 FLG		
9.	802-005C	HHCS 1/4-20X1 GR5		
10.	817-084C	PARALLEL ARM PIVOT BUSHING		
11.	198-137D	PRESS WHEEL PIVOT TUBE		
12.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
13.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
14.	817-347C	OPENER TRUNION		
15.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
16.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
17.	817-328C	T-HANDLE ASSEMBLY		
18.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
19.	122-202S	PW ADJUSTMENT TRUNNION ASSY		
20.	199-088H	10HD DBL PW ARM WELDMENT RH		

1" x 12" Double Press Wheel

(Applies to 605NT, 606NT only)



21741


1" x 12" Double Press Wheel

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21741	Image No.		
1.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
2.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTH		
3.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
4.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
5.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
6.	198-137D	PRESS WHEEL PIVOT TUBE		
7.	817-084C	PARALLEL ARM PIVOT BUSHING		
8.	199-043H	NG 1X12 PRESS WHEEL ARM		
9.	804-022C	WASHER LOCK SPRING 5/8 PLT		
10.	802-005C	HHCS 1/4-20X1 GR5		
11.	122-202S	PW ADJUSTMENT TRUNNION ASSY		
12.	814-034C	TIRE RUBBER 1 X 12		
13.	817-330C	1 X 12 PRESS WHEEL RIM HALF		
14.	803-088C	NUT HEX LOCK 1/4-20 FLG		
15.	802-058C	HHCS 5/8-11X2 1/2 GR5		
16.	822-170C	BRG .63ID PRESS WHL ASY		
17.	814-174C	1 X 12 PRESS WHL ASSY-5203BRG		
18.	817-328C	T-HANDLE ASSEMBLY		
19.	817-347C	OPENER TRUNION		

2" x 13" Native Grass Single Press Wheel

(Applies to 605NT, 606NT only)



18635


2" x 13" Native Grass Single Press Wheel

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18635	Image No.		
1.	802-058C	HHCS 5/8-11X2 1/2 GR5		
2.	804-022C	WASHER LOCK SPRING 5/8 PLT		
3.	803-088C	NUT HEX LOCK 1/4-20 FLG		
4.	817-296C	2 X 13 PRESS WHEEL RIM HALF		
5.	822-170C	BRG .63ID PRESS WHL ASY		
6.	814-159C	2 X 13 PRESS WHEEL TIRE		
7.	802-617C	HHFS 1/4-20 X 1 1/2 GR 5		
8.	814-157C	2 X 13 PRESS WHEEL ASSEMBLY		
9.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
10.	817-084C	PARALLEL ARM PIVOT BUSHING		
11.	198-137D	PRESS WHEEL PIVOT TUBE		
12.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
13.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
14.	817-347C	OPENER TRUNION		
15.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
16.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
17.	817-328C	T-HANDLE ASSEMBLY		
18.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
19.	122-202S	PW ADJUSTMENT TRUNNION ASSY		

2" x 13" Single Press Wheel

(Applies to 605NT, 606NT only)



22647


2" x 13" Single Press Wheel

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg22647	Image No.		
1.	802-058C	HHCS 5/8-11X2 1/2 GR5		
2.	804-022C	WASHER LOCK SPRING 5/8 PLT		
3.	803-088C	NUT HEX LOCK 1/4-20 FLG		
4.	817-296C	2 X 13 PRESS WHEEL RIM HALF		
5.	822-170C	BRG .63ID PRESS WHL ASY		
6.	814-159C	2 X 13 PRESS WHEEL TIRE		
7.	802-617C	HHFS 1/4-20 X 1 1/2 GR 5		
8.	814-157C	2 X 13 PRESS WHEEL ASSEMBLY		
9.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
10.	817-084C	PARALLEL ARM PIVOT BUSHING		
11.	198-137D	PRESS WHEEL PIVOT TUBE		
12.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
13.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
14.	817-347C	OPENER TRUNION		
15.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
16.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
17.	817-328C	T-HANDLE ASSEMBLY		
18.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
19.	122-202S	PW ADJUSTMENT TRUNNION ASSY		

3" x 13" V-Crown Press Wheel

(Applies to 605NT, 606NT only)



21742


3" x 13" V-Crown Press Wheel

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21742	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
6.	804-022C	WASHER LOCK SPRING 5/8 PLT		
7.	802-058C	HHCS 5/8-11X2 1/2 GR5		
8.	814-158C	3 X 13 PRESS WHEEL ASSEMBLY		
9.	822-170C	BRG .63ID PRESS WHL ASY		
10.	802-618C	HHFS 1/4-20 X 2 GR 5		
11.	803-088C	NUT HEX LOCK 1/4-20 FLG		
12.	817-297C	3 X 13 PRESS WHEEL RIM HALF		
13.	814-160C	3 X 13 PRESS WHEEL TIRE		
14.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
15.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
16.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
17.	122-202S	PW ADJUSTMENT TRUNNION ASSY		
18.	817-328C	T-HANDLE ASSEMBLY		
19.	817-347C	OPENER TRUNION		

Lift Hydraulics

(Applies to 605NT, 606NT only)



18619


Lift Hydraulics

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18619	Image No.		
1.	810-171C	CYL REP 3.25X10X1.25 ROD (TIE)	Refer to "Stroke Control Valve (810-445C)".	
2.	811-766C	HH1/2R2 162 1/2MNPT 3/4 MORB90		
3.	811-771C	HH1/2R2 162 1/2MNPT 3/4MORB		
4.	810-412C	HYD CYL REP 3.5X10X1.25 TIEROD	Refer to "Hydraulic Cylinder (810-171C)".	
5.	811-770C	HH1/2R2 15 3/4MORB90		
6.	811-767C	HH1/2R2 110 3/4MORB90 3/4MOR90		
7.	817-348C	PLASTIC HOSE LABEL		
8.	800-297C	CABLE TIE 2 DIA MIN - RED		
9.	800-298C	CABLE TIE 2 DIA MIN - BLU		
10.	152-498D	ORIFICE PLATE 1/8 8 MORB	S/N VV1107+	

Depth Stop Valve Assembly

(Applies to 605NT, 606NT only)



13215


Depth Stop Valve Assembly

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg13215	Image No.		
1.	151-080H	DEPTH STOP WELDMENT	S/N VV1107+	
1.	151-073H	REP BY 151-080H	S/N VV1106-	
2.	802-119C	HHCS 5/16-18X3 3/4 GR5		2nd rev.
2.	802-333C	HHCS 5/16-18X3 1/2 GR5		1st rev.
3.	804-036C	WASHER FLAT 5/16 SAE PLT		
4.	151-174D	STOP CLAMP PAD		Rev. 2 is not interchangeable w/rev. 1
4.	51000-144	CLAMP SEGMENT	Replaced by 151-174D.	1st rev.
5.	51000-127	CLAMP SEGMENT	Replaced by 151-174D.	1st rev.
6.	803-011C	NUT LOCK 5/16-18 PLT		Rev. 2 is not interchangeable w/rev. 1
6.	51000-128	NUT, SQUARE 5/16"-18		1st rev.
7.	803-006C	NUT-HEX 1/4-20 PLT		
8.	804-006C	WASHER LOCK SPRING 1/4 PLT		
9.	810-445C	STROKE CONTROL VALVE	S/N VV1107+ Refer to "Stroke Control Valve (810-445C)".	
9.	810-084C	RPBY 810-445C	S/N VV1106- Refer to "Hydraulic Shut Off Valve (810-084C)".	
10.	172-253D	36'-45' DEPTH STOP MOUNT PLATE		
11.	802-097C	HHCS 1/4-20X2 1/2 GR5		
12.	151-081S	DEPTH STOP ASSY	S/N VV1107+	
12.	151-072S	RPBY 151-081S	S/N VV1106-	

Hydraulic Shut Off Valve (810-084C)

(Applies to 605NT, 606NT only)



16327


Hydraulic Shut Off Valve (810-084C)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg16327	Image No.		
1.	810-335C	SEAL KIT MONARCH STROKE CONTRL		
2.	494665	MONARCH ROD CAP		
3.	492544	MONARCH STROKE CONTROL VALVE		

Stroke Control Valve (810-445C)

(Applies to 605NT, 606NT only)



19650


Stroke Control Valve (810-445C)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19658	Image No.		
1.	5396	BODY		
2.	5397	SHOEMAKER PISTON		
3.	8062	PLUG, ADAPTER, ASM.		
4.	810-446C	SEAL KIT 5398 810-445C		
	810-445C	STROKE CONTROL VALVE		

Hydraulic Cylinder (810-171C)

(Applies to 605NT, 606NT only)




Hydraulic Cylinder (810-171C)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19658	Image No.		
1.	5396	BODY		
2.	5397	SHOEMAKER PISTON		
3.	8062	PLUG, ADAPTER, ASM.		
4.	810-446C	SEAL KIT 5398 810-445C		
	810-445C	STROKE CONTROL VALVE		

Hydraulic Cylinder (810-412C)

(Applies to 605NT, 606NT only)



18620


Hydraulic Cylinder (810-412C)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18620	Image No.		
1.	1M6010	MW CLEVIS STD. DUTY		
2.	2M5418	MW ROD 1 1/4 DIA X 10' STROKE		
3.	3R3412	MW HEAD		
4.	4R3106	RPBY 4R3108		
5.	5R3118	TUBE MIDWAY		
6.	6R3162	MW BASE 3 1/2 CYLINDER		
7.	7M5318	TIE ROD MIDWAY		
8.		MW WIPER	Only available in seal kit item 20.	
9.		O-RING MIDWAY	Only available in seal kit item 20.	
10.		BACK-UP MIDWAY	Only available in seal kit item 20.	
11.		O-RING MIDWAY	Only available in seal kit item 20.	
12.		BACK-UP MIDWAY	Only available in seal kit item 20.	
13.		SEAL, TEFLON MIDWAY	Only available in seal kit item 20.	
14.		O-RING LOADER MIDWAY	Only available in seal kit item 20.	
15.		WEAR RING MIDWAY	Only available in seal kit item 20.	
16.	2A0024	MW PISTON NUT 1-14		
17.	2A0016	MW TIE ROD NUT		
18.	2A0012	RPBY 803-234C		
19.	2A0006	RPBY 802-023C		
20.	810-174C	SEAL KIT MW 3.5 RPHCYL 4A3104		

Decal Placement

(Applies to 605NT, 606NT only)




Decal Placement

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18621	Image No.		
1.	838-161C	DECAL LOGO&GP F/STRIPE 4 X 24		
2.	838-160C	DECAL 3 COLOR STRIPE 2.50 WIDE		
3.	838-207C	DECAL 605NT	Applies to 605NT	
3.	848-094C	DECAL 606NT	Applies to 606NT	
4.	818-055C	DECAL SLOW MOVING-GALV. BACKED		
5.	818-230C	DECAL RED REFLECTOR	2000-	
6.	818-229C	DECAL AMBER REFLECTOR	2000-	
7.	838-102C	DECAL WARNING FALLING HAZARD		
8.	838-094C	DECAL WARNING HYD PRESS LONG		
9.	838-158C	DECAL SCRIPT SOLID STAND SMALL		
10.	838-228C	DECAL GREAT PLAINS ON LOGO SML		
11.	838-237C	DECAL SEED LEVEL LH		
12.	818-860C	DECAL WARNING MOVING CHAIN		
13.	818-337C	DECAL WARNING 20 MPH TRANS SML		
14.	818-719C	DECAL CAUTION GENERAL INSTR		
15.	838-242C	RPBY 151-061B	2003-	
16.	838-241C	RPBY 151-061B	2003-	
17.	848-021C	DECAL CAUTION TIRE PSI 60/120		
18.	838-266C	DECAL REFLECTOR RED 1 1/2X9	2001+	
19.	838-265C	DECAL REFLECTOR AMBER 1 1/2X9	2001+	
20.	838-406C	DECAL WARNING EXT. CLEAVISES		
21.	818-398C	DECAL CAUTION TIRES NOT A STEP		
22.	838-482C	DECAL GP PLANTING COMPONENTS		
23.	151-061B	6' NO-TILL SEEDRATE BOOK	2004+	
24.	821-042C	POWDERED GRAPHITE 1 LB BOTTLE		

Decal Placement (Small Seeds & Native Grass)

(Applies to 605NT, 606NT only)



18622


Decal Placement (Small Seeds & Native Grass)

(Applies to 605NT, 606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18622	Image No.		
1.	838-207C	DECAL 605NT		
1.	848-094C	DECAL 606NT		
2.	838-160C	DECAL 3 COLOR STRIPE 2.50 WIDE		
3.	838-161C	DECAL LOGO&GP F/STRIPE 4 X 24		
4.	818-860C	DECAL WARNING MOVING CHAIN		
5.	818-207C	DECAL GRSSDR SD RATE ADJ INSTR		
6.	818-245C	GRASS SEEDER SEED RATE		
7.	151-061B	6' NO-TILL SEEDRATE BOOK		
8.	838-428C	DECAL NATIVE GRASS IMPORTANT		
9.	202-580A	3P605/605NT NG RATE REDUCTION		

Box To Frame

(Applies to 3P605NT, 3P606NT only)




18623

Box To Frame**(Applies to 3P605NT, 3P606NT only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg18623	Image No.		
1.	802-034C	HHCS 1/2-13X1 1/4 GR5		
2.	804-015C	WASHER LOCK SPRING 1/2 PLT		
3.	803-020C	NUT HEX 1/2-13 PLT		
4.	118-765L	6' 7 1/2" BOX ASSEMBLY		
5.	151-060H	6' NT 3PT FRAME		
6.	805-008C	PIN HITCH 1 1/8 X 4 11/16 USEL		
7.	805-306C	HITCH PIN 1X3 1/4 W/COTTER		
8.	118-652D	MANUAL PAK MOUNT		
9.	802-005C	HHCS 1/4-20X1 GR5		
10.	803-014C	NUT HEX 3/8-16 PLT		
11.	803-293C	NUT HEX FLNG T-LOCK 1/4-20 YLW		
12.	804-013C	WASHER LOCK SPRING 3/8 PLT		
13.	806-138C	U-BOLT 3/8-16 X 4 1/32 X 3 3/4		
14.	817-042C	MINI END WHEEL PRESS WHEEL		
15.	817-516C	MANUAL PAK 1" W/ GASKET		
16.	838-482C	DECAL GP PLANTING COMPONENTS		
17.	151-061B	6' NO-TILL SEEDRATE BOOK	Applies to 3P605NT	
17.	151-122B	2007+ 3P605/605NT SEEDRATE BK	Applies to 3P606NT	

Box Components

(Applies to 3P605NT, 3P606NT only)



18624


Box Components

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18624	Image No.		
1.	118-739H	6' BOX WELDMENT		
2.	118-563D	6' BOX LID LATCH		
3.	801-096C	HFS 10-24 X 1 1/8 PLTD		
4.	804-004C	WASHER INTERNAL STAR #10 PLT		
5.	803-001C	NUT HEX 10-24 PLT		
6.	802-387C	HFS 5/16-18X3/4 GR5		
7.	802-203C	HFSS 1/2-13X1 1/2 GR5		
8.	119-190D	HANDLE		
9.	802-092C	RHSNB 5/16-18X3/4 GR5		
10.	118-403D	BEARING CUTOUT COVER, 47 MST		
11.	804-009C	WASHER LOCK SPRING 5/16 PLT		
12.	803-008C	NUT HEX 5/16-18 PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	804-013C	WASHER LOCK SPRING 3/8 PLT		
15.	803-014C	NUT HEX 3/8-16 PLT		
16.	118-560D	BOX PARTITION		
17.	804-046C	WASHER FLAT #10 SAE PLT		
18.	801-024C	SCREW 5/16-18X82DEG CNTSKX3/4P		
19.	179-021D	LID LATCH - LOWER ARM		
20.	817-033C	LID LATCH GRIP		
21.	803-084C	NUT HEX NYLOCK 5/16-18 PLT		
22.	179-022D	LID LATCH - UPPER ARM		
23.	802-159C	HHCS 5/16-18X1 GR5		
24.	179-023D	LID LATCH - HANDLE		
25.	313-076S	LID HINGE ASSEMBLY PS25120		
26.	802-411C	RHSNB 3/8-16X2 GR5		
27.	313-176D	LID HINGE BASE PLATE		
28.	313-186D	LID HINGE PIVOT		
29.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
30.	802-388C	HFS 3/8-16X1 GR5		
31.	803-199C	NUT HEX FLANGE 5/16-18 PLT		
32.	817-323C	NYLON RATCHET (TREE RIVET)		
33.	119-271H	6' LID WELDMENT		

Seed Level Indicator

(Applies to 3P605NT, 3P606NT only)



18560


Seed Level Indicator

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18560	Image No.		
1.	805-067C	PIN COTTER 1/8 X 3/4		
2.	890-305C	CABLE 3/64 X 11 5/8 W/ EYELETS		
3.	118-474H	SEED LEVEL ARM, 6 3/4R. TAB		
4.	817-202C	SEED LEVEL ARM MOUNT		
5.	804-004C	WASHER INTERNAL STAR #10 PLT		
6.	803-001C	NUT HEX 10-24 PLT		
7.	817-086C	SEED LEVEL BUSHING		
8.	801-154C	SCR HEX HD SHT MET #8 X 1/2		
9.	817-350C	SEED LEVEL INDICATOR		
10.	197-096D	FOAM FLOAT WASHER		
11.	804-075C	WASHER FLAT 1/4 USS PLT		
12.	803-255C	NUT HEX NYLOCK 1/4-20		
13.	838-237C	DECAL SEED LEVEL LH		
14.	801-096C	HFS 10-24 X 1 1/8 PLTD		
15.	197-089D	FOAM FLOAT		
16.	118-498D	SEED FLOAT DOWN FLOAT STOP		

Walkboard

(Applies to 3P605NT, 3P606NT only)



18625


Walkboard

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18625	Image No.		
1.	119-192D	STEP		
2.	119-272H	SEED & SGS WALKBOARD WELDMENT		
2.	119-273H	SEED & NG WALKBOARD WELDMENT		
2.	119-274H	SEED,SGS,&NG WALKBOARD WELD		
3.	802-079C	HHCS 3/8-16X1 1/4 GR5		
4.	802-091C	HHCS 1/2-13X1 1/2 GR5		
5.	803-014C	NUT HEX 3/8-16 PLT		
6.	803-020C	NUT HEX 1/2-13 PLT		
7.	804-013C	WASHER LOCK SPRING 3/8 PLT		
8.	804-015C	WASHER LOCK SPRING 1/2 PLT		
9.	802-004C	HHCS 1/4-20X3/4 GR5		
10.	818-055C	DECAL SLOW MOVING-GALV. BACKED		
11.	804-006C	WASHER LOCK SPRING 1/4 PLT		
12.	803-006C	NUT-HEX 1/4-20 PLT		
13.	890-153C	SMV MOUNTING BLADE		
14.	802-007C	HHCS 5/16-18X3/4 GR5		
15.	804-009C	WASHER LOCK SPRING 5/16 PLT		
16.	803-008C	NUT HEX 5/16-18 PLT		

Lights (Option)

(Applies to 3P605NT, 3P606NT only)



18626


Lights (Option)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18626	Image No.		
1.	890-312C	DUAL AG LIGHTS RH		
2.	890-311C	DUAL AG LIGHTS LH		
3.	801-081C	SCREW HEX SELF TAP 1/4-20X3/4		
4.	800-112C	CABLE TIE .19X7.25 1.75D 50LB		
5.	890-692C	LIGHT HARNESS, 6' WISHBONE		
6.	890-640C	LIGHT HARNESS, 5' LEAD		
7.	800-148C	CABLE TIE MOUNT		

Weight Bracket (Option)

(Applies to 3P605NT, 3P606NT only)



18627


Weight Bracket (Option)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18627	Image No.		
1.	151-057H	WEIGHT BRACKET WELDMENT		
2.	151-138D	WEIGHT BRACKET ADJ LEG		
3.	806-160C	U-BOLT 3/4-10 X 4 1/32 X 4 1/2		
4.	803-027C	NUT HEX 3/4-10 PLT		
5.	804-023C	WASHER LOCK SPRING 3/4 PLT		
6.	802-055C	HHCS 5/8-11X2 GR5		
7.	803-021C	NUT HEX 5/8-11 PLT		
8.	804-021C	WASHER FLAT 5/8 SAE PLT		
9.	804-022C	WASHER LOCK SPRING 5/8 PLT		

Agitator (Option)

(Applies to 3P605NT, 3P606NT only)



18567


Agitator (Option)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18567	Image No.		
1.	118-556D	6" DRILL ADGITATOR SHAFT		
2.	118-494D	LOCK COLLAR 3/4 HEX BORE		
3.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
4.	802-282C	RHSNB 5/16-18X1 GR5		
5.	118-493D	AGITATOR PADDLE 3/4 HEX		
6.	802-448C	HFSS 1/4-20X2 GR5		
7.	803-088C	NUT HEX LOCK 1/4-20 FLG		
8.	803-008C	NUT HEX 5/16-18 PLT		
9.	804-009C	WASHER LOCK SPRING 5/16 PLT		
10.	822-041C	FLANGETTE 47 MST		
11.	822-128C	BRG INS 3/4HEXX1.85OD SPH		
12.	808-185C	SPKT 40B35 X 3/4 HEX BORE W/SS		

6 ft Grease Bank (Option)

(Applies to 3P605NT, 3P606NT only)



25089


6 ft Grease Bank (Option)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg25089	Image No.		
1.	151-259D	6' GREASE BANK MOUNT		
2.	802-091C	HHCS 1/2-13X1 1/2 GR5		
3.	803-078C	NUT LOCK 3/8-16 NYLON INSERT		
4.	800-449C	AD PUSH 1/4 TUBE 1/8 FNPT		
5.	149-553D	GREASE BANK		
6.	800-130C	GREASE ZERK STRAIGHT 1/8-27NPT		
7.	802-014C	HHCS 3/8-16X3/4 GR5		
8.	804-015C	WASHER LOCK SPRING 1/2 PLT		
9.	803-020C	NUT HEX 1/2-13 PLT		
10.	990-109R	TUBE NYLON 1/4OD X 062WL		
11.	800-303C	CABLE TIE 2 DIA MIN - BLK		
12.	800-211C	GREASE ADAPT 1/4-28M X 1/4 TB	Will replace grease zerk in coulter.	

Small Seeds Box To Seed Box (Option)

(Applies to 3P605NT, 3P606NT only)




Small Seeds Box To Seed Box (Option)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18566	Image No.		
1.	802-041C	HHCS 1/2-13X3 1/2 GR5		
2.	133-045D	SGS BOX SUPPORT STRAP		
3.	133-127H	SGS DRIVER MOUNT WELDMENT		
4.	804-015C	WASHER LOCK SPRING 1/2 PLT		
5.	803-020C	NUT HEX 1/2-13 PLT		
6.	202-186D	NG/SGS BOX SPACER		

Small Seeds Box Components

(Applies to 3P605NT, 3P606NT only)




18568

Small Seeds Box Components**(Applies to 3P605NT, 3P606NT only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg18568	Image No.		
1.	119-190D	HANDLE		
2.	123-050H	ADJUSTMENT HANDLE PIVOT		
3.	123-113D	LOCK TAB		
4.	123-116D	SEED ADJUSTMENT SPOOL		
5.	123-118D	SEED ADJUSTMENT SUPPORT		
6.	123-356D	10' EWNT SGS LID LATCH		
7.	123-410D	GAUGE MOUNTING BRACKET		
8.	123-476H	REAR SEED RATE ADJ HANDLE WLD		
9.	123-834H	SML SDS DRIVE SPKT HUB 27T		
10.	133-031D	6'-7 1/2" SGS SHAFT		
11.	133-045D	SGS BOX SUPPORT STRAP		
12.	133-118H	6' SGS LID WELDMENT		
13.	133-117H	6'- 7 1/2" SGS BOX WELDMENT		
14.	800-028C	SNAP RING .875		
15.	800-101C	RIVET POP 1/8X.265LG FLG		
16.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
17.	801-003C	SCREW RD HD SLT 10-24X1/2 PLT		
18.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
19.	802-005C	HHCS 1/4-20X1 GR5		
20.	802-078C	HHCS 1/4-20X5/8 GR5		
21.	802-148C	HFSS 1/4-20X1/2 GR5		
22.	802-203C	HFSS 1/2-13X1 1/2 GR5		
23.	802-282C	RHSNB 5/16-18X1 GR5		
24.	803-001C	NUT HEX 10-24 PLT		
25.	803-006C	NUT-HEX 1/4-20 PLT		
26.	803-007C	NUT-LOCK 1/4-20 PLT		
27.	803-035C	NUT HEX 8-32 BRASS		
28.	803-058C	NUT WING 5/16-18		
29.	803-088C	NUT HEX LOCK 1/4-20 FLG		
30.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
31.	804-002C	WASHER INTERNAL STAR #8 BRASS		
32.	804-003C	WASHER FLAT #8 BRASS		
33.	804-004C	WASHER INTERNAL STAR #10 PLT		
34.	804-006C	WASHER LOCK SPRING 1/4 PLT		
35.	804-042C	WASHER GRASS SEEDER CUP SHAFT		
36.	804-044C	WASHER FLAT 1 3/8X.876X.048 TH		
37.	804-046C	WASHER FLAT #10 SAE PLT		
38.	805-019C	PIN COTTER 5/32 X 1 PLT		
39.	805-067C	PIN COTTER 1/8 X 3/4		
40.	816-112C	RUBBER LATCH 37-11-065-10		
41.	816-113C	LATCH KEEPER 37-15-061-17		
42.	817-504C	SML SEED FEEDER CUP ASSY	(S/N WW1198+)	2nd rev.
42.	817-008C	RPBY 817-504C	(S/N WW1197-)	1st rev.
43.	817-009C	GRASS SEEDER SLEEVE		
44.	817-010C	GRASS SEEDER SPROCKET		
45.	817-026C	HANGER DRIVE SHAFT		
46.	819-041C	SEED ADJUSTMENT GUIDE		
47.	890-349C	3/8 SHAFT LOCKING COLLAR		
48.	817-806C	SMALL SEEDS CUP WIND SHIELD		

Small Seeds Box To Native Grass Box (Option)

(Applies to 3P605NT, 3P606NT only)




Small Seeds Box To Native Grass Box (Option)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18571	Image No.		
1.	202-414L	6 FT NG BOX & LID ASSY		
2.	802-045C	HHCS 1/2-13X5 GR5		
3.	133-127H	SGS DRIVER MOUNT WELDMENT		
4.	202-186D	NG/SGS BOX SPACER		
5.	133-045D	SGS BOX SUPPORT STRAP		
6.	804-015C	WASHER LOCK SPRING 1/2 PLT		
7.	803-020C	NUT HEX 1/2-13 PLT		
8.	133-129L	6' 7 1/2" SGS BOX ASSY		

Native Grass Box To Seed Box (Option)

(Applies to 3P605NT, 3P606NT only)



18569


Native Grass Box To Seed Box (Option)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18569	Image No.		
1.	802-034C	HHCS 1/2-13X1 1/4 GR5		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	804-015C	WASHER LOCK SPRING 1/2 PLT		
4.	803-020C	NUT HEX 1/2-13 PLT		
5.	202-414L	6 FT NG BOX & LID ASSY		
6.	119-190D	HANDLE		
7.	802-203C	HFSS 1/2-13X1 1/2 GR5		

Native Grass Box Components

(Applies to 3P605NT, 3P606NT only)



Native Grass Box Components

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18570	Image No.		
1.	118-494D	LOCK COLLAR 3/4 HEX BORE		
2.	119-271H	6" LID WELDMENT		
3.	168-127D	3/16 X 1 KEY		
4.	179-021D	LID LATCH - LOWER ARM		
5.	179-022D	LID LATCH - UPPER ARM		
6.	179-023D	LID LATCH - HANDLE		
7.	202-007D	GRASS METER SPROCKET		
8.	202-026D	CUP BEARING SUPPORT		
9.	202-181D	NG BOX LID LATCH		
10.	202-183D	NG BOX SHAFT		
11.	202-184D	NG BOX ADGITATOR SHAFT		
12.	202-185D	NG ADGITATOR PADDLE	S/N WW1512-	
13.	202-409H	605NT 7 1/2" NG BOX WELDMENT		
14.	313-076S	LID HINGE ASSEMBLY PS25120		
15.	801-003C	SCREW RD HD SLT 10-24X1/2 PLT		
16.	801-021C	SCREW RD HD 10-24 X 3/4 PLT		
17.	801-023C	SCREW SET SH 3/8-16X3/8 TYPE C		
18.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
19.	802-004C	HHCS 1/4-20X3/4 GR5		
20.	802-010C	HHCS 5/16-18X1 1/4 GR5		
21.	802-159C	HHCS 5/16-18X1 GR5		
22.	802-282C	RHSNB 5/16-18X1 GR5		
23.	802-388C	HFS 3/8-16X1 GR5		
24.	802-448C	HFSS 1/4-20X2 GR5		
25.	803-001C	NUT HEX 10-24 PLT		
26.	803-006C	NUT-HEX 1/4-20 PLT		
27.	803-008C	NUT HEX 5/16-18 PLT		
28.	803-084C	NUT HEX NYLOCK 5/16-18 PLT		
29.	803-088C	NUT HEX LOCK 1/4-20 FLG		
30.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
31.	804-004C	WASHER INTERNAL STAR #10 PLT		
32.	804-006C	WASHER LOCK SPRING 1/4 PLT		
33.	804-009C	WASHER LOCK SPRING 5/16 PLT		
34.	804-010C	WASHER FLAT 5/16 USS PLT		
35.	804-036C	WASHER FLAT 5/16 SAE PLT		
36.	804-056C	WASHER WAVE SPRING 5/16		
37.	805-240C	PIN LINCH 3/16 X 1 9/16 LONG		
38.	808-043C	SPKT 40B20 X 3/4 B W/KW&SS		
39.	812-054C	CASTING GRASS SEED FEEDER CUP		
40.	816-051C	GASKET GRASS SEED METER WHEEL		
41.	817-033C	LID LATCH GRIP		
42.	822-041C	FLANGETTE 47 MST		
43.	822-057C	BRG PB .75ID PILLOW BLOCK		
44.	822-071C	BRG FLG .75ID 2BOLT		
45.	822-128C	BRG INS 3/4HEXX1.85OD SPH		
46.	808-185C	SPKT 40B35 X 3/4 HEX BORE W/SS		
47.	808-281C	SPKT 40B23 3/4B W/KW & SS		
48.	202-055D	GRASS SEED METER WHEEL COVER		
49.	808-069C	SPKT 40B19 X 3/4 B W/ KW & SS		
50.	808-070C	SPKT 40B21 X 3/4B W/ KW & SS		
51.	808-100C	SPKT 40B22 3/4B W/K.W. &SS		
52.	808-118C	SPKT 40B18 X 3/4 B W/KW & 2SS		
53.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
54.	808-279C	SPKT 40B15 3/4B W/KW & SS		
55.	808-280C	SPKT 40B16 3/4B W/KW & SS		
56.	808-278C	SPKT 40B14 3/4B W/KW & SS		
57.	202-584K	6"-7 1/2" SERIES 2 NG TRAY	S/N WW1513+	

Native Grass Box Components (continued)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
58.	202-280D	RH NG SERIES 2 AGITATOR	S/N WW1513+	
59.	202-281D	LH NG SERIES 2 AGITATOR	S/N WW1513+	
60.	202-283D	DIVIDER AGITATOR RH	S/N WW1513+	
61.	202-284D	DIVIDER AGITATOR LH	S/N WW1513+	
62.	802-196C	HFSS 1/4-20X5/8 GR5	S/N WW1513+	


Native Grass Box Components (continued)

(Applies to 3P605NT, 3P606NT only)

This Page Intentionally Left Blank

7 1/2" Feeder Cup Spacing

(Applies to 3P605NT, 3P606NT only)




7 1/2" Feeder Cup Spacing

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18572	Image No.		
1.	118-555D	6'-7 1/2" FEEDER CUP CHANNEL		
2.	118-554D	FEEDER CUP SHAFT		
3.	118-315D	SPACER TUBE X 4.539		
4.	118-226S	FEEDER CUP BEARING ASSEMBLY		
5.	109-091D	MACHINED ADJUSTMENT SPOOL		
6.	890-350C	5/8 SHAFT LOCKING COLLAR		
7.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
8.	890-190C	PM SEED CUP SPROCKET		
9.	817-075C	SEED CUP ASSEMBLY		
10.	817-074C	SEED CUP SLEEVE		
11.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
12.	118-341D	2SNT SEED BOX DIVIDER CLIP		
13.	118-453D	SEED BOX DIVIDER HALF CLIP LH		
14.	118-454D	SEED BOX DIVIDER HALF CLIP RH		
15.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
16.	816-055C	END WHEEL SEED HOSE		
17.	802-014C	HHCS 3/8-16X3/4 GR5		
18.	804-013C	WASHER LOCK SPRING 3/8 PLT		
19.	804-012C	WASHER FLAT 3/8 SAE PLT		
20.	118-548D	BOX DIVIDER 3 1/2		
21.	118-338D	7 1/4 BOX DVDR FOR 7 1/2 ROW		
22.	118-433D	BOX DVDR 4.00 X 60DEG		
23.	118-372D	BOX DVDR 6.13 X 60DEG		
24.	118-508D	BEARING HUB 40A15		
25.	118-336D	FEEDER CUP BEARING HOUSING		
26.	822-103C	BRG 30IDX55OD MM		
27.	800-004C	SNAP RING EXT BASIC 1 3/16		
28.	800-107C	SNAP RING INTERNAL 2.165		
29.	817-071C	SEED CUP ADJUSTMENT HANDLE		
30.	817-069C	SEED CUP RIGHT HALF		
31.	817-070C	SEED CUP DOOR		
32.	817-068C	SEED CUP LEFT HALF		
33.	801-057C	SCR SELF TAP 8X3/8 TYPE25 BT		
34.	817-004C	NYLON WASHER-SPLIT		
35.	817-073C	SEED CUP WASHER RETAINER		
36.	803-194C	NUT HEX WHIZ 1/4-20 PLT		
37.	802-004C	HHCS 1/4-20X3/4 GR5		
38.	804-031C	WASHER RETAINING		

6-7 1/2" Series 2 Native Grass Tray

(Applies to 3P605NT, 3P606NT only)



25087


6-7 1/2" Series 2 Native Grass Tray

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg25087	Image No.		
1.	812-346C	NG CUP HI-RATE SPROCKET		
2.	202-183D	NG BOX SHAFT		
3.	202-055D	GRASS SEED METER WHEEL COVER		
4.	202-575H	6'-7 1/2" NG TRAY WELDMENT		
5.	801-033C	SCREW U-TYPE DRIVE 0 X 1/2		
6.	802-005C	HHCS 1/4-20X1 GR5		
7.	802-159C	HHCS 5/16-18X1 GR5		
8.	803-001C	NUT HEX 10-24 PLT		
9.	803-006C	NUT-HEX 1/4-20 PLT		
10.	803-008C	NUT HEX 5/16-18 PLT		
11.	804-004C	WASHER INTERNAL STAR #10 PLT		
12.	804-006C	WASHER LOCK SPRING 1/4 PLT		
13.	804-007C	WASHER FLAT 1/4 SAE PLT		
14.	804-009C	WASHER LOCK SPRING 5/16 PLT		
15.	804-010C	WASHER FLAT 5/16 USS PLT		
16.	812-054C	CASTING GRASS SEED FEEDER CUP		
17.	816-539C	NG METER GASKET-WIDE		
18.	822-057C	BRG PB .75ID PILLOW BLOCK		
19.	800-067C	CLAMP BAND 2 1/2		
20.	816-180C	NATIVE GRASS SEED HOSE NO-TILL		

Adjustment Handle

(Applies to 3P605NT, 3P606NT only)




18573

Adjustment Handle**(Applies to 3P605NT, 3P606NT only)**

Ref	Part No.	Part Description	Comments	Revision
	dwg18573	Image No.		
1.	803-008C	NUT HEX 5/16-18 PLT		
2.	804-009C	WASHER LOCK SPRING 5/16 PLT		
3.	802-014C	HHCS 3/8-16X3/4 GR5		
4.	804-013C	WASHER LOCK SPRING 3/8 PLT		
5.	804-012C	WASHER FLAT 3/8 SAE PLT		
6.	802-007C	HHCS 5/16-18X3/4 GR5		
7.	800-003C	SNAP RING EXT 17 MM		
8.	822-008C	BRG BALL 17IDX40OD 6203		
9.	804-001C	WASHER ADJ HANDLE BRG		
10.	118-443H	SEED RATE ADJ HANDLE WLDMNT		
11.	804-021C	WASHER FLAT 5/8 SAE PLT		
12.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
13.	109-069D	ADJUSTMENT HANDLE PIVOT		
14.	805-016C	PIN COTTER 3/16 X 1 1/4 PLT		
15.	803-016C	NUT WING 1/2-13 PLT		
16.	109-025H	ADJ LOCK PLATE ASS'Y - 1 1/2 W		
17.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
18.	804-003C	WASHER FLAT #8 BRASS		
19.	819-001C	NAME PLATE ADJ. GUIDE LONG		
20.	118-444H	SEED RATE ADJ WLDMNT		
21.	804-002C	WASHER INTERNAL STAR #8 BRASS		
22.	803-035C	NUT HEX 8-32 BRASS		
23.	803-088C	NUT HEX LOCK 1/4-20 FLG		
24.	802-196C	HFSS 1/4-20X5/8 GR5		
25.	817-087C	1 3/4 WIDE FEEDER CUP PLUG	Option.	

Drive

(Applies to 3P605NT, 3P606NT only)




Drive

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18628	Image No.		
1.	152-266K	3PT DRIVEWHEEL ASSEMBLY	Refer to "Drivewheel 3P605NT".	
2.	804-016C	WASHER FLAT 1/2 SAE PLT		
3.	804-015C	WASHER LOCK SPRING 1/2 PLT		
4.	802-128C	HHCS 1/2-13X2 GR5		
5.	136-164D	CHAIN RL #40 186 PITCHES		
6.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
7.	804-017C	WASHER FLAT 1/2 USS PLT		
8.	152-275H	3PT DRIVE WHEEL IDLER	(S/N WW1198+)	2nd Revision.
8.	152-258H	DRIVE IDLER WELDMENT	(S/N WW1197-)	1st Revision.
9.	817-025C	NO. 40 12T IDLER SPKT.		
10.	805-064C	PIN COTTER 7/64 X 1 LONG		
11.	152-276S	3PT DRIVE WHEEL IDLER ASSY	(S/N WW1198+)	2nd Revision.
11.	152-267S	IDLER ASSEMBLY	(S/N WW1197-)	1st Revision.
12.	152-488D	40B41 7/8 HEX W/SS		
13.	801-035C	SCREW SET 5/16-18 SKT KP X 3/8		
14.	802-282C	RHSNB 5/16-18X1 GR5		
15.	822-175C	FLANGETTE 52 3-BOLT PLT		
16.	822-119C	BRG 7/8HEXX2.05OD SPH		
17.	804-036C	WASHER FLAT 5/16 SAE PLT		
18.	804-009C	WASHER LOCK SPRING 5/16 PLT		
19.	803-008C	NUT HEX 5/16-18 PLT		
20.	152-484D	SPKT 40B19 7/8 HEX W/SS		
21.	152-557D	3P605NT UPPER JACKSHAFT		2nd Revision.
21.	152-491D	3PT NT JACKSHAFT		1st Revision.
22.	805-023C	PIN ROLL 3/16X1 1/4 PLT		
23.	802-039C	HHCS 1/2-13X3 GR5		
24.	803-036C	NUT HEX JAM 1/2-13 PLT		
25.	802-300C	HHCS 1/4-28X3/8 GR5		
26.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
27.	808-157C	SPKT 40B19 X 36T SPLINE BORE		
28.	136-027D	CHAIN RL #40 57 PITCHES		
29.	890-282C	GEAR BOX	Refer to "Gearbox Breakdown 3P605NT".	
30.	803-035C	NUT HEX 8-32 BRASS		
31.	804-002C	WASHER INTERNAL STAR #8 BRASS		
32.	151-157D	NT GEARBOX COVER		
33.	819-059C	DRIVE TYPE PLATE, 4 3 2 1		
34.	801-001C	SCREW RD HD 8-32 X 3/8 BRASS		
35.	120-237D	GEARBOX SHIFT HANDLE		
36.	801-076C	SCR SELF TAPPING 3/8X1		
37.	136-031D	CHAIN RL #40 90 PITCHES		
38.	808-160C	SPKT 40B12 X 36T SPLINE BORE		
39.	891-005C	3P605/6 NT ACRE METER	Option.	
39.	891-006C	3P605/6 NT HECTARE METER	Option.	
40.	802-160C	HHCS 5/8-11X3 1/4 GR5		
41.	175-235H	CALIBRATION CRANK WELDMENT		
42.	805-065C	PIN WIRE RETAINING 1/4 X 1 3/4		
43.	817-632C	GRIP HANDLE VNYL 1.0 IDX4.5 LG		
44.	816-510C	GRIP 1/4 X 1 X 4 LG		

Drivewheel

(Applies to 3P605NT, 3P606NT only)



18629


Drivewheel

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18629	Image No.		
1.	152-487D	3PT DRIVE SPINDLE		
2.	822-186C	BRG CONE 1.00ID 902A1 W/SEAL		
3.	822-080C	BRG CUP 1.98OD L44610		
4.	152-257H	DRIVE HUB WELDMENT		
5.	803-252C	NUT HEX JAM 1-14 PLT		
6.	802-188C	BOLT WHEEL 1/2-20X1		
7.	814-190C	TIRE/WHEEL ASSY 5.70-8		

Agitator Drive

(Applies to 3P605NT, 3P606NT only)



18630


Agitator Drive

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18630	Image No.		
1.	808-271C	SPKT 40B16 X 36T SPLINE BORE		
2.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
3.	136-081D	CHAIN RL #40 44 PITCHES		
4.	168-127D	3/16 X 1 KEY		
5.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
6.	802-282C	RHSNB 5/16-18X1 GR5		
7.	822-041C	FLANGETTE 47 MST		
8.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
9.	802-039C	HHCS 1/2-13X3 GR5		
10.	817-025C	NO. 40 12T IDLER SPKT.		
11.	803-036C	NUT HEX JAM 1/2-13 PLT		
12.	804-017C	WASHER FLAT 1/2 USS PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	136-111D	CHAIN RL #40 68 PITCHES		
15.	804-036C	WASHER FLAT 5/16 SAE PLT		
16.	804-009C	WASHER LOCK SPRING 5/16 PLT		
17.	803-008C	NUT HEX 5/16-18 PLT		
18.	202-182D	RPBY 120-234D		

Agitator Drive With Native Grass

(Applies to 3P605NT, 3P606NT only)



18631


Agitator Drive With Native Grass

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18631	Image No.		
1.	808-271C	SPKT 40B16 X 36T SPLINE BORE		
2.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
3.	136-081D	CHAIN RL #40 44 PITCHES		
4.	168-127D	3/16 X 1 KEY		
5.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
6.	802-282C	RHSNB 5/16-18X1 GR5		
7.	822-041C	FLANGETTE 47 MST		
8.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
9.	802-039C	HHCS 1/2-13X3 GR5		
10.	817-025C	NO. 40 12T IDLER SPKT.		
11.	803-036C	NUT HEX JAM 1/2-13 PLT		
12.	804-017C	WASHER FLAT 1/2 USS PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	136-051D	CHAIN RL #40 166 PITCHES		
15.	804-036C	WASHER FLAT 5/16 SAE PLT		
16.	804-009C	WASHER LOCK SPRING 5/16 PLT		
17.	803-008C	NUT HEX 5/16-18 PLT		
18.	202-182D	RPBY 120-234D		
19.	817-420C	NATIVE GRASS BOX COVER		
20.	801-042C	SCREW THUMB 5/16-18 X 5/8 PLT		
21.	802-055C	HHCS 5/8-11X2 GR5		
22.	808-046C	SPROCKET 40A17 IDLER		
23.	202-180D	IDLER SPACER		
24.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		

Small Seeds Drive

(Applies to 3P605NT, 3P606NT only)



18632


Small Seeds Drive

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18632	Image No.		
1.	802-045C	HHCS 1/2-13X5 GR5		
2.	817-025C	NO. 40 12T IDLER SPKT.		
3.	803-036C	NUT HEX JAM 1/2-13 PLT		
4.	804-017C	WASHER FLAT 1/2 USS PLT		
5.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
6.	802-092C	RHSNB 5/16-18X3/4 GR5		
7.	822-126C	BRG FLG .75ID 2BOLT		
8.	804-009C	WASHER LOCK SPRING 5/16 PLT		
9.	803-008C	NUT HEX 5/16-18 PLT		
10.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
11.	808-072C	SPKT 40B28 X 3/4 B W/ KW & SS		
12.	136-017D	CHAIN RL #40 49 PITCHES		
13.	133-043D	SGS DRIVE SHAFT		
14.	822-041C	FLANGETTE 47 MST		
15.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
16.	802-282C	RHSNB 5/16-18X1 GR5		
17.	804-036C	WASHER FLAT 5/16 SAE PLT		
18.	802-041C	HHCS 1/2-13X3 1/2 GR5		
19.	136-115D	CHAIN RL #40 142 PITCHES		
20.	168-127D	3/16 X 1 KEY		
21.	133-052D	5' SGS DRIVE SHAFT	S/N WW1132+	2nd rev.
21.	133-042D	RPBY 133-052D	Repl. By 133-052D	1st rev.
22.	136-057D	CHAIN RL #40 42 PITCHES		
23.	808-100C	SPKT 40B22 3/4B W/K.W. &SS		
24.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
25.	808-160C	SPKT 40B12 X 36T SPLINE BORE		
26.	800-064C	HOSE CLIP 13/16 ID	S/N WW1513+	

Native Grass Drive

(Applies to 3P605NT, 3P606NT only)



18633


Native Grass Drive

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18633	Image No.		
1.	808-271C	SPKT 40B16 X 36T SPLINE BORE		
2.	800-141C	SNAP RING EXT F/PEERLESS G.B.		
3.	136-081D	CHAIN RL #40 44 PITCHES		
4.	168-127D	3/16 X 1 KEY		
5.	808-170C	SPKT 40B17 X 3/4BORE W/KW&SS		
6.	802-282C	RHSNB 5/16-18X1 GR5		
7.	822-041C	FLANGETTE 47 MST		
8.	822-040C	BRG INS .75IDX1.85OD SPH LCK		
9.	802-039C	HHCS 1/2-13X3 GR5		
10.	817-025C	NO. 40 12T IDLER SPKT.		
11.	803-036C	NUT HEX JAM 1/2-13 PLT		
12.	804-017C	WASHER FLAT 1/2 USS PLT		
13.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
14.	136-051D	CHAIN RL #40 166 PITCHES		
15.	804-036C	WASHER FLAT 5/16 SAE PLT		
16.	804-009C	WASHER LOCK SPRING 5/16 PLT		
17.	803-008C	NUT HEX 5/16-18 PLT		
18.	202-182D	RPBY 120-234D		
19.	817-420C	NATIVE GRASS BOX COVER		
20.	801-042C	SCREW THUMB 5/16-18 X 5/8 PLT		
21.	802-055C	HHCS 5/8-11X2 GR5		
22.	808-046C	SPROCKET 40A17 IDLER		
23.	202-180D	IDLER SPACER		
24.	803-263C	NUT HEX FLANGE LOCK 5/8-11 PLT		

Gearbox Breakdown

(Applies to 3P605NT, 3P606NT only)



12056


Gearbox Breakdown

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg12056	Image No.		
1.	788051A	SQ CUT RING P/T GEARBOX		
2.	780105A	P/T FLANGED BUSHING FOR G-BOX		
3.	780072	P/T WASHER		
4.	780090	P/T WASHER		
5.	778273	P/T SPUR GEAR 19T		
6.	780108	P/T WASHER		
7.	778123A	P/T SPUR GEAR 25T		
8.	778124A	P/T SPUR GEAR 30T		
9.	778146	RPBY 778146A		
10.	772131	P/T COVER CASTING 9100 4 SPD		
11.	776370	P/T SHIFTER & OUTPUT SHAFT		
12.	788078A	P/T RETAINING RING INVERTED		
13.	792159	P/T SHIFT KEY		
14.	784371	P/T SHIFT COLLAR		
15.	784372	P/T SHIFT ROD & FORK ASSEMBLY		
15.	784312	RPBY 784372		
16.	792142	P/T SPRING		
17.	792139	P/T BALL 3/8 DIA		
18.	770119	P/T CASE CASTING 9100		
19.	792073A	1/4-20X 1 1/4 SCREW P/T G-BOX		
20.	776369	REPLACED BY 776397 COUNTERSHAF		
21.	778211	P/T SPUR GEAR 12T		
22.	778126A	P/T SPUR GEAR 20T		
23.	778127A	P/T SPUR GEAR 25T		
24.	778163	P/T SPUR GEAR 31 TEETH		
25.	786088	P/T SPACER		
26.	778319	P/T SPUR GEAR 36T		
27.	776368	P/T INPUT SHAFT		
28.	792017	P/T RETAINING RING		
29.	780095	P/T WASHER		
30.	788069	P/T RING SQUARE CUT		
31.	792145	P/T PUSHNUT 1/2		
32.	788067	OBSOLETE REPLACED BY 788067B	(NOT SHOWN)	
33.	510334	P/T GASKET ELIMINATOR	(NOT SHOWN)	

Coulter (S/N WW1188-)

(Applies to 3P605NT, 3P606NT only)



18580


Coulter (S/N WW1188-)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18580	Image No.		
1.	149-962S	RPBY 249-136A		
2.	149-181E	FERT COULTER SWING ARM	Replaced 149-928E	
3.	804-039C	WASHER FLAT 1 1/4 SAE PLT		
4.	805-021C	PIN COTTER 1/4 X 2 PLT		
5.	204-075H	COULTER SPRING ROD WLDMT		
6.	803-048C	NUT HEX JAM 3/4-10 PLT		
7.	149-559D	SPRING 2.25 O.D. X .5 COIL		
8.	204-107D	SPRING ROD SLEEVE 1 1/8 OD		
9.	149-558D	COULTER SPRING WASHER		
10.	803-181C	NUT HEX FLANGE LOCK 3/4-10 PLT		
11.	817-029C	BUSHING COULTER CASTING		
12.	204-269D	LONG COULT. SPRING BAR		
13.	802-332C	HHCS 7/8-9X3 GR5		
14.	804-037C	WASHER LOCK SPRING 7/8 PLT		
15.	803-049C	NUT HEX 7/8-9 PLT		
16.	802-214C	RHSNB 1/2-13X1 1/4 GR5		
17.	816-009C	OIL-SEAL DOUBLE LIP		
18.	822-021C	BEARING CONE LM-67048		
19.	822-020C	BEARING CUP LM-67010		
20.	200-039V	COULTER HUB & CUP ASSY		
21.	200-001D	HUB GREASE CAP		
22.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
23.	200-002S	COULTER HUB PACKAGE		
24.	805-017C	PIN COTTER 3/16 X 1 3/4 PLT		
25.	820-018C	COULTER BLADE FLUTED		
26.	804-015C	WASHER LOCK SPRING 1/2 PLT		
27.	803-020C	NUT HEX 1/2-13 PLT		
28.	804-055C	WASHER SPINDLE - 7/8		
29.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
30.	806-105C	U-BOLT 5/8-11 4 1/32 X 6		
31.	200-039V	COULTER HUB & CUP ASSY		
32.	817-051C	SWING ARM BUSHING		
33.	800-211C	GREASE ADAPT 1/4-28M X 1/4 TB		
34.	153-001D	OPENER BRACKET		
35.	802-082C	HHCS 1/2-13X1 3/4 GR5		
36.	149-059D	COULTER CLAMP BAR		
37.	804-015C	WASHER LOCK SPRING 1/2 PLT		
38.	803-020C	NUT HEX 1/2-13 PLT		
39.	890-389C	BUSHING 1.50ODX1.25IDX2.94		

Coulter (S/N WW1189+)

(Applies to 3P605NT, 3P606NT only)



21701


Coulter (S/N WW1189+)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21781	Image No.		
1.	249-050S	CLTR CASTING ASSY		
2.	249-051H	CLTR SWING ARM WLMT		
3.	153-001D	OPENER BRACKET		
4.	802-718C	EYE BOLT 3/4-10X14 3/4 LG SP		
5.	805-331C	COULTER SPRING GUIDE TUBE		
6.	800-001C	GREASE ZERK STRAIGHT 1/4-28		
7.	802-103C	HHCS 7/8-9X2 3/4 GR5		
8.	800-164C	SNAP RING 3/4 EXTERNAL HEAVY		
9.	816-009C	OIL-SEAL DOUBLE LIP		
10.	803-029C	NUT HEX SLOTTED 7/8-14 PLT		
11.	803-048C	NUT HEX JAM 3/4-10 PLT		
12.	803-049C	NUT HEX 7/8-9 PLT		
13.	817-513C	BUSHING 1X3/4X1 1/8 FLG HD		
14.	822-021C	BEARING CONE LM-67048		
15.	200-039V	COULTER HUB & CUP ASSY		
16.	804-037C	WASHER LOCK SPRING 7/8 PLT		
17.	804-165C	WASHER MACH 1 7/8X1 1/4X 14GA		
18.	804-055C	WASHER SPINDLE - 7/8		
19.	805-017C	PIN COTTER 3/16 X 1 3/4 PLT		
20.	800-177C	SNAP RING EXT 1 1/4 HEAVY		
21.	204-280D	18" COULTER SPRING BAR-PAINTED	(S/N WW2089-)	
21.	807-300C	COULT SPR BAR 3/4 X 2 1/2 X 18	Shown (S/N WW2090+)	
22.	149-559D	SPRING 2.25 O.D. X .5 COIL		
23.	200-001D	HUB GREASE CAP		
24.	149-558D	COULTER SPRING WASHER		
25.	804-156C	WASHER MACH 1 1/4X3/4X14GA		
26.	802-214C	RHSNB 1/2-13X1 1/4 GR5		
27.	804-015C	WASHER LOCK SPRING 1/2 PLT		
28.	803-020C	NUT HEX 1/2-13 PLT		
29.	820-018C	COULTER BLADE FLUTED		
29.	820-082C	17 COULTER BLADE 3/4 WAVY		
29.	820-116C	17 COULTER BLADE 5/8 WAVY		
29.	820-156C	5/8 WAVY TURBO BLADE		
30.	806-105C	U-BOLT 5/8-11 4 1/32 X 6		
31.	149-059D	COULTER CLAMP BAR	(S/N WW2089-)	
31.	149-590D	COULTER CLAMP 4 TUBE X 3/4 BAR	Shown (S/N WW2090+)	
31.	149-565D	EXTENDED COULTER CLAMP	(S/N WW2089-)	
31.	149-591D	EXT COULTER CLMP 4 TB 3/4 BAR	Shown (S/N WW2090+)	
32.	802-082C	HHCS 1/2-13X1 3/4 GR5		
33.	197-010D	OFFSET COULTER BRKT F/LH BOX		

Small Seeds Hose Retainer

(Applies to 3P605NT, 3P606NT only)



25091


Small Seeds Hose Retainer

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg19916	Image No.		
1.	817-346C	PLASTIC FERTILIZER TUBE	S/N WW1131-	
2.	801-002C	SCREW HEX SLT10-16X1/2P.THD CT		
3.	800-304C	SGS TUBE CLAMP	S/N WW1131-	
4.	816-513C	SGS HOSE 85 RIBS	S/N WW1513+	
4.	123-521D	GRASS SEED HOSE, 40IN.	S/N WW1512-	
5.	800-029C	SINGLE WIRE HOSE CLAMP #14		
6.	133-065D	SML SDS TB REINFORCEMENT RING	S/N WW1131-	
7.	123-939H	SMALL SEEDS TUBE WELDMENT	S/N WW1132+	

Native Grass Opener

(Applies to 3P605NT, 3P606NT only)



18634


Native Grass Opener

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18634	Image No.		
1.	806-004C	U-BOLT 3/8-16 X 2 X 2 3/4		
2.	804-013C	WASHER LOCK SPRING 3/8 PLT		
3.	803-014C	NUT HEX 3/8-16 PLT		
4.	121-025D	SPRING ROD CASTING CLIP		
5.	812-012C	CASTING DOUBLE SPRING ROD		
6.	121-011A	SPRING CASTING MTG ASS'Y		
7.	121-133D	STRAIGHT ARM OPENER SPRING ROD		
8.	802-004C	HHCS 1/4-20X3/4 GR5		
9.	804-006C	WASHER LOCK SPRING 1/4 PLT		
10.	803-006C	NUT-HEX 1/4-20 PLT		
11.	807-118C	SPRING COMP 13/16IDX.156WX19.5		
12.	107-027D	DISC SPRING BAR WIRE CLIP		
13.	802-427C	HFS 3/8-16X3 3/4 SPTH		
14.	804-012C	WASHER FLAT 3/8 SAE PLT		
15.	107-113D	D.D. SLOTTED SCRAPER		
16.	802-015C	RHSNB 3/8-16X1 GR5		
17.	803-209C	NUT FLANGE LOCK 3/8-16 PLT		
18.	804-040C	WASHER MACH 1.19 X .63 X 18GA		
19.	820-155C	RPBY 820-187C		
20.	188-001V	BEARING AA205DD		
21.	107-112D	BEARING FLANGE-3/16 DIA HOLES		
22.	800-213C	RIVET,BUTTON HEAD 1/4 X 1/2		
23.	107-133S	RPBY 107-135S		
24.	107-111D	DD BRG FLANGE DUST COVER		
25.	802-228C	HHCS 5/8-11X1 1/2 GR5 NYL		
26.	202-415H	NATIVE GRASS OPENER WELDMENT	(S/N WW1198+)	2nd rev.
26.	202-503H	05 NATIVE GRASS OPENER WELD.	(S/N WW1197-)	1st rev.
27.	817-314C	OPENER SEED TUBE, PLASTIC		
28.	801-002C	SCREW HEX SLT10-16X1/2P.TH		
29.	800-008C	CLAMP HOSE 1 1/2 NO. 24		
30.	816-055C	END WHEEL SEED HOSE		
31.	800-009C	CLAMP HOSE 1 5/8 NO. 26		
32.	802-218C	RHSNB 1/2-13X7 1/4 GR5 SPTH		
33.	817-084C	PARALLEL ARM PIVOT BUSHING		
34.	153-045D	12EWNT OPENER PIVOT SPACER		
35.	803-178C	NUT NYLOCK JAM NUT 1/2-13		
36.	122-242S	SEED FLAP & HEX CLIP, SEEDLOK		
37.	121-164D	HEX SEED FLAP MOUNTING CLIP		
38.	816-302C	SEED FLAP, RUBBER, SEED-LOK		
39.	800-346C	CLAMP HOSE 2 5/8 #42		
40.	816-180C	NATIVE GRASS SEED HOSE NO-TILL		
41.	817-507C	NATIVE GRASS TUBE		
42.	800-341C	CLAMP HOSE 2 1/2 #40		
43.	804-007C	WASHER FLAT 1/4 SAE PLT		
44.	801-172C	SCREW HEX SLT 10-16X3/4PTH		
45.	153-001D	OPENER BRACKET		

Native Grass Opener With Small Seeds

(Applies to 3P605NT, 3P606NT only)



18618


Native Grass Opener With Small Seeds

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18618	Image No.		
1.	800-029C	SINGLE WIRE HOSE CLAMP #14		
2.	123-521D	GRASS SEED HOSE, 40IN.		
3.	801-002C	SCREW HEX SLT10-16X1/2P.THD CT		
4.	123-939H	SMALL SEEDS TUBE WELDMENT		

1 1/4" X 13 1/2" Double Press Wheel

(Applies to 3P605NT, 3P606NT only)



24499


1 1/4" X 13 1/2" Double Press Wheel

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg24499	Image No.		
1.	802-058C	HHCS 5/8-11X2 1/2 GR5		
2.	804-022C	WASHER LOCK SPRING 5/8 PLT		
3.	814-238C	1.25 X 13.5 PRESS WHEEL ASSY		
4.	199-089H	10HD DBL PW ARM WELDMENT LH		
5.	817-330C	1 X 12 PRESS WHEEL RIM HALF		
6.	814-244C	1.25X13.5 ANGLE PEAK TIRE		
7.	822-170C	BRG .63ID PRESS WHL ASY		
8.	803-088C	NUT HEX LOCK 1/4-20 FLG		
9.	802-005C	HHCS 1/4-20X1 GR5		
10.	817-084C	PARALLEL ARM PIVOT BUSHING		
11.	198-137D	PRESS WHEEL PIVOT TUBE		
12.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
13.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
14.	817-347C	OPENER TRUNION		
15.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
16.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
17.	817-328C	T-HANDLE ASSEMBLY		
18.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
19.	122-202S	PW ADJUSTMENT TRUNNION ASSY		
20.	199-088H	10HD DBL PW ARM WELDMENT RH		

1" x 12" Double Press Wheel

(Applies to 3P605NT, 3P606NT only)



21741


1" x 12" Double Press Wheel

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21741	Image No.		
1.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
2.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTH		
3.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
4.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
5.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
6.	198-137D	PRESS WHEEL PIVOT TUBE		
7.	817-084C	PARALLEL ARM PIVOT BUSHING		
8.	199-043H	NG 1X12 PRESS WHEEL ARM		
9.	804-022C	WASHER LOCK SPRING 5/8 PLT		
10.	802-005C	HHCS 1/4-20X1 GR5		
11.	122-202S	PW ADJUSTMENT TRUNNION ASSY		
12.	814-034C	TIRE RUBBER 1 X 12		
13.	817-330C	1 X 12 PRESS WHEEL RIM HALF		
14.	803-088C	NUT HEX LOCK 1/4-20 FLG		
15.	802-058C	HHCS 5/8-11X2 1/2 GR5		
16.	822-170C	BRG .63ID PRESS WHL ASY		
17.	814-174C	1 X 12 PRESS WHL ASSY-5203BRG		
18.	817-328C	T-HANDLE ASSEMBLY		
19.	817-347C	OPENER TRUNION		

2" x 13" Native Grass Single Press Wheel

(Applies to 3P605NT, 3P606NT only)



18635


2" x 13" Native Grass Single Press Wheel

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18635	Image No.		
1.	802-058C	HHCS 5/8-11X2 1/2 GR5		
2.	804-022C	WASHER LOCK SPRING 5/8 PLT		
3.	803-088C	NUT HEX LOCK 1/4-20 FLG		
4.	817-296C	2 X 13 PRESS WHEEL RIM HALF		
5.	822-170C	BRG .63ID PRESS WHL ASY		
6.	814-159C	2 X 13 PRESS WHEEL TIRE		
7.	802-617C	HHFS 1/4-20 X 1 1/2 GR 5		
8.	814-157C	2 X 13 PRESS WHEEL ASSEMBLY		
9.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
10.	817-084C	PARALLEL ARM PIVOT BUSHING		
11.	198-137D	PRESS WHEEL PIVOT TUBE		
12.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
13.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
14.	817-347C	OPENER TRUNION		
15.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTH		
16.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
17.	817-328C	T-HANDLE ASSEMBLY		
18.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
19.	122-202S	PW ADJUSTMENT TRUNNION ASSY		

2" x 13" Single Press Wheel

(Applies to 3P605NT, 3P606NT only)



22647


2" x 13" Single Press Wheel

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg22647	Image No.		
1.	802-058C	HHCS 5/8-11X2 1/2 GR5		
2.	804-022C	WASHER LOCK SPRING 5/8 PLT		
3.	803-088C	NUT HEX LOCK 1/4-20 FLG		
4.	817-296C	2 X 13 PRESS WHEEL RIM HALF		
5.	822-170C	BRG .63ID PRESS WHL ASY		
6.	814-159C	2 X 13 PRESS WHEEL TIRE		
7.	802-617C	HHFS 1/4-20 X 1 1/2 GR 5		
8.	814-157C	2 X 13 PRESS WHEEL ASSEMBLY		
9.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
10.	817-084C	PARALLEL ARM PIVOT BUSHING		
11.	198-137D	PRESS WHEEL PIVOT TUBE		
12.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
13.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
14.	817-347C	OPENER TRUNION		
15.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTH		
16.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
17.	817-328C	T-HANDLE ASSEMBLY		
18.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
19.	122-202S	PW ADJUSTMENT TRUNNION ASSY		

3" x 13" V-Crown Press Wheel

(Applies to 3P605NT, 3P606NT only)



21742


3" x 13" V-Crown Press Wheel

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg21742	Image No.		
1.	802-421C	HFS 1/2-13X3 3/4 GR5 SPTHD		
2.	803-169C	NUT HEX FLG. LOCK 1/2-13 PLT.		
3.	198-137D	PRESS WHEEL PIVOT TUBE		
4.	817-084C	PARALLEL ARM PIVOT BUSHING		
5.	202-189D	NG UNIVERSAL PRESS WHEEL ARM		
6.	804-022C	WASHER LOCK SPRING 5/8 PLT		
7.	802-058C	HHCS 5/8-11X2 1/2 GR5		
8.	814-158C	3 X 13 PRESS WHEEL ASSEMBLY		
9.	822-170C	BRG .63ID PRESS WHL ASY		
10.	802-618C	HHFS 1/4-20 X 2 GR 5		
11.	803-088C	NUT HEX LOCK 1/4-20 FLG		
12.	817-297C	3 X 13 PRESS WHEEL RIM HALF		
13.	814-160C	3 X 13 PRESS WHEEL TIRE		
14.	805-186C	PIN ROLL 5/32 X 5/8 PLT		
15.	807-106C	SPRING .540 O.D.X 1 1/4 X.054W		
16.	805-154C	PIN CLEVIS 3/8 X 2 1/8 USABLE		
17.	122-202S	PW ADJUSTMENT TRUNNION ASSY		
18.	817-328C	T-HANDLE ASSEMBLY		
19.	817-347C	OPENER TRUNION		

Decal Placement

(Applies to 3P605NT, 3P606NT only)




Decal Placement

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18636	Image No.		
1.	838-161C	DECAL LOGO&GP F/STRIPE 4 X 24		
2.	838-160C	DECAL 3 COLOR STRIPE 2.50 WIDE		
3.	838-203C	DECAL 3P605NT	Applies to 3P605NT	
3.	848-093C	DECAL 3P606NT	Applies to 3P606NT	
4.	818-055C	DECAL SLOW MOVING-GALV. BACKED		
5.	818-230C	DECAL RED REFLECTOR	2000-	
6.	818-229C	DECAL AMBER REFLECTOR	2000-	
7.	838-102C	DECAL WARNING FALLING HAZARD		
8.	818-590C	DECAL DANGER CRUSH TRCTR & 3PT		
9.	838-158C	DECAL SCRIPT SOLID STAND SMALL		
10.	838-228C	DECAL GREAT PLAINS ON LOGO SML		
11.	838-237C	DECAL SEED LEVEL LH		
12.	818-860C	DECAL WARNING MOVING CHAIN		
13.	818-337C	DECAL WARNING 20 MPH TRANS SML		
14.	818-719C	DECAL CAUTION GENERAL INSTR		
15.	838-242C	RPBY 151-061B	2003-	
16.	838-241C	RPBY 151-061B	2003-	
17.	838-248C	DECAL DRAWBAR IMPORTANT		
18.	838-266C	DECAL REFLECTOR RED 1 1/2X9	2001+	
19.	838-265C	DECAL REFLECTOR AMBER 1 1/2X9	2001+	
20.	838-482C	DECAL GP PLANTING COMPONENTS		
21.	151-061B	6' NO-TILL SEEDRATE BOOK	2004+	
22.	821-042C	POWDERED GRAPHITE 1 LB BOTTLE		

Decal Placement (Small Seeds & Native Grass)

(Applies to 3P605NT, 3P606NT only)



Decal Placement (Small Seeds & Native Grass)

(Applies to 3P605NT, 3P606NT only)

Ref	Part No.	Part Description	Comments	Revision
	dwg18684	Image No.		
1.	838-203C	DECAL 3P605NT	Applies to 3P605NT	
1.	848-093C	DECAL 3P606NT	Applies to 3P606NT	
2.	838-160C	DECAL 3 COLOR STRIPE 2.50 WIDE		
3.	838-161C	DECAL LOGO&GP F/STRIPE 4 X 24		
4.	818-860C	DECAL WARNING MOVING CHAIN		
5.	818-207C	DECAL GRSSDR SD RATE ADJ INSTR		
6.	818-245C	GRASS SEEDER SEED RATE		
7.	151-061B	6' NO-TILL SEEDRATE BOOK		
8.	838-428C	DECAL NATIVE GRASS IMPORTANT		
9.	202-580A	3P605/605NT NG RATE REDUCTION		



Part Number Index

The Part Number Index is a numeric index of all part numbers included in this manual. The index shows what page(s) the part is used on.

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
107-027D	69, 153	133-065D	67, 151	152-485D	49	202-189D	77, 79, 81, 161, 163, 165
107-111D	69, 153	133-117H	27, 117	152-486D	45	202-280D	32, 124
107-112D	69, 153	133-118H	27, 117	152-487D	135	202-281D	32, 124
107-113D	69, 153	133-127H	25, 35, 115, 119	152-488D	133	202-283D	32, 124
107-133S	69, 153	133-129L	35, 119	152-491D	133	202-284D	32, 124
109-025H	41, 131	136-017D	57, 141	152-498D	83	202-409H	31, 123
109-069D	41, 131	136-027D	133	152-556D	45	202-414L	29, 35, 119, 121
109-091D	37, 127	136-031D	49, 133	152-557D	133	202-415H	69, 153
118-226S	37, 127	136-051D	55, 59, 139, 143	152-571D	45	202-503H	69, 153
118-315D	37, 127	136-054D	53	153-001D	63, 65, 69, 147, 149, 153	202-575H	39, 129
118-336D	37, 127	136-057D	57, 141	153-045D	69, 153	202-580A	97, 169
118-338D	37, 127	136-065D	49	156-013E	9	202-584K	31, 123
118-341D	37, 127	136-081D	55, 59, 137, 139, 143	156-014E	9	204-075H	63, 147
118-372D	37, 127		143	161-073H	43	204-107D	63, 147
118-403D	13, 101	136-111D	137	168-127D	31, 53, 55, 57, 59, 123, 137, 139, 141, 143	204-269D	63, 147
118-433D	37, 127	136-115D	57, 141			204-280D	65, 149
118-443H	41, 131	136-126D	49	172-199D	45	249-050S	65, 149
118-444H	41, 131	136-161D	53	172-201D	45	249-051H	65, 149
118-453D	37, 127	136-164D	46, 133	172-218D	45	2A0006	93
118-454D	37, 127	149-059D	63, 65, 147, 149	172-253D	85	2A0012	93
118-474H	15, 103	149-181E	63, 147	172-306D	46	2A0016	93
118-493D	21, 111	149-553D	23, 113	175-173S	45	2A0024	93
118-494D	21, 31, 111, 123	149-558D	63, 65, 147, 149	175-235H	9, 133	2M5418	93
118-498D	15, 103	149-559D	63, 65, 147, 149	175-403D	9	313-076S	13, 31, 101, 123
118-508D	37, 127	149-565D	65, 149	176-042S	49, 51	313-176D	13, 101
118-548D	37, 127	149-590D	65, 149	176-065D	51	313-186D	13, 101
118-554D	37, 127	149-591D	65, 149	176-066D	51	3R3412	93
118-555D	37, 127	149-928E	63	176-076D	51	402-025S	45, 49
118-556D	21, 111	149-962S	63, 147	176-078D	51	402-058D	45, 49
118-560D	13, 101	151-054H	9	176-080D	51	402-069K	43
118-563D	13, 101	151-057H	19, 109	176-084D	51	402-182K	43
118-652D	11, 99	151-059H	11	177-527H	9	492544	87
118-739H	13, 101	151-060H	99	177-534A	9	494665	87
118-765L	11, 99	151-061B	11, 95, 97, 99, 167, 169	177-535H	9	4R3106	93
119-190D	13, 27, 29, 101, 117, 121	151-068H	45	177-587D	9	51000-127	85
119-192D	17, 105	151-072S	85	179-021D	13, 31, 101, 123	51000-128	85
119-271H	13, 31, 101, 123	151-073H	85	179-022D	13, 31, 101, 123	51000-144	85
119-272H	17, 105	151-074H	9	179-023D	13, 31, 101, 123	510334	61, 145
119-273H	17, 105	151-075S	9	188-001V	69, 153	5396	89, 91
119-274H	17, 105	151-080H	85	188-003V	45	5397	89, 91
120-188D	45	151-081S	85	188-006V	45	5R3118	93
120-223D	43, 45	151-086H	43	197-010D	65, 149	6R3162	93
120-237D	49, 133	151-122B	11, 99	197-089D	15, 103	770119	61, 145
120-269S	45	151-130H	9	197-096D	15, 103	772131	61, 145
121-011A	69, 153	151-132H	11	198-137D	73, 75, 77, 79, 81, 157, 159, 161, 163, 165	776368	61, 145
121-025D	69, 153	151-138D	19, 109			776369	145
121-133D	69, 153	151-157D	49, 133	199-043H	75, 159	776370	61, 145
121-164D	69, 153	151-174D	85	199-088H	73, 157	776397	61
122-202S	73, 75, 77, 79, 81, 157, 159, 161, 163, 165	151-259D	23, 113	199-089H	73, 157	778123A	61, 145
122-242S	69, 153	152-030H	45	1M6010	93	778124A	61, 145
123-004D	45	152-075D	45	200-001D	43, 63, 65, 147, 149	778126A	61, 145
123-050H	27, 117	152-254H	45			778127A	61, 145
123-113D	27, 117	152-255H	43	200-002S	63, 147	778146	61, 145
123-116D	27, 117	152-257H	135	200-039V	63, 65, 147, 149	778163	61, 145
123-118D	27, 117	152-258H	133	200-041S	45	778211	61, 145
123-356D	27, 117	152-263H	45	202-007D	31, 123	778273	61, 145
123-410D	27, 117	152-266K	133	202-026D	31, 123	778319	61, 145
123-476H	27, 117	152-267S	133	202-055D	31, 39, 123, 129	780072	61, 145
123-521D	67, 71, 151, 155	152-271H	45	202-157D	49	780095	61, 145
123-834H	27, 117	152-275H	133	202-180D	55, 59, 139, 143	780105A	61, 145
123-939H	67, 71, 151, 155	152-276S	133	202-181D	31, 123	780108	61, 145
133-031D	27, 117	152-310H	45	202-182D	53, 55, 59, 137, 139, 143	784312	61, 145
133-042D	57, 141	152-312H	45			784371	61, 145
133-043D	57, 141	152-460D	46	202-183D	31, 39, 123, 129	784372	61, 145
133-045D	25, 27, 35, 115, 117, 119	152-461D	49	202-184D	31, 123	786088	61, 145
133-052D	57, 141	152-481D	49	202-185D	31, 123	788051A	61, 145
		152-482D	49	202-186D	25, 35, 115, 119	788067	61, 145
		152-484D	46, 49, 133			788069	61, 145



Part Number Index (continued)

Part Number	Page	Part Number	Page	Part Number	Page	Part Number	Page
805-186C	73, 75, 77, 79, 81, 157, 159, 161, 163, 165	816-009C	63, 65, 147, 149	818-590C	167	890-305C	15, 103
805-240C	31, 123	816-011C	43	818-719C	95, 167	890-311C	13, 107
805-306C	99	816-035C	43	818-860C	95, 97, 167, 169	890-312C	13, 107
805-328C	43, 45	816-051C	31, 123	819-001C	41, 131	890-349C	27, 117
805-331C	65, 149	816-055C	37, 69, 127, 153	819-041C	27, 117	890-350C	37, 127
806-004C	69, 153	816-112C	27, 117	819-059C	49, 133	890-389C	63, 147
806-105C	63, 65, 147, 149	816-113C	27, 117	820-018C	63, 65, 147, 149	890-390C	13
806-138C	11, 99	816-138C	45	820-082C	65, 149	890-640C	13, 107
806-160C	19, 109	816-139C	45	820-116C	65, 149	890-692C	107
8062	89, 91	816-180C	39, 69, 129, 153	820-155C	69, 153	890-806C	9
807-096C	45	816-302C	69, 153	820-156C	65, 149	891-005C	133
807-097C	51	816-510C	49, 133	821-042C	95, 167	891-006C	133
807-106C	73, 75, 77, 79, 81, 157, 159, 161, 163, 165	816-513C	67, 151	822-008C	41, 131	891-007C	49
807-118C	69, 153	816-539C	39, 129	822-013C	45	891-008C	49
807-300C	65, 149	816-540C	32	822-014C	45	990-109R	113
808-043C	31, 123	817-004C	37, 127	822-018C	43	dwg10249	51
808-046C	55, 59, 139, 143	817-008C	27, 117	822-019C	43	dwg12056	61, 145
808-069C	31, 123	817-009C	27, 117	822-020C	63, 147	dwg13215	85
808-070C	31, 123	817-010C	27, 117	822-021C	43, 63, 65, 147, 149	dwg16327	87
808-072C	57, 141	817-015C	45, 49, 53, 55, 57, 59, 133, 137, 139, 141, 143	822-040C	53, 55, 57, 59, 137, 139, 141, 143	dwg18558	11
808-100C	31, 57, 123, 141	817-026C	27, 117	822-041C	21, 31, 53, 55, 57, 59, 111, 123, 137, 139, 141, 143	dwg18559	13
808-118C	31, 123	817-029C	63, 147	822-057C	31, 39, 123, 129	dwg18560	15, 103
808-125C	45	817-033C	13, 31, 101, 123	822-071C	31, 123	dwg18561	9
808-157C	49, 133	817-042C	11, 99	822-080C	135	dwg18562	19
808-160C	49, 57, 133, 141	817-044C	9	822-103C	37, 127	dwg18565	17
808-170C	31, 53, 55, 57, 59, 123, 137, 139, 141, 143	817-051C	63, 147	822-106C	45	dwg18566	25, 115
808-185C	21, 31, 111, 123	817-068C	37, 127	822-107C	45	dwg18567	21, 111
808-271C	53, 55, 59, 137, 139, 143	817-069C	37, 127	822-108C	45	dwg18568	27, 117
808-278C	31, 123	817-070C	37, 127	822-119C	49, 133	dwg18569	29, 121
808-279C	31, 123	817-071C	37, 127	822-126C	57, 141	dwg18570	31, 123
808-280C	31, 123	817-073C	37, 127	822-128C	21, 31, 111, 123	dwg18571	35, 119
808-281C	31, 123	817-074C	37, 127	822-168C	43	dwg18572	37, 127
810-084C	85	817-075C	37, 127	822-170C	73, 75, 77, 79, 81, 157, 159, 161, 163, 165	dwg18573	41, 131
810-171C	43, 83	817-084C	69, 73, 75, 77, 79, 81, 153, 157, 159, 161, 163, 165	822-175C	49, 133	dwg18574	43
810-174C	93	817-086C	15, 103	822-186C	135	dwg18575	45
810-335C	87	817-087C	41, 131	833-492C	9	dwg18576	49
810-412C	45, 83	817-111C	51	838-094C	95	dwg18577	53
810-445C	85, 89, 91	817-202C	15, 103	838-102C	95, 167	dwg18578	55, 59
810-446C	89, 91	817-296C	77, 79, 161, 163	838-158C	95, 167	dwg18579	57
811-766C	83	817-297C	81, 165	838-160C	95, 97, 167, 169	dwg18580	63, 147
811-767C	83	817-314C	69, 153	838-161C	95, 97, 167, 169	dwg18618	71, 155
811-770C	83	817-323C	101	838-203C	167, 169	dwg18619	83
811-771C	83	817-328C	73, 75, 77, 79, 81, 157, 159, 161, 163, 165	838-207C	95, 97	dwg18620	93
812-012C	69, 153	817-330C	73, 75, 157, 159	838-228C	95, 167	dwg18621	95
812-054C	31, 39, 123, 129	817-346C	67, 151	838-237C	15, 95, 103, 167	dwg18622	97
812-346C	39, 129	817-347C	73, 75, 77, 79, 81, 157, 159, 161, 163, 165	838-241C	95, 167	dwg18623	99
814-008C	43	817-348C	83	838-242C	95, 167	dwg18624	101
814-011C	43	817-350C	15, 103	838-248C	167	dwg18625	105
814-034C	75, 159	817-420C	55, 59, 139, 143	838-265C	95, 167	dwg18626	107
814-157C	77, 79, 161, 163	817-504C	27, 117	838-266C	95, 167	dwg18627	109
814-158C	81, 165	817-507C	69, 153	838-406C	9, 95	dwg18628	133
814-159C	77, 79, 161, 163	817-513C	65, 149	838-428C	97, 169	dwg18629	135
814-160C	81, 165	817-516C	11, 99	838-482C	11, 95, 99, 167	dwg18630	137
814-174C	75, 159	817-632C	9, 133	848-021C	95	dwg18631	139
814-190C	135	817-806C	27, 117	848-093C	167, 169	dwg18632	141
814-220C	43	818-055C	17, 95, 105, 167	848-094C	95, 97	dwg18633	143
814-238C	73, 157	818-207C	97, 169	890-005C	9, 43, 46	dwg18634	69, 153
814-244C	73, 157	818-229C	95, 167	890-143C	9	dwg18635	77, 161
814-302C	43	818-230C	95, 167	890-153C	17, 105	dwg18636	167
815-082C	43	818-245C	97, 169	890-182C	9	dwg18684	169
815-116C	43	818-337C	95, 167	890-190C	37, 127	dwg19658	89, 91
815-117C	43	818-398C	95	890-245C	9	dwg19916	67, 151
815-294C	43			890-282C	49, 133	dwg21701	65
815-295C	43					dwg21741	75, 159
						dwg21742	81, 165
						dwg21781	149
						dwg22647	79, 163
						dwg24499	73, 157
						dwg25087	39, 129
						dwg25088	23
						dwg25089	113

This Page Intentionally Left Blank



Great Plains Mfg., Inc.
1525 E. North Street
Salina, Kansas 67401 USA

www.greatplainsmfg.com
